


UNITED STATES DEPARTMENT OF THE INTERIOR FISH AND WILDLIFE SERVICE



THE RELATIONSHIP BETWEEN INSTREAM FLOW AND PHYSICAL HABITAT AVAILABILITY FOR CHINOOK SALMON IN THE STANISLAUS RIVER, CALIFORNIA



REGION ONE

THE RELATIONSHIP BETWEEN INSTREAM FLOW AND PHYSICAL HABITAT AVAILABILITY FOR CHINOOK SALMON IN THE STANISLAUS RIVER, CALIFORNIA

Prepared by
Michael E. Aceituno
Fish and Wildlife Biologist

U.S. Fish and Wildlife Service Ecological Services Sacramento Field Office 2800 Cottage Way, Rm. E-1803 Sacramento, California

May 1993

Stanislaus River IFIM

FINAL REPORT ()5/25/93 (2:55pm)

THE RELATIONSHIP BETWEEN INSTREAM FLOW AND PHYSICAL HABITAT AVAILABILITY FOR CHINOOK SALMON IN THE STANISLAUS RIVER, CALIFORNIA

ABSTRACT

In 1989 the U.S. Fish and Wildlife Service's Instream Flow Incremental Methodology (IFIM) was applied to the Stanislaus River between Goodwin Dam and the town of Riverbank, California (approximately 24 river miles). The purpose was to help determine the instream flow needs for chinook salmon, Onchorhynchus tshawytscha, in the Stanislaus River downstream of the New Melones Unit of the Central Valley Project. The streamflow versus physical habitat relationship is described using the physical habitat simulation (PHABSIM) model and is based on the relationship established for three calibration flows measured as releases below Goodwin Dam (1,250 cfs, 700 cfs, and 125 cfs).

An instream flow of 300 cfs provides the greatest amount of salmon spawning habitat. Available habitat for egg incubation is maximized at 150 cfs. Fry habitat appears to be relatively limited and does not increase or decrease appreciably with streamflow. Juvenile salmon habitat availability is highest at 200 cfs. In general, an annual fishery flow release of 156,000 acre-feet would provide maximum physical habitat availability within the 24 mile study reach.

Additional water is recommended, as provided in an interim agreement between the U.S. Bureau of Reclamation and the California Department of Fish and Game, for further investigations to define flow needs for: 1) spring outmigration;

2) water temperature control; 3) fall "attraction" of migrating adults; and 4) maintenance of water quality (i.e., dissolved oxygen) or other benefits to the salmon population. These investigations must be completed before the instream flow requirements for chinook salmon protection on the Stanislaus River can be determined.

ACKNOWLEDGEMENTS

This investigation was funded through Federal transfer monies provided by the U.S. Bureau of Reclamation, Mid-Pacific Region. The studies described, and this report, were completed as part of a cooperative Stanislaus River Fishery Investigation, involving the Bureau of Reclamation, the U.S. Fish and Wildlife Service, and the California Department of Fish and Game. Jim Denny was the Bureau of Reclamation contact throughout this investigation. Many others also contributed to the completion of this report, especially in gathering the field data. Fish and Wildlife Service personnel Phil North (field crew leader), Nadine Kanim, Roger Guinee, Vicky Campbell, Mike Sullivan, Rich Williams, and Larry Hanson all worked diligently in gathering the field data. Volunteer workers Steve Elliot and Rick Howard also provided valuable field assistance. James Carson, of the Service's Sacramento Field Office, helped with editorial review and Jeff Thomas provided a thorough review, and improved calibration, of the PHABSIM input data for the final analysis.

PREFACE

The draft of this report, dated February 20, 1992, was titled Instream Flow Requirements for Fall Run Chinook Salmon Spawning and Rearing, Stanislaus River, California. The title has been changed to more accurately reflect the product of this study, which is a description of the relationship between physical or micro-habitat availability (expressed as suitable combinations of water velocity, depth, and substrate) for chinook salmon and streamflow in the Stanislaus River, California. Additional studies describing the relationship between streamflow and suitable macrohabitat conditions, such as water quality or temperature and conveyance flows (also called migration or "pulse" flows) necessary for salmon survival, must be completed in order to fully describe the relationship between instream flow and suitable habitat conditions for chinook salmon in the Stanislaus River.

A water temperature model is currently being developed for the Stanislaus River by the Bureau of Reclamation and salmon survival studies are being conducted by the Department of Fish and Game as part of the Stanislaus River Fishery Investigation. Once completed, the results of the temperature model, salmon survival studies, and the instream flow study described in this report will be "integrated" so that the overall relationship between streamflow and suitable habitat conditions for chinook salmon can be described. Only then can instream flows necessary to protect and preserve the salmon population of the Stanislaus River be determined and long term instream flow requirements be established.

Furthermore, due to interest from Bureau of Reclamation and Department of Fish and Game staff, a PHABSIM analysis was added using habitat suitability criteria for resident rainbow trout and anadromous steelhead trout.

Finally, those readers who reviewed the draft report may notice some differences in the relationship between weighted usable area and streamflow as described in this report. The primary reason for these differences are the result of a more detailed, and exhaustive, review of the physical and hydraulic input data applied to the PHABSIM. In addition, rather than running three separate data sets (high, middle, and low flow) for each study site, as was done in the draft, all velocity data was combined into one input deck for each study site in the final analysis. The input decks were thoroughly calibrated so that predicted water depths and velocities best matched those actually recorded at the three measured stream flows. Through this process it was not necessary to combine the PHABSIM results from three separate runs for each study site to provide the best overall picture of the physical habitat versus streamflow relationship, as was done in the draft. Instead the results from the combined velocity data sets used in the final analysis for each study site can be used directly. Therefore, the results presented in this report supersede those presented in the February 20, 1992 draft and should be used in negotiations where the relationship between weighted usable area of habitat and streamflow needs to be understood.

TABLE OF CONTENTS

ABSTRACT	i
ACKNOWLEDGEMENTS	ii
PREFACE	ii
TABLE OF CONTENTS	v
LIST OF TABLES	νi
LIST OF FIGURES	іi
INTRODUCTION	1
DESCRIPTION OF STUDY AREA General Setting	2 2 4 6 7
METHODS	9 9 12
The Potential of Side-Channels	16 20 22 23
CONCLUSION	24
REFERENCES	26
APPENDICES	
B. IFG4 INPUT DATA DECKS	27 13 13

LIST OF TABLES

Table	I. Life stage periodicity chart for fall-run chinook salmon in the Stanislaus River, California	7
Table	II. Substrate composition categories used in the Stanislaus River instream flow investigation	11
Table	III. Cover categories used in the Stanislaus River instream flow study, 1989	12
Table	IV. Habitat type, reach length, weighting factor, and percent area represented by each IFIM transect, by study site	14
Table	V. Recorded and measured stream flows (cfs) at Goodwin Dam and the four IFIM study sites on the Stanislaus River, California, 1989	16
Table	VI. Streamflow versus weighted usable area (square feet per 1,000 feet) by study site, and total weighted usable area (square feet) for fall run chinook salmon spawning in the Stanislaus River, California	19
Table	VII. Streamflow versus weighted usable area (square feet per 1,000 feet) by study site, and total weighted usable area (square feet) for fall run chinook salmon egg incubation in the Stanislaus River, California	20
Table	VIII. Streamflow versus weighted usable area (square feet per 1,000 feet) by study site, and total weighted usable area (square feet) for fall run chinook salmon fry in the Stanislaus River, California	21
Table	IX. Streamflow versus weighted usable area (square feet per 1,000 feet) by study site, and total weighted usable area (square feet), for fall run chinook salmon juveniles in the Stanislaus River, California	22
Table	X. Instream flows (cfs) which would provide the maximum weighted usable area of habitat for rainbow trout and steelhead trout in the Stanislaus River between Goodwin Dam and Riverbank, California	24
Table	XI. Instream flows which would provide the maximum weighted usable area of habitat for chinook salmon in the Stanislaus River,	25

Stanislaus River IFIM

LIST OF FIGURES

Figure 1. General location map of the Stanislaus River, California, and the Stanislaus River Fishery Investigation Study Area	3
Figure 2. Mean monthly discharge (streamflow) for the Stanislaus River measured just below Goodwin Dam for years 1981 through 1989	5
Figure 3. Location of IFIM study sites on the Lower Stanislaus River	8
Figure 4. Total weighted usable area of habitat versus streamflow relationship for fall-run chinook salmon spawning, incubation, fry, and juvenile life stages in the Stanislaus River, California	16
Figure 5. Weighted usable area of habitat (in square feet per 1,000 linear feet of stream) versus streamflow relationship for chinook salmon spawning at the four study sites on the Stanislaus River, California	17
Figure 6. Weighted usable area of habitat (in square feet per 1,00 linear feet of stream) versus streamflow for chinook salmon egg incubation at the four study sites on the Stanislaus River, California	17
Figure 7. Weighted usable area of habitat (in square feet per 1,000 linear feet of stream) versus streamflow relationship for chinook salmon fry at the four study sites on the Stanislaus River, California	18
Figure 8. Weighted usable area of habitat (in square feet per 1,000 linear feet of stream) versus streamflow relationship for chinook salmon juveniles at the four study sites on the Stanislaus River, California	18

THE RELATIONSHIP BETWEEN INSTREAM FLOW AND PHYSICAL HABITAT AVAILABILITY FOR CHINOOK SALMON IN THE STANISLAUS RIVER, CALIFORNIA

INTRODUCTION

Historically, the Stanislaus River, along with other San Joaquin River tributaries and the mainstem of the San Joaquin, had sizeable populations of chinook salmon, Onchorhynchus tshawytscha. Since the early 1900's, however, the number of salmon returning to the system each year to spawn has fallen dramatically. The spring-run chinook populations are extinct in the San Joaquin River system and the fall-run populations have declined significantly. Currently, there is no access for salmon to the upper San Joaquin River, due to diminished river flows. Spawning now occurs only in the major tributaries of the San Joaquin River — the Merced, the Tuolumne, the Calaveras, and the Stanislaus Rivers.

Efforts are underway to protect, restore, or enhance the dwindling populations of fall-run chinook salmon within the San Joaquin River system. An early effort on the Stanislaus River began with the authorization of the New Melones Project, a Federal water project operated by the U.S. Bureau of Reclamation as part of the Central Valley Project. Among the authorized project purposes, (which include flood control, irrigation and municipal water supply, power generation, recreation, and water quality control) is fish and wildlife enhancement, including provision for fishery flows.

Pursuant to project authorization, the U.S. Fish and Wildlife Service (Service), the California Department of Fish and Game (Department), and the Bureau of Reclamation (Reclamation) have cooperatively undertaken a series of investigations aimed at determining the measures necessary to improve the chinook salmon population in the Stanislaus River. Study tasks were designed to identify factors limiting chinook salmon survival in the Stanislaus and to

develop alternative management programs to increase the population. One task was specifically to conduct an instream flow study to assist in the identification of acceptable flow regimes for all life stages of chinook salmon which occur in the Stanislaus River. This report describes the instream flow study and presents the results.

DESCRIPTION OF STUDY AREA

General Setting

The headwaters of the Stanislaus River originate at an elevation of approximately 7,000 feet on the western slope of the Sierra Nevada, approximately 125 miles due east of the San Francisco Bay area. The Stanislaus flows in a southwesterly direction from the Sierra crest and joins the San Joaquin River on the floor of the Central Valley (Figure 1). Draining northward through the valley, the San Joaquin River meets the southward draining Sacramento River to form the Sacramento-San Joaquin Delta. Delta waters flow through the San Pablo Bay-San Francisco Bay complex and eventually into the Pacific Ocean, passing through San Francisco's Golden Gate.

Goodwin Dam is located in the Sierra foothills at an elevation of approximately 300 feet above mean sea level, and is a barrier to salmon migration on the Stanislaus River. Between the San Joaquin River and Goodwin Dam approximately 59 river miles of anadromous fish habitat is available in the Stanislaus. However, only the reach from approximately river mile 36 to Goodwin Dam (a distance of approximately 23 river miles) is defined as salmon spawning habitat by the California Department of Fish and Game (California Fish and Game code section 1505).

Field reconnaissance and aerial photos indicate that the lower Stanislaus




Figure 1. General location map of the Stanislaus River, California, and the Stanislaus River Fishery Investigation Study Area.

River(i.e., that section below Goodwin Dam) can be divided into upper, middle, and lower segments. They are distinguished from one another primarily by differences in stream gradient, substrate composition, and channel configuration. Two intermittent streams, Owl Creek and Wildcat Creek, enter the Stanislaus River in the upper and middle segments. Their contributions to river flow are generally not significant, however.

The upper river segment is the reach between Goodwin Dam and the town of Knights Ferry, a distance of approximately 4 river miles. Here the river is moderate in gradient (approximately 0.7%) and is confined by a narrow, steep-sided bedrock canyon. Approximately 80 percent of this river segment is composed of long deep pools and runs interspersed with short cascades. Substrate is predominantly sand and bedrock. The remaining 20 percent of this

segment is lower in gradient and the channel is less confined. The primary habitat types here are pools, runs, and riffles with gravel and cobble the pre dominant substrate. Also, sand and bedrock are present to a lesser degree. Approximately 10 percent of all chinook salmon spawning in the Stanislaus River occurs within this river segment.

The middle river segment is the reach between the towns of Knights Ferry and Riverbank, a distance of approximately 20 river miles. As the river flows downstream from the upper, bedrock canyon segment, a well-defined channel continues with a low gradient (0.1%). Steep banks of erodible soils and of bedrock are common and are often situated opposite large flood plains. This river segment displays a typical pool, run, and riffle habitat-type sequence, although individual habitat areas are frequently long and often variable in occurrence. Large, deep dredge pools add to the diversity of stream habitat types within this river segment. The pre dominant substrate is sand, gravel, and cobble. Approximately 90 percent of all chinook salmon spawning in the Stanislaus River is found within this reach.

The lower river segment is the reach between the town of Riverbank and the San Joaquin River, a distance of approximately 35 river miles. As the river flows into the San Joaquin Valley the gradient is nearly flat (approximately 0.03%) and the river meanders more as it flows through the valley lowlands. Deep pool and run habitat types predominate. The river substrate is composed mainly of sand and fine organic material. Salmon use this segment primarily for migration, although some juvenile rearing occurs when water temperatures are satisfactory. No spawning has been observed within this segment.

Hydrology

River flows within the study reach are controlled by Reclamation through the




Figure 2. Mean monthly discharge (streamflow) for the Stanislaus River measured just below Goodwin Dam for years 1981 through 1989.

New Melones Unit of the Central Valley Project. The authorized fishery flow release from New Melones Reservoir is 98,300 acre-feet annually with provisions for release of 69,000 acre-feet in critically dry years. However, an interim agreement, executed in 1987, between the Bureau and the Department, provides for variable flow releases from 98,300 acre-feet to 302,000 acre-feet annually, based on inflow, reservoir storage, and water demands. In addition to the fishery flow agreement, the Bureau has an interim arrangement with the South Delta Water Agency to provide an annual release of up to 70,000 acre-feet or more, if adequate supply exists, for water quality control purposes. Recent mean monthly Stanislaus River flows measured at the U.S. Geological

Survey river gage just below Goodwin Dam are illustrated in Figure 2.

Fishery Resources

In addition to chinook salmon, a considerable population of resident rainbow trout, Onchorhynchus mykiss, exists within the Stanislaus River between Goodwin Dam and Riverbank. The Department also has anecdotal information regarding the occurrence of the anadromous steelhead trout within the Stanislaus River (Bill Loudermilk, DFG, personal communication). Striped bass, Morone saxatilis, and American shad, Alosa sapidissima, have been reported to have migrated to, and spawned in, the extreme lower reaches of the Stanislaus River. Sturgeon, Acipenser spp., have also been reported within the lower Stanislaus but are not known to spawn in the river.


Fall-run chinook salmon generally begin to migrate into the lower Stanislaus in late September and continue through mid-December. Spawning begins in mid-October and continues through early January. Incubation, and fry and juvenile rearing, occur from the spawning period through mid-May. Juvenile smoltification begins as early as late March and generally continues to early June. Although most juvenile chinook salmon emigrate as smolts the first spring after hatching and emergence, some remain in the Stanislaus beyond this period. These yearling chinook juveniles have become more common within the Stanislaus in recent years (CDFG, 1987). Yearling chinook salmon have been observed in the river through the summer months and into early fall.

Snorkeling surveys suggest that yearling emigration takes place when ambient air and water temperatures cool in October or November (CDFG, 1992). Table I is a life stage periodicity chart for chinook salmon in the Stanislaus River.

Late fall-run chinook salmon are also reported to spawn and rear in the Stanislaus River below Goodwin Dam (Alice Low, CDFG, personal communication).

Late fall-run spawn from December through early March. Fry and juveniles remain in the river throughout the summer, and migrate out of the system the following fall. Although a much smaller part of the Stanislaus River chinook salmon fishery, the late fall-run, nevertheless, is an important component.

Table I. Life stage periodicity chart for fall-run chinook salmon in the Stanislaus River, California.



IFIM Study Reach

The study reach for habitat mapping and collection of hydraulic and physical habitat data within the Stanislaus River was located in the upper and middle river segments, between Goodwin Dam and the town of Riverbank (a distance of approximately 24 river miles). The study reach was divided into four study areas, each designated by the name given to the study site within the study area, as follows: 1) Two Mile Bar area - from Goodwin Dam to the covered bridge at Knights Ferry (approximately 3.5 river miles); 2) Six Mile Bar study




Figure 3. Location of IFIM study sites on the Lower Stanislaus River.

area - from the covered bridge at Knights Ferry to the upstream boundary of the Horseshoe Road Park (approximately 3.6 river miles); 3) Honolulu Bar study area - from Horseshoe Road Park to the Orange Blossom Road bridge (approximately 3.8 river miles); and, 4) Valley Oak State Recreation Area (SRA) study area - from the Orange Blossom Road bridge to about 1/2 mile upstream of the Santa Fe road bridge in Riverbank (approximately 13.1 river miles). Study site locations are shown in Figure 3.

The study sites were selected so that habitat types representative of the overall study areas were included, yet recognizing that each habitat type has variability between locations. For example, a pool by our definition is one that is over 4 feet in depth with an average water velocity of less than 1 foot per second. However, a given pool may be 6 feet deep and another 20 feet deep. Transects were established at the study sites to sample the major

habitat types and provide enough repetition to account for natural variation. This resulted in 7 to 10 transects at each study site. Study site maps, including transect locations and habitat distribution, are included in Appendix A.

METHODS

The Service's Instream Flow Incremental Methodology (IFIM) (Bovee and Milhous 1978; Milhous et al. 1981; Bovee 1982) was used for this evaluation. The IFIM was developed to facilitate evaluation of water resource developments and effective stream management. Basically, the methodology uses a computer-based physical habitat simulation model (PHABSIM) to combine various stream hydraulic and physical parameters with fish habitat requirements. The product of the PHABSIM allows investigators to relate changes in streamflow to physical habitat availability. Important components of this technique are the development of a calibrated hydraulic stream model and knowledge of the suitability of specific microhabitat conditions (i.e., water depths, velocity, and substrate) for individual fish species and life stages.

Field Techniques

Permanent markers (pins) were placed at the ends of each transect and a benchmark established as reference points. For each transect, water velocities, depths, and substrates were recorded at vertical measuring points distributed across the wetted perimeter of the river for each of three "calibration" flows. Generally, the distance between each measuring point was kept constant. As needed, however, additional measuring points were added at gradient breaks in bottom profile or where significant changes in water velocities or substrate were observed. A rule of thumb was established that no more than 10 percent of the total measured streamflow for any transect

would occur within any given "cell" (i.e., the area between vertical measuring points). As a result, the number of vertical measuring points varied from transect to transect depending on stream hydrology and streambed morphology. Generally, the number ranged between 20 and 30 per transect.

Water depths and velocities were measured at each transect for three release flows from Goodwin Dam and New Melones Reservoir. These "calibration" flows were 1,250 cubic feet per second (cfs), 700 cfs, and 125 cfs. The water velocity and depth data collected for the calibration flows where subsequently used to establish the water surface elevation (stage) versus streamflow (discharge) relationship and to calibrate the hydraulic simulation incorporated within the physical habitat simulation program. Data was collected on the following dates in 1989: May 2 to 6 for the 1,250 cfs release; July 10 to 13 for the 700 cfs release; and September 19 to 22 for the 125 cfs release. The flow for each study site was determined by calculating the mean of the flows recorded for each transect within the study site.

Mean water column velocities were measured at 0.6 of the total depth (measured from the water surface) for water depths less than or equal to 2.5 feet. At depths greater than 2.5 feet but less than or equal to 5.0 feet, velocities were measured at 0.2 and 0.8 of the total water depth. For water depths greater than 5.0 feet, velocities were measured at 0.2, 0.6 and 0.8 of the total water depth. Water velocity measurements were made with either a Price AA or Gurley water velocity meter. In extremely slow velocity areas, with water depths of less than 1 foot, a Pygmy water velocity meter was used. Mean water column velocities were calculated using standard formulas.

Water depths were measured to the nearest 0.1 foot with a top-setting wading rod in areas less than 8 feet deep. For depths greater than 8 feet, a boat-mounted sounding reel system with a cable and 15-pound sounding weight was

used.

Substrate composition and fish cover were assessed in each observation cell. An observation cell is defined as having a width equal to the horizontal distance between midpoints of adjacent vertical measuring points, a height equal to the depth of the water column, and a length upstream and downstream to a point representing the "transition" point to the next habitat type. Substrate composition was described using a modified Brusven index system (Table II). An index was used for application of the PHABSIM model and is composed of a 6-digit substrate descripter based on dominant and subdominant substrate types. It is coded as xXyY.%E (where xX = dominant substrate, yY = subdominant substrate, and %E = percent embeddedness).

Cover was described using a three-digit code. The first digit of the code defines the size of the largest object(s) seen within the observation cell. The second digit defines any overhead cover which provides protection from

Table II. Substrate composition categories used in the Stanislaus River instream flow investigation.

Code	Substrate Type	Size Range (mm)
1	Organic Debris	·
2	Mud/Soft Clay-	
3	Silt	<.062
4	Sand	.062 - 2
5	Course Sand	2 - 4
6	Small Gravel	4 - 25
7	Medium Gravel	25 - 50
8	Large Gravel	50 - 75
9	Small Cobble	75 - 150
10	Medium Cobble	150 - 225
11	Large Cobble	225 - 300
12	Small Boulder	300 - 600
13	Medium Boulder	600 - 2000
14	Large Boulder	> 2000
15	Bedrock	-14 -14

Table III. Cover categories used in the Stanislaus River instream flow study, 1989.

Cover Object	Overhead Cover	Cover Quality
O = None	0 = None	0 = None
1 = Objects < 6 inches	<pre>1 = Instream Overhead (undercut banks, rootwads, logs, etc.)</pre>	1 = Poor (<25%)
2 = Objects 6 to 12 inches	<pre>2 = Overhanging Overhead (within 18" of water's surface)</pre>	
3 = Objects > 12 inches	<pre>3 = Instream & Overhanging (both code 1 and 2)</pre>	3 = Good (50-75%)
	· 	4 = Excellent (75-100%)

predators, sunlight, etc., within the observation cell. The third digit, which follows a decimal, describes the quality of the cover as poor, fair, good, or excellent. Cover codes and descriptions are listed in Table III. The cover index is coded as XY.Z (where X = object cover, Y = overhead cover, and Z = cover quality).

If no overhead cover was present in the observation cell, the linear distance to the nearest overhead cover was estimated to the nearest foot.

General information recorded for each field day included sampling date and time, study area and site, estimated stream discharge, air and water temperatures, name of observer and recorder, observation method, water clarity, weather conditions, total length of study site and equipment used.

Data Analysis

Field data gathered was initially transcribed from the field data forms into

microcomputer database files using dBASE II (Ashton-Tate, DBASE II, IBM PC-DOS, Version 2.43). These files were checked for errors and corrected where necessary. They then became the "raw" database files from which all subsequent data analyses were conducted. The edited DBASE files where then transcribed to LOTUS 1-2-3 spreadsheets (1-2-3, release 2.01, LOTUS Development Corp.) for further analysis, including mean column water velocity calculations and conversion of substrate and cover codes to appropriate index values. These data were then formatted to input data decks needed for the hydraulic simulation (IFG4) program by using FLOSORT, a program developed by Andrew Hamilton of the Service's Lewiston Suboffice, Lewiston, California. All files were checked for accuracy using the RCKI4 microcomputer program provided by the Service's National Ecology Research Center, Aquatic Systems Modeling Section.

Physical habitat simulation (PHABSIM) input data decks were built for each study site using the water surface elevation (stage), streamflow (discharge), and water velocity data collected during the field measurements at the three calibration flows. In order to accurately portray the entire study area described by study site, transect weighting factors were all set to 1 and reach lengths were adjusted so that the total percent area represented by habitat type was equal to that measured during the habitat mapping phase of this study. Table IV lists the habitat type, reach length, weighting factor, and percent area represented by each transect for each study site during the computer modelling phase of this study. The input data decks used in this evaluation are listed in Appendix B.

Water surface elevations for computation flows, ranging from 50 cfs to 1300 cfs, were calculated in the model using a rating curve defined by the stage-discharge relationship established by those measured in the calibration flows. Each input deck was run separately through the PHABSIM.

The PHABSIM analysis also requires, as separate input, suitability criteria for the target species being considered. Water depth, velocity, and substrate suitability criteria for chinook salmon adults, fry, and juveniles were

Table IV. Habitat type, reach length, weighting factor, and percent area represented by each IFIM transect, by study site.

Study Site	Transect	Habitat Type	Reach Length	Weighting Factor	Percent Area
Two Mile Bar	10.0	Deep Pool	323.50	1.00	32.35
	9.0	Run	70.80	1.00	7.08
	8.0	Run	23.20	1.00	2.32
	7.0	Run	70.90	1.00	7.09
	5.0	Riffle	23.20	1.00	2.32
	4.0		70.80	1.00	7.08
	3.0	Run	70.90	1.00	7.09
	2.0	Riffle	23.20	1.00	2.32
	1.0	Deep Pool	323.50	1.00	32.35
Six Mile Bar	1.0	Riffle	50.30	1.00	5.03
	2.0	Run	130.70	1.00	13.07
	3.0	Run	130.70	1.00	13.07
	4.0	Run	130.70	1.00	13.07
	5.0	Deep Pool	457.00	1.00	45.70
	6.0	Riffle	50.30	1.00	5.03
	7.0	Riffle	50.30	1.00	5.03
Honolulu Bar	7.0	Run	77.00	1.00	7.70
	6.0	Run	77.00	1.00	7.70
	5.0	Run	77.00	1.00	7.70
	4.0	Run	77.00	1.00	7.70
	3.0	Deep Pool	225.50	1.00	22.55
	2.0	Riffle	241.00	1.00	24.10
	1.0	Deep Pool	225.50	1.00	22.55
Valley Oak SI	RA 7.0	Deep Pool	409.00	1.00	40.90
	6.0	Run	84,60	1.00	8.46
	5.0	Run	84.60	1.00	8.46
	4.0	Run	84.60	1.00	8.46
	3.0	Run	84.60	1.00	8.46
	2.0	Riffle	168.00	1.00	16.80
	1.0	Run	84.60	1.00	8.46

If Although this transect was described as a shallow pool, it more closely represented a run, especially, at high flows. Therefore, it was combined with the run transects in the PHABSIM.

determined through direct observation and field measurements of habitat use and availability within the Stanislaus River. These data were collected between November 4, 1986 and April 13, 1989 and have been reported previously

(Aceituno, 1990). Egg incubation criteria used are a composite of water velocity and depth suitability described by Bovee (1978) and substrate suitability determined for the spawning life stage during the investigations of 1986 through 1989. For convenience, the criteria used in this analysis are listed in Appendix C.

The product of the PHABSIM is an index of the habitat potential, called the weighted usable area (WUA). For each study site and each computation flow the WUA is equal to the suitability index for the combined characteristics measured (water velocity, water depth, and substrate or cover) and the total surface area represented by that study site. The WUA is unique to the streamflow, the study site, and the target species and life stage to which it applies. The term "weighted" refers to the influence of the habitat suitability criteria developed for each target species and life stage which is applied to the physical habitat simulation.

The fish habitat versus streamflow relationship determined through the physical habitat simulation model is expressed in terms of square feet of weighted usable area of habitat per 1,000 linear feet of stream. To provide an overall picture of the relationship between physical habitat availability and streamflow within the study reach, the PHABSIM results for each study site were combined. Since the four study sites represent study areas of different lengths on the Stanislaus River, a value of total weighted usable area was calculated by multiplying the PHABSIM results for each study site by the total distance represented by that site, divided by 1,000, and summing the totals. This gives an estimate of weighted usable habitat area for the entire study reach from Goodwin Dam to Riverbank, California (approximately 24 river miles).

RESULTS AND DISCUSSION

Measured river flows at the four study sites, along with the releases from Goodwin Dam recorded at the U.S. Geological Survey river gage near the dam, are provided in Table V.

Table V. Recorded and measured stream flows (cfs) at Goodwin Dam and the four IFIM study sites on the Stanislaus River, California, 1989.

USGS Gage @ Goodwin	Two Mile Bar	Six Mile Bar	Honolulu Bar	Valley Oak SRA
1,270	1,304	1,360	1,318	1,327
710	689	744	727	772
130	132	157	165	165

The total weighted usable area of habitat versus streamflow relationships for chinook salmon spawning, incubation, fry, and juvenile life stages are illustrated in Figure 4. Predicted weighted usable area of habitat (per 1,000)




Figure 4. Total weighted usable area of habitat versus streamflow relationship for fall-run chinook salmon spawning, incubation, fry, and juvenile life stages in the Stanislaus River, California.




Figure 5. Weighted usable area of habitat (in square feet per 1,000 linear feet of stream) versus streamflow relationship for chinook salmon spawning at the four study sites on the Stanislaus River, California.

linear feet) versus streamflow relationships for each life stage, by soudy site, are illustrated in Figures 5 through 8. The weighted usable habitat area estimates used to generate these graphs are provided in Tables VI through IX.




Figure 6. Weighted usable area of habitat (in square feet per 1,000 linear feet of stream) versus streamflow for chinook salmon egg incubation at the four study sites on the Stanislaus River, California.




Figure 7. Weighted usable area of habitat (in square feet per 1,000 linear feet of stream) versus streamflow relationship for chinook salmon fry at the four study sites on the Stanislaus River, California.

Predictably, estimated weighted usable area of habitat for chinook salmon in the Stanislaus River varies considerably with streamflow below Goodwin Dam.

Typically, weighted usable habitat area increases as flows increase and then begins to decline as streamflow continues to increase beyond an optimal level.




Figure 8. Weighted usable area of habitat (in square feet per 1,000 linear feet of stream) versus streamflow relationship for chinook salmon juveniles at the four study sites on the Stanislaus River, California.

Table VI. Streamflow versus weighted usable area (square feet per 1,000 feet) by study site, and total weighted usable area (square feet) for fall run chinook salmon spawning in the Stanislaus River, California.

Streamflow (cfs)	Two Mile Bar	Six Mile Bar	Honolulu Bar	Valley Oak SRA	Reach Total
25	351	666	1,345	226	62,145
50	1,007	2,354	4,397	1,272	240,387
100	2,079	5,910	10,634	4,028	644,143
150	2,824	9,203	14,859	6,061	946,290
200	3,618	11,186	17,087	7,134	1,117,916
250	3,904	12,526	18,321	8,175	1,245,320
300	4,232	13,562	17,834	8,730	1,299,496
350	4,383	14,073	16,236	8,349	1,253,539
400	4,380	14,138	14,660	7,684	1,177,151
450	4,312	14,616	13,035	7,017	1,106,286
500	4,083	14,432	11,582	6,165	1,010,593
550	3,848	13,859	10,159	5,353	910,630
600	3,576	13,253	8,606	4,683	816,489
650	3,207	12,514	7,420	4,121	732,814
700	2,858	11,673	6,304	3,533	647,199
750	2,565	10,633	5,381	2,950	563,092
800	2,292	9,534	4,630	2,449	487,304
850	2,114	8,453	3,996	1,974	417,915
900	1,938	7,560	3,546	1,623	364,279
950	1,813	6,837	3,165	1,354	321,941
1,000	1,720	6,136	2,835	1,121	284,078
1,050	1,646	5,825	2,526	953	258,954
1,100	1,587	5,504	2,237	822	236,864
1,150	1,526	5,129	1,919	715	214,706
1,200	1,460	4,873	1,673	609	196,325
1,250	1,408	4,688	1,511	512	181,924
1,300	1,392	4,495	1,302	436	168,419

The PHABSIM model developed in 1989 for the Stanislaus River considers only the relationship between physical habitat availability and streamflow for chinook salmon spawning, incubation, fry rearing and juvenile rearing life stages, within the river reach between Goodwin Dam and Riverbank (approximately 24 river miles). The results of the PHABSIM model indicate that a streamflow of

300 cubic feet per second provides the greatest amount of usable habitat for chinook salmon spawning. Available habitat for egg incubation is maximized at 150 cfs. Fry habitat appears to be generally limited and does not increase or decrease appreciably as streamflow changes. This is most likely due to the

Table VII. Streamflow versus weighted usable area (square feet per 1,000 feet) by study site, and total weighted usable area (square feet) for fall run chinook salmon egg incubation in the Stanislaus River, California.

Streamflow (cfs)	Two Mile Bar	Six Mile Bar	Honolulu Bar	Valley Oak SRA	Reach Total
25	3,825	9,344	15,525	4,328	862,406
50	5,379	13,724	21,763	9,603	1,463,666
100	6,818	17,333	24,050	11,139	1,711,446
150	7,505	19,950	23,507	11,185	1,766,492
200	7,639	21,575	21,832	10,620	1,727,374
250	7,376	21,469	19,991	9,851	1,630,332
300	6.935	20,973	18,314	9,144	1,530,088
350	6.458	20,431	16,655	8,374	1,424,348
400	6,021	19,885	15,043	7,603	1,320,071
450	5,747	19,216	13,562	6,906	1,224,309
500	5,353	18,449	12,338	6,266	1,133,519
550	4,970	17,750	11,183	5,673	1,048,838
600	4,555	17,036	10,076	5,132	967,859
650	4,270	16,290	9,084	4,639	894,345
700	3,987	15,542	8,235	4,167	825,070
750	3,761	14,896	7,570	3,728	764,897
800	3,719	14,359	6,916	3,324	712,809
850	3,864	13,793	6,303	2,960	667,305
900	4,028	13,144	5,793	2,633	625,165
950	3,952	12,601	5,339	2,343	584,286
1,000	3,871	12,107	4,925	2,082	546,999
1,050	3,785	11,633	4,560	1,847	512,732
1,100	3,724	11,235	4,274	1,644	484,246
1,150	3,674	10,970	3,954	1,465	459,500
1,200	3,648	10,662	3,654	1,304	435,992
1,250	3,684	10,327	3,386	1,160	414,902
1,300	3,706	10,023	3,141	1,027	395,452

fact that salmon fry are not well adapted to high velocity currents and spend most of their time along the shallow stream margins in slower water. In our observations during the habitat preference criteria development phase of this investigation, over 90 percent of all fry were found in areas of water velocity less than 0.5 foot per second and depths less than 2 feet (Aceituno, 1990). Chinook salmon juvenile weighted usable habitat area is highest at 200 cfs.

The Potential of Side-Channels

The potential of side-channel habitat areas for all chinook salmon life stages within the Stanislaus River should not be overlooked. For the fry and

Table VIII. Streamflow versus weighted usable area (square feet per 1,000 feet) by study site, and total weighted usable area (square feet) for fall run chinook salmon fry in the Stanislaus River, California.

Streamflow (cfs)	Two Mile Bar	Six Mile Bar	Honolulu Bar	Valley Oak SRA	Reach Total
25	250	224	372	813	72.236
50	225	187	302	670	59,840
100	246	157	380	593	56,012
150	249	157	37 9	478	48,115
200	222	142	316	398	40,574
250	215	134	285	368	37,599
300	229	132	306	344	36,598
350	240	128	33 5	321	35,755
400	253	125	341	295	34,272
450	248	125	320	297	33,877
500	250	127	300	286	32,807
550	247	125	286	227	28,379
600	245	123	280	185	. 25,311
650	242	119	281	177	24,640
700	232	115	284	187	25,151
750	223	113	285	200	25,817
800	220	111	285	205	26,102
850	219	112	293	197	25,701
900	223	118	303	187	25,437,
950	229	127	316	174	25,092
1,000	240	143	329	151	24,232
1,050	252	161	333	136	23,866
1,100	266	183	338	130	24,253
1,150	273	208	340	128	24,759
1,200	278	235	340	128	25,416
1,250	279	262	339	126	25,753
1,300	<u>276</u>	288	336	120	25,740

juvenile life stages, significant habitat gains occur within the Honolulu Bar study site at streamflows above 450 cubic feet per second. This is because of the existence of a long side-channel at the site and the availability of more microhabitat in terms of low water velocities, shallower depths, and suitable substrate when this area becomes flooded.

Since side-channels are atypical of the lower Stanislaus River, representing less than 1 percent of the total habitat available, they are not included in the general habitat evaluation described in this report. Nonetheless, they could provide significant habitat enhancements beneficial to the dwindling chinook salmon population.

Table IX. Streamflow versus weighted usable area (square feet per 1,000 feet) by study site, and total weighted usable area (square feet), for fall run chinook salmon juveniles in the Stanislaus River, California.

Streamflow (cfs)	Two Mile Bar	Six Mile Bar	Honolulu Bar	Valley Oak SRA	Reach Total
25	677	633	1,390	1,992	189,543
50	752	677	1,378	2,118	200,225
100	72 9	772	1,438	2,274	213,544
150	728	841	1,563	2,397	225,783
200	731	835	1,617	2,424	228,703
250	742	806	1,602	2,371	224,444
300	749	763	1,511	2,226	211,896
350	741	717	1,392	2,081	198,561
400	723	675	1,300	1,924	184,792
450	722	649	1,249	1,822	176,204
500	735	626	1,235	1,746	170,513
550	745	601	1,246	1,677	165,685
600	751	581	1,229	1,619	161,158
650	760	56 9	1,200	1,561	156,508
700	763	562	1,173	1,522	153,219
750	761	556	1,149	1,436	146,694
800	761	549	1,131	1,353	140,481
850	762	536	1,124	1,275	134,743
900	759	522	1,127	1,207	129,830
950	751	510	1,139	1,143	125,285
1,000	745	500	1,150	1,112	123,084
1,050	739	495	1,155	1,085	121,154
1,100	733	493	1,163	1,037	117,862
1,150	735	494	1,178	997	115,458
1,200	740	498	1,196	966	113,910
1,250	739	505	1,214	949	113,201
1,300	739	515	1,220	933	112,407

The Importance of Pulse Flows

This study did not directly provide information on flows needed for smolt emigration in the spring. Preliminary data from smolt survival studies being conducted by the Department of Fish and Game indicate that flows of 1,250 to 2,000 cfs would provide for a high level of smolt survival in the Stanislaus River. In testimony to the State Water Resources Control Board, the Department has recommended increasing streamflow between April 15 and May 15 each year. The flow increase is based on the results of studies documenting increased survival of salmon smolts to the Sacramento-San Joaquin River Delta. Detailed monitoring efforts are also recommended by the Department to further evaluate and document the benefits of the pulse flows and to determine the

duration required for smolt survival (CDFG, 1992).

Yearling and Late Fall-Run Salmon Flow Needs

Although river flows of 200 cfs provide maximum juvenile rearing habitat, higher flows may be necessary over the summer months. Not only is appropriate physical habitat needed for juvenile rearing (which is optimized at 200 cfs), but suitable water temperatures are also necessary during this period. In the past, flows released to meet water quality requirements have provided conjunctive benefits for fall-run yearling or late fall-run juvenile salmon rearing through the late spring and summer months. An exception has been when storage in New Melones Reservoir is severely depleted. The Bureau of Reclamation is developing a water temperature model for the Stanislaus River which will help determine the instream flow needs. In addition, studies are needed to determine the appropriate "carry over" storage to be maintained in upstream reservoirs, particularly New Melones, so that water temperatures in the river downstream can best be controlled for the benefit of juvenile salmon.

Rainbow Trout and Steelhead Concerns

Although an evaluation of the physical habitat versus streamflow relationship for other salmonid species was not originally a part of this study, staff from both the Bureau of Reclamation and the Department of Fish and Game have expressed an interest in seeing this relationship. Therefore, a PHABSIM analysis was conducted using habitat suitability criteria for resident rainbow trout and the anadromous steelhead rainbow trout. Table X lists the flows

which would provide the maximum amount of habitat for each life stage of rainbow and steelhead trout in the Stanislaus River. The complete results of

Table X. Instream flows (cfs) which would provide the maximum weighted usable area of habitat for rainbow trout and steelhead trout in the Stanislaus River between Goodwin Dam and Riverbank, California.

Life Stage	Rainbow Trout	Steelhead Trout
Spawning	100	200
Fry	50	50
Juvenile	150	150
Adult	400	500

this analysis are provided in Appendix D.

CONCLUSION

The results of this study show that microhabitat availability is highest for chinook salmon spawning at 300 cfs, egg incubation at 150 cfs, and for juvenile salmon at 200 cfs. Weighted usable area of habitat for chinook salmon fry is limited, restricted to shallow, low velocity areas along the stream margins. Table XI shows instream flows yielding the maximum weighted usable area of habitat for chinook salmon in the Stanislaus River. The incubation and fry life stages are combined since they overlap in occurrence. Considering such factors as possible redd dewatering, siltation, and the maintenance of suitable dissolved oxygen levels for development of incubating salmon eggs, the flow requirement for incubation is given priority.

Even though the PHABSIM model results indicate relatively little available fry habitat, overall, the potential exists to significantly increase its availability through the development of side-channels or other areas providing shallow, low velocity habitat.

While this report describes the water velocities, depths, and substrates suitable for chinook salmon life stages, a comprehensive instream flows regime

Table XI. Instream flows which would provide the maximum weighted usable area of habitat for chinook salmon in the Stanislaus River, between Goodwin Dam and Riverbank, California.

Life Stage	Dates	#Days	Goodwin (cfs)	Dam Release (acre-feet)
Spawning	October 15 - December 31	78	300	46,414
Egg Incubation/ Fry rearing	January 1 - February 15	46	150	13,686
Juvenile rearing	February 15 - October 15	241	200	95,605
	Totals	365		155,705

which would protect and preserve the Stanislaus River salmon resource cannot be determined from that data alone. Other macrohabitat conditions, such as water quality and temperature, and the value of conveyance and attraction flows, have yet to be fully described for the Stanislaus River.

Consideration of other macrohabitat conditions before recommending instream flows is consistent with the Instream Flow Incremental Methodology, which integrates the multitude of components and associated habitat variables important to evaluating potential impacts to rivers. As noted earlier, the Bureau of Reclamation is developing a comprehensive water temperature model for the Stanislaus River. In addition, the Department of Fish and Game is continuing investigations into the benefits of spring "pulse" flows and fall attraction flows as part of the overall Stanislaus River Fishery Investigation. Once these studies are completed, the results can be combined with the results described in this report. Only after integrating a variety of habitat variables and competing species life stage needs can a comprehensive instream flow schedule for the Stanislaus River be developed which will protect and preserve the chinook salmon resource.

REFERENCES

- Aceituno, M.E. 1990. Habitat preference criteria for chinook salmon of the Stanislaus River, California. USDI. Fish. Wildl. Serv., Fish Wildl. Enhancement, Sacramento, California. 67pp.
- Bovee, K.D. 1978. Probability-of-Use Criteria for the Family Salmonidae.

 Instream Flow Information Paper 4. USDI. Fish Wildl. Serv. FWS/OBS-78/07. 79pp.
- Bovee, K.D. 1982. A guide to stream habitat analysis using the Instream Flow Incrémental Methodology. Instream Flow Information Paper 12. USDI. Fish Wildl. Serv. FWS/OBS-82/26. 248pp.
- Bovee, K.D., R.T. Milhous. 1978. Hydraulic simulation in instream flow studies: theory and techniques. Instream Flow Information Paper 5. USDI. Fish Wildl. Serv. FWS/OBS-78/33. 130pp.
- California Department of Fish and Game, 1992. Interim Actions to Reasonably
 Protect San Joaquin Fall Run Chinook Salmon. State Water Resources
 Control Board, Bay-Delta Hearings Proceedings, WRINT-DFG Exhibit 25.
 June 1992. 69pp.
- California Department of Fish and Game, 1987. The Status of San Joaquin

 Drainage Chinook Salmon Stocks, Habitat Conditions and Natural

 Production Factors. State Water Resources Control Board, Bay-Delta

 Hearings Process, PHASE I. DFG Exhibit #15. July 1987. 74pp.
- Milhous, R.T., D.L. Wegner, and T. Waddle. 1984. User's guide to the Physical Habitat Simulation System (PHABSIM). Instream Flow Information Paper 11. USDI. Fish. Wildl. Serv. FWS/OBS-81/43 (revised). 475pp.

APPENDIX A

INSTREAM FLOW INCREMENTAL METHODOLOGY (IFIM) STUDY SITES, TRANSECT DESCRIPTIONS AND LOCATIONS FOR THE STANISLAUS RIVER INSTREAM FLOW STUDY, 1989

Stanislaus River IFIM

INSTREAM FLOW INCREMENTAL METHODOLOGY (IFIM) STUDY SITES, TRANSECT DESCRIPTIONS AND LOCATIONS FOR THE STANISLAUS RIVER INSTREAM FLOW STUDY, 1989

The Stanislaus River from Goodwin Dam to the confluence with the San Joaquin River was divided into three segments based on gross river morphology for the purposes of IFIM modeling. These three segments are: the 4 river miles between Goodwin Dam and Knights Ferry; the 20 river miles between Knights Ferry and the town of Riverbank; and, the 34 river miles from Riverbank to the confluence with the San Joaquin River. Within the upper two river segments one or more short sites were selected to represent the river segments, and to describe them via IFIM modelling procedures. Figure A-1 is a map showing the location of the IFIM study sites.

Each habitat type has variability between locations. For example a deep pool by our definition is any pool over 4 feet deep and with water velocity less than 1 foot per second. However, one pool may be 6 feet deep and another 20 feet deep. When the transects were established in the reaches they were placed to sample the variety of habitats within each study site and, by extrapolation, each segment.

The uppermost study segment, the 4 miles between Goodwin Dam and Knights Ferry, is defined by a steep walled bedrock gorge. The river channel has a moderate gradient (0.7%) and is made up of long pools interspersed with cascades. At a few locations large beds of gravel have gathered, forming gravel bars. Salmon spawning habitat on these gravel bars is excellent. The California Department of Fish and Game estimates that 10 percent of salmon spawning in the Stanislaus River occurs in these 4 miles of accessible river. One IFIM study site, Two Mile Bar, was established in this segment.

The second of the three river segments, the 20 miles between Knights Ferry and the town of Riverbank, is a low-gradient stream of 0.1 percent. Steep banks

of erodible soils are commonly present with bedrock outcrops occurring irregularly. The segment is comprised of typical pool-run-riffle habitats, But with considerable variance in length and occurrence of each habitat. Large, deep dredge pools add to the inconsistency of stream habitat types. Sand, gravel and cobble provide most of the substrate, with an occasional bedrock outcrop. Ninety percent of the chinook salmon spawning occurs in this middle river segment.

We have established three IFIM study sites to sample the diversity in this river segment. They are designated as Six Mile Bar, Honolulu Bar, and Valley Oak State Recreation Area.




Figure A-1. Location map of the instream flow study sites used to model the Stanislaus River, California.

TWO MILE BAR STUDY SITE

At Two Mile Bar, 10 transects were used to describe the reach.

Transect 1 crosses a moderately deep pool which is a common feature in this upper section.

Transect 2 crosses the head of a riffle. This riffle is heavily used for spawning.

Transect 3 is through a deep fast run.

Transect 4 crosses a shallow pool. Velocity is relatively slow and aquatic vegetation is thick.

Transect 5 crosses a spawning area at the lower end of the shallow pool where it drops off as a short riffle into the run below.


Transect 6 crosses the split channel with a fast shallow run on one side and a shallow pool on the other. During high flows riparian vegetation on the island and on the left side of the channel is inundated, creating excellent cover and forage areas for juvenile salmon (this transect proved to be extremely difficult to model, however, and was dropped from the final PHABSIM analysis).

Transect 7 crosses the bottom of the split channel where water is fast on both sides of the island. Here, as in transect 6, high flows inundate vegetation on the edges, expanding useful rearing habitat.

Transects 8 and 9 cross a fast run where the river narrows below the split channel.

Transect 10 crosses a deep pool, 15 feet in depth. The channel is still relatively narrow here.

The distribution of habitat types and the locations of transects at Two Mile Bar are illustrated in Figure A-2.



SIX MILE BAR STUDY SITE

The Six Mile Bar reach is a long reach with ten transects.

Transect 1 is across a spawning riffle at the bottom end of the study site.

Transects 2,3, and 4 are all across a long run/glide. They are placed to sample the variability in the run/glide type habitat that occurs throughout the section.

Transect 5 is across a deep pool below where a side channel returns to the main channel.

3

Transects 6 and 7 are across a riffle heavily used by salmon for spawning.

Habitat distribution and transect locations are illustrated in Figure A-3.




Figure A-3. Six Mile Bar Study Site and Instream Flow Study Transect Locations.

HONOLULU BAR STUDY SITE

The second IFIM sampling site for the middle segment is at Honolulu Bar. Here there is a long side channel that is extensively used for both spawning and fry and juvenile rearing when adequate water flows through the channel. The main channel has seven transects. This reach differs from Six Mile Bar in generally having a narrower river channel and steeper swifter run/glides.

Transect 1 in the main channel crosses a deep pool.

Transect 2 crosses a spawning area.

Transect 3 crosses another deep pool.

Transects 4,5,6 and 7 are placed to model the variation in a long run/glide.

Transect 4 also includes a backwater area.

Because the side channel feature found here is atypical of the lower Stanislaus River as a whole, it was not modelled in this analysis.

. Figure A-4 shows the habitat distribution and transect locations.




Figure A-4. Honolulu Bar Study Site and Instream Flow Study Transect Locations.

VALLEY OAK SRA STUDY SITE

The third IFIM study site for the middle river segment is at Valley Oak State Recreation Area. In the lower part of the segment, the river slows down a bit and riffles become shorter. Still, salmon do spawn in this segment. Five of the seven transects at this site are categorized as run/glide.

Transects 1, 3, 4, 5 and 6 cross run/glide habitat and sample the variability of runs in this lower part of the middle section of river.

Transect 2 crosses a spawning area.

Transect 7 crosses a deep pool.

Figure A-5 shows the distribution of habitats and location of transects.




Figure A-5. Valley Oak SRA Study Site and Instream Flow Study Transect Locations.

The third segment of river is from Riverbank to the confluence of the Stanislaus with the San Joaquin River. It is 34 river miles long. The gradient of the river is low, 0.03% and the river actively meanders across its floodplain. The river is characterized by long sand bottomed run/glides, with some deep pools at the bends. No salmon spawn here.

No IFIM modeling sites were established within the segment. We determined that the site at Valley Oak State Recreation Area would adequately describe conditions found in the lower river segment as well.

APPENDIX B

IFG4 INPUT DATA DECKS FOR THE STANISLAUS RIVER INSTREAM FLOW STUDY, 1989

FINAL REPORT ()/5/25/93 (2.55pm)

```
STANISLAUS RIVER FISHERY INVESTIGATION, 1989. TWO MILE BAR STUDY SITE
COMBINED FLOW VELOCITY DATA SET & WEIGHTED USING HABITAT MAPPING
IOC.
          0000100001001000000000
     25.0
QARD
QARD 50.0
QARD 100.0
OARD 150.0
QARD 200.0
QARD 250.0
QARD 300.0
QARD 350.0
QARD 400.0
QARD 450.0
QARD 500.0
QARD 550.0
QARD 600.0
QARD 650.0
QARD 700.0
QARD 750.0
QARD 800.0
QARD 850.0
QARD 900.0
QARD 950.0
QARD1000.0
QARD1050.0
OARD1100.0
QARD1150.0
QARD1200.0
QARD1250.0
QARD1300.0
XSEC
                 0.01.00
                             86.60
                                      .00025
      10.0
           0.0 97.1 2.0 94.1 4.0 92.1 8.0 90.2 12.0 88.3 16.0 84.7
      10.0
      10.0 20.0 82.3 24.0 80.2 28.0 79.9 31.0 79.7 34.0 79.4 37.0 79.0
      10.0 40.0 78.9 43.0 78.6 46.0 78.8 49.0 78.8 52.0 81.4 55.0 84.1
      10.0 58.0 85.6 61.0 89.3 64.0 89.1 67.0 89.4 70.0 90.6 73.0 91.5
      10.0 76.0 92.0 79.0 92.9 83.0 93.6 88.0 95.7
      10.0 0.00 9.12 0.00 9.12 0.00 9.12 0.00 9.12 0.00 9.12 0.00 9.12
NS
      10.0 0.00 9.12 0.00 9.12 0.00 9.12 0.0010.12 0.0010.12 0.0010.12
NS
      10.0 0.0010.12 0.0010.12 0.0010.12 0.0010.12 0.0010.12 0.0010.12
NS
NS
      10.0 0.0010.12 0.0010.12 0.0010.12 0.0010.12 0.0010.12 0.0010.12
NS
      10.0 0.0010.12 0.0010.12 0.0010.12 0.0010.12
      10.0
               94.08
                       1304.30
CAL1
      10.0
                     0.02 .50
                                .66
                                     .93 1.21 1.91 2.43 2.77 3.07 3.56
VEL1
      10.0 3.37 3.51 2.83 2.31 1.23 .66 .71 .62 .27
VEL1
                                                         .23
      10.0 .30 .18
VEL1
                      .02
               92.60
CAL2
      10.0
                        688.80
                                .35
                                     .59
VEL2
      10.0
                      .02 .10
                                          .80 1.22 1.58 1.80 1.81 1.78
                                .48
VEL2
      10.0 1.92 1.77 1.79 1.19
                                     . 45
                                          .35 .28 .20 .15 .05
VEL2
            .05
      10.0
CAL3
      10.0
               90.24
                        131.60
VEL3
      10.0
VEL3
      10.0
      10.0
VEL3
XSEC
       9.0
               323.51.0
                             87.40
                                      .00667
       9.0 0.0 99.0 13.0 94.2 17.0 93.4 21.0 92.4 25.0 91.5 29.0 91.0
       9.0 33.0 90.6 39.0 87.8 42.0 87.5 44.0 87.7 46.0 87.8 48.0 87.4
       9.0 50.0 87.6 52.0 87.6 54.0 87.5 56.0 87.8 58.0 88.1 60.0 88.5
       9.0 63.0 89.0 67.0 89.8 71.0 91.5 75.0 91.6 80.0 91.6 85.0 91.5
       9.0 90.0 93.7 94.0 94.2103.0 97.1
       9.0 0.00 9.12 0.00 9.12 0.00 9.12 0.00 9.12 0.00 9.12 0.00 9.12
NS
       9.0 0.00 9.12 0.00 9.12 0.0010.12 0.0010.12 0.0010.12 0.0010.12
NS
NS
       9.0 0.0010.12 0.0010.12 0.0010.12 0.0010.12 0.0010.12 0.0010.12
```

```
9.0 0.0010.12 0.0010.12 0.0010.12 0.0010.12 0.0010.12 0.0010.12
       9.0 0.0010.12 0.0010.12 0.0010.12
NS
CAL1
               94.18
                      1304.30
VEL1
                     1.70 .90 1.70 2.60 3.30 3.70 5.70 6.90 7.70 7.20
VEL1
       9.0 6.80 6.50 6.90 6.50 5.60 5.30 3.60 1.70 1.00 .20 .20 .10
VEL1
       9.0 0.00
CAL2
       9.0
               92.60
                        688.80
VEL2
       9.0
                               .40 .50 2.50 3.10 6.40 5.70 7.80 7.50
                          0.00
VEL2
       9.0 6.40 5.80 5.00 5.30 4.30 4.30 1.20 .60 .20 .20 .30 0.00
VEL2
       9.0
       9.0
CAL3
               90.24
                       131.60
                                              .75 2.32 3.29 4.63 4.60
VEL3
       9.0
       9.0 3.96 3.01 1.98 1.33 1.22 .93 .18 .08
VEL3
       9.0
XSEC
        8.
                70.81.0
                           89.80
                                    .00653
        8. 0.0 95.9 10.0 93.2 12.0 93.1 15.0 92.9 20.0 92.2 25.0 90.7
        8. 30.0 90.3 35.0 90.7 40.0 90.7 45.0 90.2 50.0 90.1 55.0 90.2
        8. 50.0 91.9 65.0 91.3 70.0 90.6 75.0 90.5 80.0 90.2 85.0 89.8
        8. 90.0 91.1 95.0 92.4100.0 92.3105.0 92.9132.0 97.3
        8. 0.00 9.04 0.00 9.04 0.00 9.04 0.00 9.04 0.0010.13 0.00 7.06
NS
NS
        8. 0.0010.09 0.0013.09 0.0010.09 0.0010.09 0.0010.09 0.0010.09
        8. 0.00 9.04 0.00 9.08 0.00 9.08 0.00 9.08 0.00 9.08 0.00 9.08
        8. 0.0013.09 0.0013.09 0.0011.04 0.0013.03 0.0014.03
NS
        8.
CAL1
              94.86 1304.30
VEL1
        8.
VEL1
        8.
CAL2
        8.
              93.20
                       688.80
        VEL2
VEL2
CAL3
        8.
            91.29
                      131.60
VEL3
                                   0.00 3.30 3.00 4.20 3.00 3.80 1.90 🕻
        8.
                    4.50 2.80 2.10 1.40 .40 0.00
VEL3
        8.
XSEC
        7.
               23.21.0 90.40
                                    .00602
        7. 0.0103.4 14.0 95.5 22.0 95.5 27.0 93.5 28.0 93.3 34.0 92.6
        7. 38.0 91.5 42.0 90.9 45.0 90.9 48.0 90.8 52.0 91.1 56.0 91.0
        7. 62.0 91.1 64.0 92.6 66.0 93.3 68.0 93.6 72.0 93.4 74.0 93.2 7. 77.0 93.1 85.0 92.7 89.0 91.1 95.0 90.4100.0 90.5105.0 89.8
        7.110.0 90.3115.0 90.5120.0 90.7125.0 90.0130.0 90.7135.0 91.2
        7.140.0 92.8142.0 93.8152.0 94.2162.0 94.3167.0 94.4172.0 94.6
        7.180.0 94.7184.0 95.5186.0 96.5
NS
        7. 0.00 6.07 0.00 6.07 0.00 6.07 0.00 6.07 0.00 6.07 0.00 3.04
NS
       7. 0.00 6.07 0.00 9.08 0.00 9.09 0.00 9.08 0.00 9.08 0.00 9.08
NS
       7. 0.0011.11 0.00 5.01 0.00 5.01 0.00 7.09 0.00 3.09 0.00 6.09
NS
        7. 0.00 6.08 0.00 7.06 0.00 6.09 0.00 6.07 0.00 6.07 0.00 9.07
NS
        7. 0.00 9.06 0.00 9.06 0.00 9.08 0.00 9.07 0.00 8.06 0.00 4.04
NS
        7. 0.00 8.08 0.00 8.08 0.00 8.08 0.00 8.08 0.00 8.08 0.00 8.08
        7. 0.00 8.08 0.00 8.08 0.00 8.08
NS
       7. 95.26 1304.30
CAL1
VEL1
       7.
                        1.10 2.20 3.50 5.60 6.70 7.30 6.70 5.90 4.50
       7. 3.80 1.90 .70 .70 .60 .40 .40 1.00 1.50 1.70 2.00 2.10
       7. 2.20 4.10 3.60 2.40 2.90 .70 .70 .80 2.40 .70 .50 .50
VEL1
VEL1
       7. 0.00
CAL2
              93.88
       7.
                     688.80
       VEL2
VEL2
VEL2
VEL2
       7.
       7.
CAL3
              92.15
                       131.60
VEL3
       7.
                                   .10 1.08 2.25 2.42 2.42 2.25 2.06
       7. 1.50 .10
VEL3
                                                  .70 1.29 1.55 1.27
VEL3
       7. .70 .32 .20 .20 .20 .10 .10 .10
VEL3
```

```
.00098
XSEC
        5.
                70.91.0
                           92.10
        5. 0.0 97.1 1.5 96.6 6.0 95.4 7.0 95.2 8.0 95.0 12.0 94.4
        5. 15.0 92.5 20.0 92.5 25.0 92.9 30.0 93.3 35.0 93.5 40.0 93.3
        5. 45.0 93.0 50.0 92.3 55.0 92.5 60.0 92.1 65.0 92.4 70.0 92.7
        5. 75.0 92.7 80.0 92.7 85.0 93.2 90.0 92.9 95.0 92.7100.0 92.8
        5.105.0 92.9110.0 93.2115.0 93.5120.0 94.2125.0 95.1130.0 96.1
        5.136.0 97.4
        5. 0.00 2.06 0.00 2.06 0.00 2.06 0.00 2.06 0.00 2.06 0.00 2.06
NS
        5. 0.00 5.05 0.00 6.09 0.00 6.08 0.00 8.07 0.00 8.09 0.00 8.09
NS
        5. 0.00 9.06 0.0012.05 0.0010.06 0.0011.09 0.00 9.06 0.00 9.05
NS
        5. 0.00 6.09 0.00 9.05 0.00 9.09 0.00 9.09 0.00 8.06 0.00 8.09
NS
        5. 0.00 6.09 0.00 4.09 0.00 6.06 0.00 2.02 0.00 3.04 0.00 3.04
NS
NS
        5. 0.00 3.04
CAL1
        5.
               96.56
                       1304.30
        5.
                      .30 .30 .40 .40 .90 2.50 3.00 3.90 3.90 3.90
VEL1.
        5. 4.20 4.20 4.10 4.00 4.10 4.00 3.70 4.00 3.50 2.70 2.20 2.10
VEL1
        5. 2.10 2.10 1.60 1.50 1.00 0.00
VEL1
        5.
                        688.80
CAL2
               95.46
                                     .10 .40 2.40 2.70 3.40 3.20 3.40
VEL2
        5.
                          0.00
                                .40
        5. 3.30 2.60 2.80 2.80 2.80 2.70 2.80 2.50 3.00 2.30 1.90 1.90
VEL2
        5. 1.60 1.80 1.80 1.30 .30
VEL2
CAL3
               94.04
                       131.60
        5.
        5.
VEL3
                                        0.00 1.60 1.50 1.50 1.30 1.20
VEL3
        5. 1.10 1,30 1.20 .90 1.10 .70 .90 .70 .90 1.10 1.30
        5. 0.00 .40 .80
VEL3
XSEC
                23.21.0
                            92.70
                                     .00012
        4. 0.0 98.1 5.0 96.7 14.0 96.3 22.0 93.9 29.0 91.6 34.0 91.3
        4. 39.0 91.0 43.0 91.1 47.0 90.6 50.0 90.4 53.0 90.2 56.0 90.3
        4. 59.0 90.4 62.0 90.3 65.0 90.7 68.0 90.9 71.0 91.1 74.0 91.3
        4. 78.0 91.2 82.0 91.5 86.0 92.4 90.0 92.0 96.0 92.4104.0 92.5 4.114.0 92.8124.0 95.5128.0 96.3130.0 96.7137.0 98.4
        4. 0.00 3.02 0.00 3.02 0.00 3.02 0.00 3.02 0.0011.07 0.0011.07
NS
        4. 0.0011.07 0.0011.07 0.0011.08 0.0011.08 0.0011.08 0.0011.08
NS
        4. 0.00 8.12 0.00 8.12 0.00 7.08 0.00 7.08 0.00 7.08 0.00 7.08
NS
NS
        4. 0.00 7.08 0.0010.07 0.0011.10 0.00 9.08 0.00 9.08 0.00 2.04
        4. 0.00 2.04 0.00 2.04 0.00 2.04 0.00 2.04 0.00 2.04
NS
        4.
               96.63 1304.30
CAL1
        4.
                     0.02 .31 1.52 2.88 3.77 3.69 3.69 4.00 4.28 4.87
VEL1
        4. 5.00 4.93 4.95 4.59 4.22 3.85 3.33 2.65 2.10 1.59 1.00 .39
VEL1
VEL1
        4. .10 .02 .02
CAL2
        4.
               95.53
                        688.80
                               .45 1.24 2.31 2.84 2.80 2.50 2.91 2.85
VEL2
        4.
                           .18
        4. 3.10 2.69 3.10 2.91 2.77 2.39 2.23 1.67 1.37 .99
VEL2
                                                             .73
VEL2
        4. .18 .02
        4.
            94.09
                        131.60
CAL3
                                                        .72
        4.
                           .01
VEL3
                               .01 .46 .63 .45 .68
                                                             .70
                                                                   .62
                               .62 .41 .49 .50 .30
VEL3
        4. .75 .62
                     .62 .61
                                                        .32
                                                             .35
VEL3
        4.
XSEC
        З.
                70.81.0
                            92.70
                                     .00376
        3. 0.0 97.9 11.3 95.5 13.3 94.9 18.0 93.8 23.0 92.0 26.0 91.8
        3. 29.0 91.1 32.0 90.7 35.0 90.2 38.0 89.7 41.0 89.3 44.0 89.1
        3. 47.0 89.0 50.0 88.5 53.0 88.4 55.0 88.4 57.0 88.6 59.0 88.9
        3. 52.0 89.5 65.0 91.2 68.0 91.2 74.0 95.0 78.0 95.0 81.0 96.0
        3. 94.0 97.9
        3. 0.0012.10 0.0012.10 0.0012.10 0.0012.10 0.0010.07 0.00 6.05
NS
        3. 0.00 6.05 0.00 6.05 0.00 9.07 0.00 9.07 0.00 9.07 0.00 9.07
NS
NS
        3. 0.0010.08 0.0010.08 0.0010.08 0.0010.08 0.0010.08 0.0011.09
NS
        3. 0.00 3.11 0.0012.10 0.0011.09 0.0011.09 0.0012.10 0.0012.10
NS
       3. 0.0012.10
       3.
                     1304.30
               96.60
CALl
              0.00 .20 .40 .50 .50 .50 1.60 3.60 4.50 4.60 6.40
VEL1
       3.
       3. 6.60 6.50 6.60 6.20 6.20 5.90 4.00 1.20 .20 .80 .60 0.00
VEL1
```

```
VEL1
CAL2
       3.
              95.58
                       688.80
VEL2
        3.
               0.0 0.0 -1.3 -0.9 0.4 0.5 0.8 1.8 3.0 3.8 4.2
            4.6 5.5 5.4 4.6 3.4 2.0 1.2 0.9 -0.4 -0.4
VEL2
        3.
CAL3
        3.
               94.11
                        131.60
                          0.00 -.90 -.70 -.50 -.40 .10 .30 .60 1.10
VEL3
        З.
VEL3
        3. 1.70 1.90 2.20 2.30 2.20 1.10 .70 -.60 -.80
VEL3
                                     .00011
XSEC
        2.
                70.91.0
                            92.70
        2. 0.0 98.9 26.8 97.6 60.0 96.6 86.0 95.6 93.9 95.2103.0 94.8
        2.113.0 94.2123.0 94.0133.0 93.8140.0 93.7147.0 93.0154.0 93.1
        2.160.0 93.6166.0 92.4172.0 92.5178.0 92.4184.0 93.2190.0 93.6
        2.196.0 93.8202.0 93.9209.0 94.7216.0 95.2223.0 95.1230.0 95.2
        2.237.0 95.4244.0 96.3250.0 96.8258.0 97.6270.0 98.6
NS
        2. 0.0010.08 0.0010.08 0.0010.08 0.0010.08 0.0010.08
NS
        2. 0.0011.08 0.0011.08 0.0011.08 0.0011.08 0.0011.08 0.00 9.11
NS
        2. 0.00 9.11 0.00 9.11 0.00 9.11 0.00 8.11 0.00 8.11 0.00 8.11
        2. 0.00 8.11 0.00 7.08 0.00 7.08 0.00 7.08 0.00 7.08 0.00 2.07
NS
        2. 0.00 2.07 0.00 2.07 0.00 2.07 0.00 2.12 0.00 2.12
NS
CAL1
        2.
               97.58
                     1304.30
VEL1
                    0.00 .20 .30 1.00 1.70 2.50 2.90 2.80 3.30 3.60
        2.
        2. 3.60 3.30 3.10 2.80 2.90 2.90 2.70 1.10 1.00 1.10 1.10 1.80
VEL1
      . 2. 1.80 1.50 .90
VEL1
CAL2
               96.21
                       688.80
        2. 2.9 2.3 2.3 2.1 1.9 2.0 2.5 1.3 0.8 0.2 1.3 0.8 2. 1.4 0.0
VEL2
VEL2
VEL2
             94.69
CAL3
        2.
                       131.60
VEL3
        2.
                                         .70 .60 1.20 .40 1.50 1.00
        2. 1.60 1.60 1.30 1.00 1.20 1.20 1.20 0.00
VEL3
VEL3
XSEC
                           92.70
        1.
                23.21.0
                                     .00033
        1. 0.0 99.8 2.0 97.7 5.0 96.0 10.0 92.7 15.0 91.5 20.0 90.6
        1. 25.0 90.1 30.0 90.1 35.0 90.1 40.0 90.3 45.0 90.3 50.0 90.2
        1. 55.0 90.3 60.0 89.9 65.0 89.9 70.0 89.3 75.0 89.1 80.0 89.6
        1. 85.0 89.8 90.0 90.2 98.0 90.5106.0 90.9114.0 92.3122.0 93.4
        1.130.0 94.7138.0 97.3154.0 99.2
NS
        1. 0.00 1.04 0.00 1.04 0.00 1.04 0.00 1.04 0.00 1.04 0.00 1.04
NS
        1. 0.00 9.04 0.00 9.04 0.00 9.04 0.0010.08 0.0010.08 0.0010.08
        1. 0.0010.08 0.0010.08 0.0010.08 0.0010.08 0.0010.08
NS
        1. 0.0013.09 0.0013.09 0.0010.08 0.00 6.05 0.0014.06 0.0014.06
NS
NS
        1. 0.0014.06 0.0014.06 0.0014.06
CAL1
               97.67 1304.30
       1.
VEL1
                    0.00 .10 .30 .90 1.60 1.80 2.00 2.30 2.70 2.60
VEL1
       1. 2.60 2.30 2.10 2.00 1.60 1.50 1.30 1.20 1.10 .80 .80 .80
       1. .30 0.00
VEL1
CAL2
       1. 96.32
                       688.80
        1.
                    0.00 0.00 .30 .70 1.20 1.00 1.10 1.50 2.00 2.10
VEL2
        1. 2.10 1.70 1.50 1.30 1.00 1.00 .70 .70 .60 .40
VEL2
        1. 0.00
VEL2
CAL3
        1. 94.75
                       131.60
VEL3
                        0.00 .10 .10 .20 .20 .40 .40
       1.
                                                           .60
                                                                 .70
       1. .70 .60 .40 .50 .40
VEL3
                                   .40 .20 .20 .10 0.00 0.00 0.00
VEL3
        1.
XSEC
       99.
              323.50.0
                           92.70
                                    .00033
      99. 0.0 99.8 2.0 97.7 5.0 96.0 10.0 92.7 15.0 91.5 20.0 90.6
      99. 25.0 90.1 30.0 90.1 35.0 90.1 40.0 90.3 45.0 90.3 50.0 90.2
      99. 55.0 90.3 60.0 89.9 65.0 89.9 70.0 89.3 75.0 89.1 80.0 89.6
      99. 85.0 89.8 90.0 90.2 98.0 90.5106.0 90.9114.0 92.3122.0 93.4
      99.130.0 94.7138.0 97.3154.0 99.2
N.S
      99. 0.00 1.04 0.00 1.04 0.00 1.04 0.00 1.04 0.00 1.04 0.00 1.04
```

```
NS
      99. 0.00 9.04 0.00 9.04 0.00 9.04 0.0010.08 0.0010.08 0.0010.08
NS
      99. 0.0010.08 0.0010.08 0.0010.08 0.0010.08 0.0010.08
NS
      99. 0.0013.09 0.0013.09 0.0010.08 0.00 6.05 0.0014.06 0.0014.06
NS
      99. 0.0014.06 0.0014.06 0.0014.06
      99.
             97.67
                    1304.30
CAL1
VEL1
      99.
                   0.00 .10 .30 .90 1.60 1.80 2.00 2.30 2.70 2.60
VEL1
      99. 2.60 2.30 2.10 2.00 1.60 1.50 1.30 1.20 1.10 .80 .80 .80
      99. .30 0.00
VEL1
CAL2
      99.
           96.32
                      688.80
      99.
                   0.00 0.00 .30 .70 1.20 1.00 1.10 1.50 2.00 2.10
VEL2
VEL2
      99. 2.10 1.70 1.50 1.30 1.00 1.00 .70 .70 .60 .40 .30 .40
VEL2
      99. 0.00
CAL3
      99.
              94.75
                      131.60
                             .10
      99.
                                  .10 .20 .20 .40 .40 .60 .70
VEL3
                        0.00
VEL3
      99. .70 .60 .40 .50 .40 .40 .20 .20 .10 0.00 0.00 0.00
      99.
VEL3
ENDJ
```

```
STANISLAUS RIVER FISHERY INVESTIGATION, 1989. SIX MILE BAR STUDY SITE
COMBINED FLOW VELOCITY DATA SET & WEIGHTED BASED ON HABITAT MAPPING
          0000100001001000000000
QARD 25.0
QARD 50.0
QARD 100.0
QARD 150.0
QARD 200.0
QARD 250.0
QARD 300.0
QARD 350.0
QARD 400.0
QARD 450.0
QARD 500.0
QARD 550.0
QARD 600.0
QARD 650.0
QARD 700.0
QARD 750.0
QARD 800.0
QARD 850.0
QARD 900.0
QARD 950.0
OARD1000.0
QARD1050.0
QARD1100.0
QARD1150.0
QARD1200.0
QARD1250.0
QARD1300.0
XSEC
       1.0
                 0.01.00
                           91.10
                                    .00025
           0.0 97.1 9.0 94.9 15.0 93.5 21.0 91.6 27.0 91.6 30.0 91.5
       1.0
       1.0 33.0 91.1 39.0 91.3 45.0 92.0 48.0 92.1 51.0 92.1 54.0 92.0
       1.0 57.0 92.0 63.0 92.1 66.0 92.0 69.0 92.1 75.0 92.2 81.0 92.3
       1.0 87.0 92.9 90.0 92.7 93.0 92.8 98.0 93.3105.0 93.1111.0 93.3
       1.0117.0 93.8123.0 94.4129.0 94.4135.5 94.9141.0 97.2
                                              8.06
                                                                   9.07
NS
       1.0
                8.06
                         8.06
                                    8.06
                                                         9.07
NS
                9.07
                          9.08
                                    9.08
                                              9.08
                                                         8.09
       1.0
                                                                   8.09
NS
       1.0
                9.08
                          9.07
                                    9.07
                                              9.07
                                                        9.07
                                                                   8.09
                         10.09
                                   10.09
NS
       1.0
               10.09
                                              10.09
                                                        10.09
                                                                  10.09
NS
       1.0
               10.09
                         10.09
                                   10.09
                                              10.09
                                                        10.09
CAL1
       1.0
               93.45
                        157.00
                           .30 1.40 1.80 1.80 1.30 2.10 2.20 2.40 2.30
VEL1
       1.0
       1.0 2.00 1.30 1.20 1.60 1.00 .60 .50 .50 .50
VEL1
VEL1
       1.0
CAL2
       1.0
               94.86
                        744.00
VEL2
       1.0
                      .90 1.10 2.70
                                         3.00 2.50 3.50 3.60 4.10
       1.0 3.70 3.10
VEL2
                          2.90 3.10 2.30 2.30 2.20 2.60 2.40 2.10
                      .20
VEL2
       1.0 2.00 1.10
              95.92
                     1360.00
CAL3
       1.0
VEL3
       1.0
VEL3
       1.0
VEL3
       1.0
XSEC
       2.0
                50.31.00
                            91.20
                                     .00025
       2.0 0.0102.1 21.0 94.9 22.0 94.0 24.0 93.6 28.0 91.3 34.0 91.2
       2.0 40.0 91.7 46.0 92.2 52.0 91.5 58.0 91.5 64.0 91.4 66.0 91.5
       2.0 72.0 92.1 76.0 92.0 82.0 92.2 88.0 92.5 94.0 92.3100.0 91.8
       2.0106.0 91.9112.0 91.5118.0 91.6124.0 91.5130.0 91.6136.0 92.1
       2.0138.0 92.8139.0 93.5142.0 94.6143.2 94.6146.8 96.8
               8.06
NS
       2.0
                        8.06
                                    8.06
                                              8.06
                                                       8.06
                                                                  8.06
                                                       10.07
NS
       2.0
                9.07
                          9.07
                                    9.07
                                              9.07
                                                                  10.07
NS
       2.0
               10.07
                          9.07
                                    9.07
                                              9.07
                                                        9.07
                                                                  10.08
```

```
10.08
              9.07
                                 9.07 8.06
NS
       2.0
                                                     5.08
                                                                5.08
NS
       2.0
               5.08
                        5.08
                                  5.08
                                            5.08
                                                      5.08
CAL1
       2.0
              93.52
                       157.00
       2.0
                                   1.50 1.60 1.40 .90 1.00
                                                           .90 1.00
VEL1
                              .40 .40 1.00 .50 .90 .20
           .90 .60 .30 .50
                                                           .20 .50
VEL1
       2:0
       2.0 .60
VEL1
CAL2
       2.0
              94.92
                      744.00
VEL2
       2.0
                     .70
                             1.00 2.40 2.70 2.50 2.20 2.20 2.20
               2.30 2.40 2.40 2.40 2.40 2.20 1.40 1.20 .90 .80 .50
VEL2
       2.0
VEL2
       2.0
CAL3
                      1360.00
       2.0
              96.01
VEL3
       2.0
VEL3
       2.0
VEL3
       2.0
XSEC
       3.0
              130.71.00
                           91.20
                                    .00016
       3.0 0.0 97.7 9.0 94.6 10.4 94.1 15.4 92.8 17.4 92.2 20.4 91.2
       3.0 25.4 90.4 30.4 89.7 34.4 89.4 38.4 89.2 41.4 89.0 44.4 89.0
       3.0 47.4 88.7 50.4 88.5 53.4 88.1 56.4 88.1 59.4 87.7 62.4 86.8
       3.0 65.4 86.6 68.4 87.7 71.4 88.7 74.4 89.6 78.2 89.1 82.2 91.0
       3.0 85.2 92.3 88.7 93.6 90.7 93.6 92.2 94.1 95.4 95.1 96.4 97.0
       3.0 99.0 97.0
      3.0
                                           10.09
                                                     10.09
NS
               9.08
                         9.08
                                  9.08
                                                   9.08
9.04
                        10.05
                                 10.05
                                            9.08
                                                                9.08
NS
       3.0
              10.09
                       9.08
9.08
                                 9.08
13.09
NS
       3.0
               9.08
                                            9.04
                                                                8.04
NS
       3.0
               8.04
                                           13.09
                                                     13.09
                                                               13.09
NS
       3.0
              13.09
                        13.09
                                 13.09
                                           12.03
                                                     12.03
                                                               12.03
       3.0
NS
              12.03
                     157.00
CAL1
      3.0
              93.58
                               .30 .50 .70 .70 .80 .70 .80
VEL1
       3.0
                              .70 .30 .10 .10 .04 .05 .10 .20
VEL1
       3.0 .70 .80 .80 .70
VEL1
       3.0
             95.08
CAL2
                      744.00
       3.0
VEL2
       3.0
                         .95
                                  1.60 1.60 1.90 2.10 2.30 2.40 2.40
       3.0 2.40 2.20 2.30 2.20 2.20 2.20 1.80 2.30 1.10 1.00 .90 .70
VEL2
       3.0 .40 .30 .10
VEL2
CAL3
       3.0
           96.17 1360.00
VEL3
                                  2.10 2.60 3.00 3.30 3.30 3.50 3.60
       3.0
                       1.30
       3.0 3.80 3.70 3.70 3.80 3.70 3.20 3.20 2.90 2.00 1.40 1.70 1.20
VEL3
VEL3
      3.0 1.00 .20
              130.71.00 91.20
                                    .00029
XSEC
      4.0
       4.0 0.0 97.9 19.0 95.0 22.0 93.8 25.0 92.8 28.0 91.6 31.0 91.1
       4.0 34.0 90.9 37.0 90.7 40.0 90.6 43.0 90.2 46.0 90.2 49.0 90.0
       4.0 52.0 89.9 55.0 89.7 58.0 89.6 61.0 89.3 64.0 89.2 67.0 89.9
       4.0 70.0 92.4 73.0 92.9 76.0 90.6 80.0 92.5 83.0 93.4 89.0 95.0
       4.0 96.0 96.0100.0 96.4
NS
               9.06
                                            8.07
                                                     9.08
       4.0
                       9.06
                                  6.07
                                                               8.04
      4.0
               4.08
                        9.07
                                 9.07
                                            9.07
                                                     9.08
                                                               9.08
NS
NS
       4.0
               9.08
                        9.08
                                 8.09
                                            9.12
                                                    12.09
                                                              12.09
NS
       4.0
              12.09
                       12.09
                                 12.09
                                            3.14
                                                     3.14
NS
       4.0
              3.14
                         3.14
CAL1
      4.0
              93.59
                       157.00
                              .30 .50
.60 .70 .70 .40
VEL1
      4.0
                                                 .90 1.40 1.60 1.70
      4.0 1.60 1.50 1.10 .90
VELI
VEL1
      4.0
      4.0
                      744.00
CAL2
              95.14
                     .10 .30 .50 1.20 2.00 2.60 3.60 4.50 4.50 5.00
VEL2
      4.0
      4.0 4.70 4.60 3.70 2.90 3.50 3.00 3.10 1.50 .40 .30
VEL2
VEL2
      4.0
CAL3
              96.24 1360.00
      4.0
                         .60 1.64 3.63 4.57 5.10 5.59 5.58
VEL3
      4.0
      4.0 5.54 5.61 5.59 5.59 4.98 4.29 2.42 .81
VEL3
                                                      .17
VEL3
```

```
5.0
XSEC
              130.71.00
                           91.20
                                     .00434
       5.0 0.0 98.5 69.0 95.3 71.0 94.9 73.0 94.1 76.0 93.2 80.0 92.6
       5.0 84.0 91.8 88.0 90.8 92.0 89.8 96.0 89.2 99.0 88.7102.0 88.5
       5.0105.0 88.3108.0 88.6111.0 88.5114.0 88.1117.0 88.3121.0 89.1
       5.0124.0 89.6127.0 90.6130.0 92.4133.0 94.3134.5 95.3135.0 95.5
       5.0145.0 96.5
NS
       5.0
                9.08
                          9.08
                                    9.08
                                              9.08
                                                        9.08
                                                                  9.08
NS
       5.0
                9.07
                          9.08
                                    9.08
                                              9.08
                                                        9.08
                                                                 10.09
NS
       5.0
                9.08
                          9.08
                                    9.08
                                              9.08
                                                       10.09
                                                                  9.06
NS
       5.0
                4.06
                          4.06
                                    4.06
                                              4.06
                                                        4.06
                                                                   4.06
NS
       5.0
                4.06
                        157.00
CAL1
       5.0
               93.60
VEL1
       5.0
                                              .79 1.49 2.45 2.16 1.40
                                          .38
                      .42 .70 .65 .41 .27 .11 .11
VEL1
       5.0 .92 .53
VEL1
       5.0
CAL2
       5.0
               95.27
                        744.00
VEL2
       5.0
                                     .80 1.50 2.40 3.70 4.50 5.40 4.60
VEL2
       5.0 3.60 3.10 2.70 2.30 2.10 .80 .50 .40
VEL2
       5.0
               96.38
                       1360.00
CAL3
       5.0
VEL3
       5.0
VEL3
       5.0
VEL3
       5.0
       6.0
               457.01.00
                            93.40
                                      .00511
XSEC
       6.0 0.0 98.6 3.0 97.8 6.8 97.0 11.0 95.8 15.0 95.1 22.0 94.3
       6.0 28.0 94.7 33.0 94.4 37.0 94.1 38.0 94.5 39.0 94.2 43.0 94.0
       6.0 47.0 94.0 51.0 93.9 55.0 94.0 58.0 93.4 61.0 93.4 64.0 93.7
       6.0 67.0 93.8 70.0 93.8 73.0 93.9 76.0 93.9 79.0 94.2 82.0 94.3
       6.0 86.0 94.4 90.0 94.7 94.0 94.7 98.0 95.2105.0 96.6112.0 97.3
       6.0116.0 97.8120.0 98.3
                                    9.08
NS
       6.0
                9.08
                        9.08
                                             10.09
                                                                 10.09
                                                        4.04
                9.10
                         9.10
NS
       6.0
                                   10.09
                                           10.09
                                                      10.09
                                                                 10.09
       6.0
               9.10
                        10.09
                                   10.09
                                           10.09
                                                      10.09
NS
                                                                 10.09
NS
       6.0
             10.09
                         9.10
                                   9.10
                                           10.09
                                                       9.10
                                                                 9.10
              9.10
NS
       6.0
                         9.08
                                    9.08
                                             8.04
                                                       4.04
                                                                  4.04
NS
       6.0
               4.04
                         4.04
       6.0
               95.41
CAL1
                     157.00
VEL1
       6.0
                                     .50 1.00 1.80 2.30 1.90 1.70 .90
       6.0 2.30 1.70 1.10 1.00 2.10 2.10 2.30 2.20 2.30 1.80 1.40 2.30
VEL1
       6.0 2.10 .50 .70
VEL1
               96.97
CAL2
       6.0
                      744.00
                                     .70 2.50 2.80 3.80 4.40 3.60 3.60
VEL2
       6.0
VEL2
       6.0 4.00 3.50 3.60 3.60 3.80 4.30 3.80 4.20 4.00 3.20 3.80 3.80
       6.0 3.40 2.60 2.10 .20
VEL2
       6.0
               97.80
CAL3
                     1360.00
VEL3
       6.0
                           .70 .30 1.60 4.30 5.30 6.30
       6.0 5.70 4.40 5.60 5.20 4.80 4.90 5.20 5.70 5.50 4.20 5.20 4.90
VEL3
       6.0 4.30 2.30 2.20 .30
VEL3
                                     .00511
       7.0
               50.31.00
                           93.60
XSEC
       7.0 0.0100.2 20.0 98.3 21.0 97.8 26.0 97.6 30.0 97.3 34.0 97.1 7.0 42.0 93.9 46.0 93.9 50.0 94.1 56.0 94.1 62.0 93.8 68.0 93.8
       7.0 74.0 93.6 80.0 94.0 86.0 94.4 92.0 94.3 98.0 94.5104.0 94.4
       7.0109.0 94.7112.0 94.8116.0 94.9121.0 95.5124.0 95.5127.0 95.6
       7.0133.0 96.8136.0 97.3138.5 98.3141.0100.0
NS
       7.0
               9.06
                         9.06
                                   9.06 9.06
                                                       9.06
                         9.10
NS
       7.0
               9.08
                                   9.10
                                             12.10
                                                      12.10
                                                                 10.12
                                           10.09
       7.0
NS
              12.10
                        11.10
                                   10.09
                                                      12.10
                                                                 12.10
       7.0
NS
              10.09
                        10.09
                                   10.04
                                            3.03
                                                       3.03
                                                                  3.03
NS
       7.0
               3.09
                         3.09
                                   3.09
                                           10.09
       7.0
CAL1
              95.73
                      157.00
VEL1
       7.0
                                          .40 1.30 1.00 1.30 .50 .90
      7.0 2.10 2.00 1.90 1.50 1.80 1.20 1.60 1.90 .30
VEL1
```

```
VEL1
       7.0
       7.0
             97.32
CAL2
                      744.00
                                     .50 2.20 2.60 2.90 2.90 2.50 2.30
VEL2
       7.0
       7.0 3.00 3.40 3.40 3.40 3.20 3.10 3.10 3.40 .30 .80
VEL2
VEL2
       7.0
CAL3
       7.0
              98.15
                     1360.00
VEL3
                                   1.00 3.20 3.50 4.00 4.10 3.90 3.50
       7.0
                      .30 1.30
VEL3
      7.0 3.90 4.30 4.80 4.40 4.20 4.40 4.20 .60 .20
     99.9 50.3 .00 93.60 .00511
XSEC
     99.9 0.0100.2 20.0 98.3 21.0 97.8 26.0 97.6 30.0 97.3 34.0 97.1 99.9 42.0 93.9 46.0 93.9 50.0 94.1 56.0 94.1 62.0 93.8 68.0 93.8
      99.9 74.0 93.6 80.0 94.0 86.0 94.4 92.0 94.3 98.0 94.5104.0 94.4
      99.9109.0 94.7112.0 94.8116.0 94.9121.0 95.5124.0 95.5127.0 95.6
      99.9133.0 96.8136.0 97.3138.5 98.3141.0100.0
                                                      9.06
                                                                 9.06
NS
     99.9
              9.06
                       9.06
                                  9.06
                                             9.06
                                  9.10
     99.9
              9.08
                        9.10
                                            12.10
                                                     12.10
                                                                10.12
NS
NS
     99.9
              12.10
                       11.10
                                 10.09
10.04
                                           10.09
                                                     12.10
                                                                12.10
NS
                       10.09
     99.9
              10.09
                                            3.03
                                                       3.03
NS
     99.9
               3.09
                         3.09
                                   3.09
                                            10.09
     99.9
              95.73
                       157.00
CAL1
                                         .40 1.30 1.00 1.30 .50 .90
VEL1
     99.9
     99.9 2.10 2.00 1.90 1.50 1.80 1.20 1.60 1.90 .30
VEL1
VEL1 99.9
CAL2
     99.9
              97.32
                       744.00
VEL2
     99.9
                                     .50 2.20 2.60 2.90 2.90 2.50 2.30
VEL2
     99.9 3.00 3.40 3.40 3.40 3.20 3.10 3.10 3.40 .30 .80
VEL2
     99.9
             98.15
CAL3
     99.9
                      1360.00
     99.9
                     .30 1.30
                                1.00 3.20 3.50 4.00 4.10 3.90 3.50
VEL3
VEL3 99.9 3.90 4.30 4.80 4.40 4.20 4.40 4.20 .60 .20
ENDJ
```

```
STANISLAUS RIVER FISHERY INVESTIGATION, 1989. HONOLULU BAR STUDY SITE
MAIN CHANNEL TRANSECTS, ALL VELOCITY DATA SETS
           0000100001001000000000
QARD
      25.0
QARD 50.0
QARD 100.0
QARD 150.0
QARD 200.0
QARD 250.0
QARD 300.0
OARD 350.0
QARD 400.0
QARD 450.0
QARD 500.0
QARD 550.0
QARD 600.0
QARD 650.0
QARD 700.0
QARD 750.0
QARD 800.0
QARD 850.0
QARD 900.0
QARD 950.0
QARD1000.0
QARD1050.0
QARD1100.0
QARD1150.0
QARD1200.0
QARD1250.0
QARD1300.0
XSEC
       7.0
                 0.01.00
                            86.00
                                       .00211
       7.0 0.0 94.1 5.0 89.1 6.0 88.7 9.0 88.2 12.0 87.4 15.0 87.0
       7.0 18.0 86.9 21.0 86.8 24.0 86.9 27.0 87.1 30.0 87.4 33.0 87.2
       7.0 36.0 87.2 39.0 87.2 42.0 86.9 45.0 86.6 48.0 86.6 51.0 86.4
       7.0 54.0 86.3 57.0 86.3 60.0 86.2 62.0 86.1 65.0 86.0 68.0 86.2
       7.0 71.0 86.5 74.0 87.7 77.0 88.9 78.0 89.1109.0 92.0
NS
       7.0
                 4.03
                           4.03
                                     4.06
                                               4.06
                                                          6.07
                                              9.08
                9.08
                           9.08
NS
       7.0
                                     9.08
                                                          9.08
                                                                    9.08
       7.0
NS
                9.08
                           9.08
                                     9.08
                                                9.08
                                                          9.08
                                                                    9.08
NS
       7.0
                9.08
                           9.08
                                     9.08
                                                9.08
                                                          9.08
                                                                    9.08
NS
       7.0
                9.08
                           9.08
                                     9.07
                                                9.10
                                                         10.04
CAL1
       7.0
               88.16
                         165.00
                                 .30 1.20 .30 .60 1.90 1.00 2.30 2.80
VEL1
       7.0
       7.0 3.20 2.90 2.70 2.40 2.90 3.00 2.20 3.10 2.30 2.40 2.60 1.30
VEL1
VELl
       7.0
           .30
               89.13
CAL2
       7.0
                         630.00
VEL2
       7.0
                           .20 1.70 2.40 3.50 3.50 3.60 4.60 5.10 5.40
VEL2
       7.0 5.40 5.30 4.90 5.00 5.00 4.90 4.30 4.20 4.90 4.80 4.30 3.70
VEL2
       7.0 2.30 .70 .20
CAL3
       7.0
               89.93
                      1000.00
VEL3
       7.0
VEL3
       7.0
VEL3
       7.0
                             86.00
                                       .00211
XSEC
       6.0
                77.01.00
       6.0 0.0 90.5 4.0 89.5 7.0 88.2 10.0 87.7 13.0 87.2 17.0 86.9
       6.0 21.0 86.8 24.0 86.7 27.0 86.6 30.0 86.5 33.0 86.5 36.0 86.4
       6.0 38.0 86.5 40.0 86.4 42.0 86.5 44.0 86.5 46.0 86.6 48.0 86.5
       6.0 50.0 86.2 52.0 86.0 54.0 86.0 56.0 85.7 59.0 85.8 62.0 87.4
       6.0 66.0 89.3 67.0 89.5 71.0 89.6 73.0 89.6 77.0 91.8
NS
       6.0
                                               4.03
                4.03
                          4.03
                                     4.03
                                                         4.08
                                                                    9.08
NS
       6.0
                9.08
                           9.08
                                     9.08
                                               9.08
                                                         9.08
                                                                    9.08
NS
       6.0
                9.08
                          9.08
                                     9.08
                                               9.08
                                                         9.08
                                                                    9.08
```

```
9.08
NS
       6.0
               9.08
                         9.08
                                   9.08
                                                       9.08
                                                                  4.09
NS
       6.0
               9.08
                          9.08
                                   9.08
                                             4.03
                                                       4.03
CAL1
       6.0
               88.43
                        165.00
                           .10 1.00 1.50 1.80 1.70 1.90 1.90 2.20 1.90
VEL1
       6.0
VEL1
       6.0 2.20 2.20 2.20 2.20 2.20 2.10 1.90 1.50 1.40 1.50 1.00 .10
VEL1
       6.0
CAL2
       6.0
               89.45
                        630.00
VEL2
       6.0
                      .20 .70 2.70 3.60 4.20 4.60 4.80 4.90 4.90 4.70
       6.0 5.40 5.00 4.90 5.40 5.00 4.70 4.20 3.80 3.90 3.40 1.80 .60
VEL2
VEL2
       6.0
CAL3
       6.0
               90.19
                       1000.00
                                .50 1.80 4.10 4.90 5.40 5.70 5.80 5.60
VEL3
       6.0
       6.0 5.80 6.20 6.20 6.20 5.90 6.10 5.70 6.00 5.80 5.80 4.70 3.40
VEL3
VEL3
       6.0 1.90
                  .40
XSEC
                77.01.00
                            86.30
       5.0
                                      .00364
           0.0 92.8 2.0 90.0 3.0 89.7 6.0 88.5 9.0 87.2 12.0 86.6
       5.0
       5.0 15.0 86.5 18.0 86.4 21.0 86.4 24.0 86.5 27.0 86.6 30.0 86.5
       5.0 33.0 86.3 36.0 86.4 39.0 86.7 42.0 87.3 45.0 87.4 48.0 88.2
       5.0 53.0 88.0 55.0 88.3 57.0 89.2 59.0 89.5 60.0 90.0 75.0 93.0
NS
       5.0
               3.04
                        3.04
                                   3.04
                                             3.04
                                                       8.10
               11.09
NS
       5.0
                        10.09
                                  10.09
                                            10.09
                                                      10.09
                                                                10.09
                        10.09
NS
       5.0
               10.09
                                  10.09
                                             8.06
                                                       8.06
                                                                 6.04
NS
       5.0
                         4.06
                                   3.04
                                             3.04
                                                       3.04
                4.06
                                                                 3.04
CAL1
       5.0
               88.80
                        165.00
                          .20 1.40 1.90 2.90 2.40 2.60 2.80 2.70 2.40
VEL1
       5.0
       5.0 2.10 1.30 1.40 .90 .60
VEL1
       5.0 89.95
                        630.00
CAL2
VEL2
       5.0
                         1.30 3.70 5.20 5.50 5.90 5.50 5.60 5.50 5.60
VEL2
      5.0 5.30 5.40 4.80 3.90 2.00 .60 1.30 .80 .80 .60 -
       5.0
CAL3
             90.68 1000.00
VEL3
       5.0
VEL3
       5.0
XSEC
       4.0
                77.01.00
                            88.20
                                     .00502
       4.0 0.0 92.4 2.8 90.7 3.2 90.7 9.4 88.4 13.4 88.0 18.4 88.1
       4.0 23.4 87.8 27.4 87.7 30.4 87.9 33.4 87.8 37.4 88.1 41.4 88.1
       4.0 45.4 88.1 49.4 88.0 53.4 88.0 57.4 88.3 61.4 89.0 65.4 89.2
       4.0 68.4 89.5 70.4 89.5 72.0 89.9 74.0 91.0 79.0 91.2 83.0 91.0
       4.0 85.0 90.9 88.0 91.6111.6 91.6114.0 91.3116.0 91.6123.0 91.2
       4.0128.0 90.6133.0 90.5137.0 90.5144.0 90.9151.5 91.6159.5 93.5
                                         4.07
                                                   8.07
      4.0
               4.03
NS
                      4.03
                                  4.03
                                                                9.08
NS
      4.0
               10.09
                        10.09
                                   9.10
                                            10.09
                                                     10.09
                                                                10.09
                                                     10.09
NS
      4.0
               9.10
                        9.10
                                  10.09
                                            10.09
                                                                 9.08
                         9.08
NS
      4.0
               9.08
                                   4.05
                                             7.04
                                                       8.04
                                                                 8.04
NS
       4.0
                         9.08
               4.06
                                   4.05
                                             4.05
                                                       4.05
                                                                 4.05
NS
       4.0
               4.05
                         4.05
                                   4.05
                                             4.05
                                                       4.05
                                                                 4.05
                       165.00
CAL1
       4.0
               89.62
VEL1
       4.0
                          .30 1.30 2.60 2.50 1.60 2.20 2.00 2.20 2.20
VEL1
       4.0 1.80 1.90 1.90 1.80 1.80 2.00
VEL1
      4.0
                       630.00
CAL2
      4.0
              90.80
VEL2
      4.0
                         1.20 2.50 4.20 4.60 4.60 4.50 4.80 4.50 4.60
VEL2
      4.0 4.30 4.00 4.70 5.00 4.40 2.90 1.90 1.00 .10
VEL2
      4.0
CAL3
      4.0
              91.58
                      1000.00
VEL3
      4.0
                        1.20 3.00 4.70 5.50 5.40 5.70 5.40 5.30 5.20
       4.0 5.50 5.10 5.50 5.80 3.90 1.60 .80 3.30 .40 1.10 2.20
VEL3
                          .50
                                         .30 .40 1.00
VEL3
       4.0 .90
                                                       .20
XSEC
               77.01.00
                           88.20
                                    .00297
      3.0 0.0 92.5 2.7 92.1 11.0 90.5 18.0 89.5 24.0 88.5 30.0 88.0
      3.0 36.0 87.2 40.0 86.1 44.0 85.4 48.0 84.5 51.0 83.7 53.0 83.3
      3.0 55.0 82.7 57.0 82.3 60.0 81.5 63.0 81.7 65.0 81.8 67.0 82.3
      3.0 70.0 83.9 73.0 85.1 77.0 87.3 81.0 88.7 87.0 89.0 93.0 88.9
```

```
3.0 94.0 88.8100.0 89.4110.0 91.5115.5 92.1121.2 94.9
           3.03 3.03 3.03 3.03 8.04
8.10 8.10 8.10 7.10 7.10
7.04 7.04 6.04 4.04 4.04
4.12 4.04 4.04 4.04
NS
       3.0
                                                                  8.04
NS
       3.0
                                                                  7.04
NS
       3.0
                                                                  4.12
       3.0
NS
                                                                  4.06
                         3.07
                                   3.04
       3.0
NS
               4.06
                                             3.04
                                                        3.04
CALl
       3.0
               89.72
                       165.00
VEL1
       3.0
                                              .30 .30 .90 1.90 2.50
VEL1
       3.0 2.50 2.10 1.20
VEL1
       3.0
                        630.00
CAL2
       3.0
               91.24
VEL2
                          .20 .60 2.00 2.60 2.50 2.50 3.20 3.70 3.10
       3.0
       3.0 2.60 2.40 2.30 2.20 2.20 2.10 1.10 .50
VEL2
VEL2
       3.0
               92.07 1000.00
CAL3
       3.0
VEL3
                          .10 1.60 2.50 3.00 2.30 2.80 3.50 4.00 3.70
       3.0
VEL3
       3.0 2.70 1.60 2.10 2.40 2.70 2.70 1.90 1.10 .70 .50 .20 .30
VEL3
       3.0
               225.51.00 88.20
XSEC
      2.0
                                     .00139
       2.0 0.0 95.6 16.0 91.5 20.0 89.6 25.0 88.5 30.0 87.6 35.0 87.6
     - 2.0 40.0 87.5 45.0 88.3 50.0 88.8 55.0 88.8 60.0 88.6 65.0 88.6
       2.0 70.0 88.6 75.0 89.0 80.0 88.6 85.0 88.3 90.0 88.1 95.0 87.9
       2.0100.0 88.5105.0 90.1109.2 91.5116.5 94.5
                                10.04
NS
       2.0
                4.04
                          4.04
                                            10.08
                                                       10.08
                                                                  9.08
                         9.08
                                  9.08
9.08
                                             9.08
NS
       2.0
               9.08
                                                       9.08
                                                                  9.08
                                            9.07
                        9.08
               9.08
                                                        8.06
NS
       2.0
                                                                  8.06
                        3.04
NS
       2.0
              4.03
                                   3.04
                                             3.04
CAL1
       2.0
             89.95
                        165.00
                          .80 1.10 1.30 1.30 1.70 1.80 1.90 .90 1.00
VEL1
       2.0
      2.0 .90 1.50 1.10 .80 .90 1.00
2.0 91.47 630.00
2.0 .70 1.30 2.10 2.30
VEL1
CAL2
                      .70 1.30 2.10 2.30 2.50 3.20 3.40 3.00 2.60 2.80
VEL2
       2.0 3.00 2.70 2.20 2.50 2.30 1.60 1.20 .80
VEL2
           92.30 1000.00
CAL3
       2.0
VEL3
       2.0
VEL3
       2.0
XSEC
       1.0
               241.01.00
                           88.20
                                     .00139
       1.0 0.0 93.8 2.2 92.4 5.0 91.3 7.0 89.8 9.0 89.5 16.0 87.0
       1.0 23.0 86.3 31.0 86.8 35.0 86.8 41.0 86.8 45.0 86.7 50.0 86.6
       1.0 54.0 86.5 58.0 86.3 61.0 86.2 64:0 86.0 67.0 86.0 70.0 86.0
       1.0 73.0 86.1 76.0 86.1 79.0 86.2 83.0 86.4 87.0 86.7 92.0 87.2
       1.0 97.0 87.9105.0 88.9110.0 89.7114.0 91.8118.0 95.2
NS
      1.0
                3.04
                         3.04
                                   3.04
                                              3.04
                                                        3.04
                                                                  4.04
      1.0
               4.04
                         4.04
                                   4.04
                                              4.04
                                                       4.04
NS
                                                                  4.04
NS
      1.0
               4.04
                         4.04
                                   4.08
                                             4.08
                                                       8.04
                                                                 8.04
NS
      1.0
              8.04
                         8.04
                                   8.04
                                              8.04
                                                       4.08
                                                                  4.06
                                                        3.04
NS
       1.0
              4.06
                         3.04
                                    3.04
                                              3.04
             90.00
CAL1
      1.0
                      165.00
VEL1
      1.0
                                                                   .20
      1.0 .30 .40 .60 .70 .90 1.00 1.10 1.20 1.30 1.30 1.20 .80 1.0 .50
VEL1
VEL1
CAL2
       1.0
            91.60
                      630.00
VEL2
      1.0
                                          .10 .20 .30 .70 .80 1.40
      1.0 1.80 2.40 2.70 3.20 3.80 4.40 3.80 4.40 3.70 2.60 2.00 1.60
VEL2
      1.0 .90 .20 .20
VEL2
CAL3
             92.41 1000.00
      1.0
VEL3
                                          .20 .50 .90 1.20 1.30 1.50
      1.0
      1.0 2.30 2.90 3.50 3.80 4.10 4.10 4.00 3.50 3.20 2.70 2.40 1.60
VEL3
VEL3
      1.0 1.20 .30
                                     .00139
XSEC
      99.9
              225.51.00
                           88.20
      99.9 0.0 93.8 2.2 92.4 5.0 91.3 7.0 89.8 9.0 89.5 16.0 87.0
      99.9 23.0 86.3 31.0 86.8 35.0 86.8 41.0 86.8 45.0 86.7 50.0 86.6
```

```
99.9 54.0 86.5 58.0 86.3 61.0 86.2 64.0 86.0 67.0 86.0 70,0 86.0
      99.9 73.0 86.1 76.0 86.1 79.0 86.2 83.0 86.4 87.0 86.7 92.0 87.2
      99.9 97.0 87.9105.0 88.9110.0 89.7114.0 91.8118.0 95.2
NS
      99.9
               3.04
                          3.04
                                   3.04
                                              3.04
                                                       3.04
                                                                  4.04
      99.9
                                                                  4.04
NS
               4.04
                         4.04
                                   4.04
                                              4.04
                                                       4.04
      99.9
                         4.04
                                                                  8.04
NS
               4.04
                                   4.08
                                              4.08
                                                       8.04
     99.9
NS
               8.04
                         8.04
                                   8.04
                                             8.04
                                                       4.08
                                                                  4.06
NS
      99.9
               4.06
                          3.04
                                    3.04
                                             3.04
                                                       3.04
CAL1
      99.9
              90.00
                        165.00
                                                                   .20
     99.9
VEL1
      99.9 .30 .40 .60 .70
                               .90 1.00 1.10 1.20 1.30 1.30 1.20 .80
VEL1
VEL1
     99.9 .50
CAL2
      99.9
              91.60
                        630.00
                                         .10 .20 .30 .70 .80 1.40
VEL2
      99.9
     99.9 1.80 2.40 2.70 3.20 3.80 4.40 3.80 4.40 3.70 2.60 2.00 1.60
VEL2
     99.9 .90 .20 .20
VEL2
CAL3
     99.9
             92.41
                     1000.00
     99.9
                                         .20 .50 .90 1.20 1.30 1.50
VEL3
VEL3 99.9 2.30 2.90 3.50 3.80 4.10 4.10 4.00 3.50 3.20 2.70 2.40 1.60
VEL3 99.9 1.20 .30
ENDJ
```

```
STANISLAUS RIVER FISHERY INVESTIGATION, 1989. VALLEY OAK SRA SITE
COMBINED FLOW VELOCITY DATA SET
TOC
          0000100001001000000000
QARD 25.0
QARD 50.0
QARD 100.0
QARD 150.0
QARD 200.0
QARD 250.0
QARD 300.0
QARD 350.0
QARD 400.0
QARD 450.0
QARD 500.0
QARD 550.0
QARD 600.0
QARD 650.0
QARD 700.0
QARD 750.0
QARD 800.0
QARD 850.0
QARD 900.0
QARD 950.0
QARD1000.0
QARD1050.0
QARD1100.0
QARD1150.0
QARD1200.0
QARD1250.0
QARD1300.0
XSEC
                 0.01.00
                             86.60
                                       .00060
       7.0
       7.0 0.0 99.6 7.0 90.5 11.0 89.1 24.0 86.2 32.0 85.6 39.0 85.3
       7.0 44.0 84.9 49.0 84.9 54.0 84.0 58.0 83.7 62.0 83.3 65.0 83.1
       7.0 68.0 82.9-71.0 82.9 74.0 82.6 77.0 82.6 80.0 82.5 83.0 82.5
       7.0 86.0 82.5 89.0 82.5 93.0 83.6 97.0 84.0105.0 85.0108.0 89.1
       7.0111.7 96.2
                           3.04
                                     3.04
                                               1.04
NS
       7.0
                3.04
                                                          1.04 -
                                                                    1.04
NS
       7.0
                1.04
                           1.04
                                     1.04
                                               1.04
                                                          1.04
                                                                    1.04
NS
       7.0
                1.04
                           1.04
                                     1.04
                                               1.04
                                                          1.04
                                                                    1.04
                                                          1.04
       7.0
                                               1.04
NS
                1.04
                           1.04
                                     1.04
                                                                    1.04
NS
       7.0
               1.04
CAL1
      7.0
               87.75
                         165.00
VEL1
       7.0
       7.0
VEL1
VEL1
       7.0
               90.03
CAL2
       7.0
                        772.00
VEL2
       7.0
                       0.3 \cdot 0.7
                                 0.7 0.8 0.7
                                                1.0 1.9
                                                           2.2
                                                                2.5
                           2.5
VEL2
       7.0
            2.6 2.6
                       2.5
                                 2.2
                                      2.1
                                           2.2
                                                2.1
                                                      1.9
                                                           0.9
                                                                0.5
VEL2
       7.0
CAL3
       7.0
               91.52
                        1327.00
VEL3
       7.0
                           .55
                                0.8 1.1
                                          1.3
                                                1.4
                                                      2.3
                                                           2.7
                                                                2.8
                                                                     3.0
           2.9 2.7 2.6
VEL3
       7.0
                          2.9
                                 2.8
                                      2.5
                                          2.4
                                                2.1
VEL3
       7.0
                                       .00060
XSEC
       6.0
               409.01.00
                             86.60
           0.0 95.4 5.8 91.5 13.0 87.4 19.0 86.3 24.0 85.5 28.0 85.6
       6.0 32.0 85.5 36.0 85.4 40.0 85.3 43.0 85.4 46.0 85.3 49.0 85.2
       6.0 52.0 85.2 55.0 85.2 58.0 85.3 61.0 85.7 64.0 85.8 67.0 86.0
       6.0 70.0 86.0 74.0 86.0 80.0 87.8 86.0 88.0 92.0 89.0104.2 91.5
       6.0111.4 94.5
NS -
       6.0
                4.03
                           4.03
                                    4.03
                                               4.03
                                                         4.08
NS
       6.0
                8.07
                           8,07
                                    8.07
                                              8.07
                                                        5.07
                                                                    8.06
NS
       6.0
                8.07
                          8.09
                                    10.08
                                              10.08
                                                         10.08
```

```
NS
       6.0
               15.12
                         15.12
                                   15.12
                                              2.12
                                                        2.12
                                                                  4.05
NS
       6.0
               4.05
                        165.00
CAL1
       6.0
               87.77
                           .10 1.10 2.30 1.90 2.70 2.50 2.30 2.20 1.80
VEL1
       6.0
VEL1
       6.0 .90 .30
VEL1
       6.0
       6.0
               90.11
                        772.00
CAL2
VEL2
       6.0
VEL2
       6.0
VEL2
       6.0
CAL3
       6.0
               91.64
                       1327.00
VEL3
                      .30 1.30 2.90 3.30 3.80 3.90 3.80 4.10 4.00 3.90
       6.0
VEL3
       6.0 3.90 3.80 3.80 3.90 3.40 3.30 3.70 3.50 2.30 1.20 .13
VEL3
       6.0
                                      .00997
XSEC
                             86.60
       5.0
                84.61.00
       5.0 0.0 97.0 4.0 88.9 6.0 87.8 8.0 87.2 10.0 87.1 15.0 86.7
       5.0 20.0 86.6 25.0 86.7 30.0 87.3 35.0 87.5 40.0 87.6 45.0 87.2
       5.0 50.0 87.2 55.0 87.0 60.0 87.0 65.0 87.2 70.0 87.0 75.0 86.9
       5.0 80.0 87.0 85.0 87.0 90.0 87.2 95.0 87.4100.0 87.6105.0 88.4
       5.0110.0 89.4113.7 90.3118.5 94.4
NS
                3.04
                                                                  7.05
       5.0
                          3.04
                                    3.04
                                              3.04
                                                        4.03
                                                                  8.06
NS
       5.0
                7.05
                          6.05
                                   6.05
                                             7.05
                                                       7.05
NS
       5.0
                8.07
                        8.07
                                  9.08
                                             10.08
                                                       9.08
                                                                  8.07
                                             15.08
                                                       10.15
NS
       5.0
                9.07
                         9.06
                                   9.06
                                                                 10.15
NS
       5.0
               3.02
                         3.02
                                   3.02
CAL1
       5.0
               88.07
                        165.00
       5.0
VEL1
                      .20 .20 .30 1.80 2.00 2.20 1.70 2.40 2.30 2.00
       5.0 2.40 2.50 2.40 2.60 2.30 1.60 1.00 1.40 1.60 1.20 .40
VEL1
VEL1
       5.0
CAL2
       5.0
               90.29
                        772.00
                          .40 .50 1.30 1.50 2.40 1.90 2.70 2.80 3.00
VEL2
       5.0
VEL2
       5.0 3.10 3.20 3.30 3.20 3.10 3.00 2.80 2.60 2.30 2.10 1.50 .70
VEL2
       5.0
CAL3
       5.0
               91.66
                      1327.00
VEL3
       5.0
VEL3
       5.0
VEL3
       5.0
               84.61.00
       4.0
                           86.60
                                     .00073
XSEC
       4.0 0.0 97.2 11.0 90.4 13.0 89.1 19.0 87.6 25.0 86.8 31.0 86.1
       4.0 34.0 85.9 36.0 85.8 40.0 86.2 44.0 86.4 48.0 86.5 52.0 86.4
       4.0 56.0 86.5 60.0 86.5 64.0 86.3 68.0 86.4 72.0 86.3 76.0 86.3
       4.0 80.0 86.3 85.0 86.4 90.0 86.4 96.0 86.4103.0 87.0112.0 89.2
       4.0113.9 90.4116.0 91.7120.7 91.7121.2 95.3
NS
       4.0
                                              3.03
                3.03
                          3.03
                                    3.03
                                                        3.03
                                                                  3.03
NS
       4.0
                3.03
                          3.03
                                    3.03
                                              3.03
                                                       4.06
                                                                  4.06
NS
                          6.07
                                                       6.07
                                                                  6.07
       4.0
                6.04
                                   7.04
                                              7.08
NŞ
       4.0
                6.07
                          7.04
                                    6.07
                                              4.07
                                                       10.03
                                                                  4.06
NS
                                    3.03
       4.0
                                              3.03
               4.06
                         3.03
CAL1
       4.0
               88.10
                        165.00
VEL1
                                     .40 .60 .60 .40 .40
       4.0
                                                             .90 1.10
       4.0 1.60 2.00 2.30 2.40 2.40 2.00 1.70 1.20 1.00 1.10
VEL1
VEL1
       4.0
CAL2
       4.0
                        772.00
              90.38
VEL2
       4.0
                          .50
                               .70 1.10 1.60 1.70 1.50 1.70 2.50 2.60
       4.0 2.90 3.00 3.10 3.00 3.10 3.20 3.10 2.40 1.90 1.40 .30
VEL2
VEL2
       4.0
CAL3
       4.0
                       1327.00
               91.68
VEL3
       4.0
                      .30 .70 1.10 2.00 2.30 2.70 2.50 2.70 3.10 3.20
       4.0 3.30 3.40 3.30 3.50 3.50 3.50 3.50 3.50 3.00 2.40 1.70 .70
VEL3
VEL3
       4.0
XSEC
       3.0
               84.61.00
                           86.60
                                     .00123
       3.0 0.0 99.7 5.0 90.5 6.5 87.7 12.0 86.5 17.0 86.4 23.0 86.6
```

```
3.0 28.0 87.1 33.0 87.7 38.0 87.7 43.0 88.0 48.0 88.1 53.0 88.0
       3.0 58.0 88.0 63.0 87.5 67.0 87.4 71.0 87.3 75.0 86.9 79.0 86.6
       3.0 83.0 86.0 89.0 85.7 91.0 85.8 95.0 86.0 99.0 86.2103.0 86.8
       3.0107.0 87.8111.0 89.2114.0 90.5117.0 91.6118.3 92.5
NS
       3.0
                          4.03
                4.03
                                    4.03
                                              4.03
                                                         4.03
                                                                   4.03
       3.0
NS
                8.04
                          8.07
                                    7.08
                                              7.06
                                                        7.06
                                                                   7.06
NS
       3.0
                7.06
                          7.06
                                    7.06
                                              7.06
                                                        7.06
                                                                   7.06
       3.0
NS
                7.06
                          7.06
                                    7.06
                                              7.06
                                                        7.06
                                                                   6.05
NS
       3.0
                6.05
                          8.09
                                    7.09
                                              7.09
                                                        7.09
CAL1
       3.0
                        165.00
               88.31
                                .20
VEL1
       3.0
                                         2.00 2.20 .80 1.90 1.50 1.20
       3.0 2.20 2.40 2.60 2.90 2.40 2.20 1.50 2.30 1.90 1.10 .70 .40
VEL1
VEL1
       3.0
           .20
       3.0
               90.46
                        772.00
CAL2
VEL2
                      .10 1.20 1.20 1.60 1.50 2.30 2.30 2.60 2.60 3.30
       3.0
       3.0 3.20 2.90 3.00 3.20 2.90 2.70 2.50 2.30 2.10 1.60 2.20 1.60
VEL2
VEL2
       3.0 1.10 .40
CAL3
       3.0
               91.78
                       1327.00
VEL3
       3.0
                           .90 1.60 1.80 2.00 2.80 3.00 3.40 3.60 3.90
VEL3
       3.0 4.10 4.00 4.30 4.00 4.00 3.70 3.60 3.50 2.70 2.90 2.50 1.50
VEL3
       3.0
XSEC
       2.0
               84.601.00
                             86.60
                                      .00131
           0.0 96.1 5.5 91.7 11.0 89.4 18.0 87.7 26.0 87.5 34.0 87.2
       2.0
       2.0 41.0 86.8 46.0 86.5 51.0 86.1 56.0 85.6 60.0 85.2 64.0 84.8
       2.0 68.0 85.0 72.0 84.8 76.0 84.9 80.0 85.0 84.0 85.2 88.0 85.9
       2.0 92.0 87.6 96.0 89.1100.0 90.5101.0 91.0101.7 91.6116.2 97.0
NS
       2.0
                4.03
                          4.03
                                   4.03
                                              4.03
                                                        4.05
                                                                  4.05
NS
       2.0
                8.07
                          8.07
                                   8.09
                                              8.09
                                                        8.09
NS
       2:0
                8.09
                          9.08
                                   9.08
                                              9.08
                                                        9.08
                                                                  9.08
NS
       2.0
                9.08
                          6.05
                                    3.05
                                                        3.05
                                                                  3.09
                                              3.05
CAL1
       2.0
               88.49
                        165.00
                                .20 1.10 1.20 1.20 1.20 1.30 1.10 1.10
                      .30
.80 .80
VEL1
       2.0
       2.0 1.00 .90
VEL1
                                .60 .40 .30
CAL2
       2.0 90.54
                      772.00
VEL2
                     1.20 1.30 1.30 1.90 2.40 3.10 3.10 2.80 2.80 2.30
       2.0
       2.0 2.60 2.40 2.50 2.60 2.50 2.10 2.00 1.40
VEL2
CAL3
       2.0
                      1327.00
VEL3
       2.0
                     1.40 1.60 2.10 2.80 3.10 3.70 3.80 3.80 3.80 3.50
       2.0 3.40 3.30 3.60 3.50 3.60 3.20 3.00 2.60 2.10 1.90
VEL3
                                    .00131
X-SEC
       1.0
              168.01.00
                           86.60
       1.0
           0.0 96.7 6.0 90.2 10.0 88.2 15.0 87.5 20.0 87.0 25.0 86.8
       1.0 30.0 86.6 35.0 87.1 40.0 86.5 45.0 86.1 50.0 85.9 54.0 85.8
       1.0 58.0 85.8 61.0 85.6 64.0 85.5 68.0 85.4 71.0 85.2 73.0 85.2
       1.0 77.0 85.0 81.0 85.1 86.0 85.1 92.0 85.5 98.0 86.1106.0 88.0
       1.0110.5 90.6111.0 94.3
NS
       1.0
                1.03
                          1.03
                                    3.04
                                              1.03
                                                        1.03
                                                                  1.03
NS
       1.0
                1.03
                          1.04
                                    1.04
                                              8.04
                                                        8.04
                                                                  8.04
NS
       1.0
                8.04
                          8.04
                                    8.04
                                              8.04
                                                        8.04
                                                                  8.04
NS
       1.0
                8.04
                          8.04
                                    8.04
                                                        4.03
                                              8.04
                                                                  3.04
                3.04
NS
                          3.04
       1.0
CAL1
       1.0
               88.54
                        165.00
VEL1
       1.0
                                                         .50
                                                              .70
                                                    .10
                                                                   .90
VEL1
       .60
                                                              .40
VEL1
       1.0
CAL2
       1.0
               90.57
                        772.00
VEL2
       1.0
                      .30 .70 1.00 1.40 1.00 1.20 1.20 2.10 2.80 3.00
VEL2
      1.0 3.20 3.00 2.90 2.60 2.40 2.40 2.20 2.30 2.40 2.20 1.60 .60
VEL2
       1.0
CAL3
       1.0
              91.90 1327.00
VEL3
      1.0
VEL3
       1.0
VEL3
       1.0
```


```
XSEC 99.9
               84.61.00
                           86.60
                                     .00131
      99.9 0.0 96.7 6.0 90.2 10.0 88.2 15.0 87.5 20.0 87.0 25.0 86.8
      99.9 30.0 86.6 35.0 87.1 40.0 86.5 45.0 86.1 50.0 85.9 54.0 85.8
      99.9 58.0 85.8 61.0 85.6 64.0 85.5 68.0 85.4 71.0 85.2 73.0 85.2
      99.9 77.0 85.0 81.0 85.1 86.0 85.1 92.0 85.5 98.0 86.1106.0 88.0
      99.9110.5 90.6111.0 94.3
NS
     99.9
               1.03
                         1.03
                                   3.04
                                             1.03
                                                       1.03
NS
     99.9
               1.03
                         1.04
                                   1.04
                                             8.04
                                                       8.04
                                                                  8.04
                                                                  8.04
NS
      99.9
               8.04
                         8.04
                                   8.04
                                             8.04
                                                       8.04
NS
      99.9
               8.04
                         8.04
                                   8.04
                                             8.04
                                                       4.03
                                                                  3.04
NS
     99.9
               3.04
                         3.04
     99.9
CAL1
              88.54
                       165.00
VEL1
     99.9
                                                    .10 .50
                                                             .70 .90
     VEL1
VEL1
     99.9
CAL2
     99.9
              90.57
                       772.00
     99.9 .30 .70 1.00 1.40 1.00 1.20 1.20 2.10 2.80 3.00 99.9 3.20 3.00 2.90 2.60 2.40 2.40 2.20 2.30 2.40 2.20 1.60 .60
VEL2
VEL2
VEL2
     99.9
CAL3
     99.9
              91.90
                     1327.00
VEL3
     99.9
VEL3 99.9
VEL3
     99.9
ENDJ
```


APPENDIX C


HABITAT SUITABILITY CRITERIA USED IN THE STANISLAUS RIVER INSTREAM FLOW STUDY, 1989


Stanislaus River (FIM


FINAL REPORT 0/5/25/93 (2:55pm)
































STANISLAUS RIVER FISHERY INVESTIGATION, 1989.
COMBINED FLOW VELOCITY DATA SET & WEIGHTED USING HABITAT MAPPING

CURVE SET DEFINITION DATA WAS OBTAINED FROM THE FISHFIL FILE WHOSE TITLE LINE IS - STANISLAUS RIVER FISHERY INVESTIGATION

VELOCITY WEIGHTING FOR CHINOOK SALMON (FALL RUN)

SPAW	NING	INCUBAT	ION	FRY		JUVE	NILES
VELOCITY 0.00 0.30 0.40 0.50 0.60 0.70 0.80 0.90 1.00 1.10 1.20 1.30 1.40 1.50 1.60 1.70 1.80 1.90 2.10 2.20 2.30 2.40 2.50 2.60 2.70 2.80 2.90 3.00 3.10 3.20 3.30 3.40 3.50 3.60 3.70 3.80 3.90 4.10 4.20 100.00	WEIGHT 0.00 0.02 0.02 0.02 0.02 0.02 0.02 0.0	VELOCITY 0.00 0.30 0.50 0.60 1.50 1.90 2.20 2.40 2.60 2.80 3.90 4.90 5.40 100.00	WEIGHT 0.00 0.03 0.78 1.00 0.96 0.91 0.86 0.80 0.74 0.36 0.10 0.00	VELOCITY 0.00 0.10 0.20 0.30 0.40 0.50 0.60 0.70 0.80 0.90 1.00 1.10 1.20 1.30 1.40 1.70 1.80 1.00.00	WEIGHT 1.00 0.94 0.85 0.73 0.59 0.45 0.33 0.23 0.15 0.10 0.07 0.05 0.03 0.02 0.01 0.01 0.00 0.00	VELOCITY 0.00 0.10 0.20 0.30 0.40 0.50 0.60 0.70 0.80 0.90 1.00 1.10 1.20 1.30 1.40 1.50 1.60 1.70 1.80 1.90 2.00 2.10 2.20 2.30 2.40 2.50 2.60 2.70 2.80 3.40 3.50 100.00	WEIGHT 0.92 0.96 1.00 0.99 0.99 0.99 0.996 0.97 0.96 0.992 0.91 0.79 0.56 0.44 0.33 0.24 0.15 0.00 0.00 0.00

DEPTH WEIGHTING FOR CHINOOK SALMON (FALL RUN)

SPAWN	ING	INCUB	ATION	FI	RY	JUVE	NILES
DEPTH 0.00 0.20 0.30 0.40 0.50 0.60 0.70 0.80 0.90 1.10 1.20 1.30 1.40 1.50 1.70 1.80 1.90 2.10 2.20 2.30 2.40 2.50 2.70 2.80 2.70 2.80 3.10 3.50 3.70 3.80 3.70 3.80 4.00 4.10 4.20 4.30 4.40 4.50 4.70 4.80 4.90 5.01 100.00	WEIGHT 0.00 0.03 0.16 0.26 0.31 0.452 0.558 0.665 0.956 0.996 0.991 0.88 0.85 0.85 0.88 0.87 0.77 0.63 0.42 0.21 0.16 0.16 0.16 0.16 0.17 0.16 0.16 0.16 0.17 0.16 0.17 0.16 0.17 0.16 0.17 0.16	DEPTH 0.00 0.10 0.20 1.90 3.40 4.00 5.10 6.30 100.00	WEIGHT 0.00 0.53 1.00 0.80 0.42 0.28 0.10 0.00	DEPTH 0.00 0.10 0.20 0.30 0.40 0.50 0.60 0.70 0.80 0.90 1.00 1.10 1.20 1.30 1.40 1.50 1.60 1.70 1.80 1.90 2.00 2.10 2.20 2.30 2.40 2.50 2.60 2.70 2.80 2.90 3.10 6.40 6.50 100.00	WEIGHT 0.000 0.120 0.313 0.578 0.846 0.992 1.006 0.911 0.799 0.656 0.552 0.475 0.438 0.405 0.365 0.365 0.3300 0.238 0.196 0.163 0.161 0.149 0.118 0.096 0.075 0.063 0.052 0.050 0.047 0.030 0.023 0.026 0.009 0.002	DEPTH	WEIGHT 0.00 0.01 0.02 0.05 0.10 0.17 0.36 0.42 0.46 0.50 0.53 0.66 0.66 0.71 0.76 0.82 0.97 1.00 0.93 0.86 0.78 0.71 0.64 0.57 0.49 0.41 0.39 0.38 0.31 0.20 0.00 0.00 0.00

CHANNEL INDEX WEIGHTING FOR CHINOOK SALMON (FALL RUN)


SPAWN	ING	INCUBATION		FRY	JUVEN	ILE
CHANNEL INDEX 0.00 5.04 5.05 5.06	WEIGHT 0.00 0.00 0.04 0.22	CHANNEL INDEX WEIGHT APPLY CHANNEL INDEX WEIGHTING VALUES USED FOR	1.03	WEIGHT 0.00 0.31 0.20 0.09	CHANNEL INDEX 0.00 1.01 1.02 1.03	WEIGHT 0.00 0.14 0.79 0.09
5.07 5.08 5.09 5.10 5.11 5.12 5.13 6.03	0.55 0.91 0.98 0.76 0.36 0.11 0.00	SPAWNING LIFE STAGE	1.04 1.05 1.06 1.07 1.11 1.13 1.15 2.01	0.08 0.07 0.06 0.05 0.04 0.02 0.06 1.00	1.09 1.15 2.01 2.02 2.03 2.09 2.15 3.01	0.05 0.02 0.14 0.79 0.09 0.05 0.02
6.04 6.05 6.06 6.07 6.08 6.09 6.10	0.05 0.16 0.40 0.60 0.76 0.67 0.49		2.02 2.03 2.04 2.05 2.06 2.07 2.08	0.65 0.27 0.25 0.24 0.19 0.17 0.16	3.03 3.09 3.15 4.01 4.02 4.03 4.09	0.09 0.05 0.02 0.14 0.79 0.09
6.11 6.12 6.13 7.02 7.03 7.04 7.05	0.22 0.07 0.00 0.00 0.01 0.04 0.12		2.10 2.11 2.12 2.13 2.14 2.15 3.01 3.02	0.15 0.13 0.10 0.08 0.07 0.19 0.21 0.13	4.15 5.01 5.02 5.03 5.09 5.15 6.01 6.02	0.02 0.14 0.79 0.09 0.05 0.02 0.17 1.00
7.06 7.07 7.08 7.09 7.10 7.11 7.12 8.02	0.24 0.38 0.39 0.32 0.15 0.05 0.00		3.03 3.04 3.15 4.01 4.02 4.03 4.15	0.06 0.05 0.04 0.15 0.10 0.04	6.03 6.06 6.11 6.15 7.01 7.02 7.03	0.11 0.09 0.05 0.02 0.15 0.85 0.09
8.03 8.04 8.05 8.06 8.07 8.08 8.09	0.04 0.14 0.31 0.49 0.60 0.65 0.63		5.01 5.02 5.03 5.15 6.01 6.02 6.03	0.15 0.10 0.04 0.03 0.12 0.08 0.03	7.07 7.10 7.15 8.01 8.02 8.03 8.15	0.07 0.05 0.02 0.06 0.33 0.04 0.01
8.10 8.11 8.12 8.13 8.14 8.15 9.01 9.02	0.53 0.34 0.15 0.04 0.00 0.00 0.01		6.15 7.01 7.02 7.03 7.04 7.15 8.01 8.02	0.02 0.10 0.06 0.03 0.02 0.02 0.09	9.01 9.02 9.03 9.15 10.01 10.02 10.03	0.06 0.32 0.04 0.01 0.03 0.16 0.02 0.00
9.03 9.04 9.05 9.06 9.07 9.08 9.09	0.22 0.50 0.82 1.00 0.99 0.85 0.75		8.03 8.15 9.01 9.02 9.03 9.06 9.15	0.02 0.02 0.07 0.04 0.02 0.01	11.01 11.02 11.03 11.11 11.15 12.01 12.02	0.02 0.10 0.01 0.01 0.00 0.02 0.09


9.10	0.61	10.01	0.05	12.03	0.01
9.11	0.45	10.02	0.03	12.10	0.01
9.12	0.22	10.03	0.01	12.14	0.00
9.13	0.07	10.15	0.01	13.01	0.01
9.14	0.00	11.01	0.05	13.02	0.08
10.03	0.00	11.02	0.03	13.03	0.01
10.04	0.02	11.03	0.01	13.09	0.01
10.05	0.13	11.15	0.01	13.15	0.00
10.06	0.37	12.01	0.06	14.01	0.01
10.07	0.68	12.02	0.04	14.02	0.06
10.08	0.89	12.03	0.02	14.07	0.01
10.09	0.82	12.04	0.01	14.15	0.00
10.10	0.55	12.15	0.01	15.01	0.01
10.11	0.24	13.01	0.05	15.02	-0.05
10.12	0.06	13.02	0.03	15.03	0.01
10.13	0.00	13.03	0.01	15.15	0.00
11.05	0.00	13.15	0.01	100.00	0.00
11.06	0.04	14.01	0.05		
11.07	0.15	14.02	0.04		
11.08	0.33	14.03	0.01		
11.09	0.47	14.15	0.01		
11.10	0.47	15.01	0.07		
11.11	0.33	15.02	0.04		
11.12	0.15	15.03	0.02		
11.13	0.04	15.06	-0.01		
11.14	0.00	15.15	0.01		
100.00	0.00	100.00	0.00		5


APPENDIX D


PHABSIM RESULTS FOR RAINBOW TROUT AND STEELHEAD RAINBOW TROUT IN THE STANISLAUS RIVER


Stanislaus River IFIM
FINAL REPORT
(0/5/25/93 (2:55pm)


























R	AINBOW TR	OUT - FRY WU	'A			
		TWO MILE	SIX MILE	HONOLULU	VALLEY OAK	TOTAL
	Q	BAR	BAR	BAR	SRA	HAB. AREA(1)
1	25	4,234	12,596	17,222	12,421	1,521,677
2	50	6,224	15,529	19,295	15,318	1,855,802
3	100	6,697	14,396	17,103	15,711	1,825,436
4	150	6,226	13,071	14,932	14,505	1,664,499
5	200	5,388	11,524	11,358	13,241	1,459,939
6	250	4,882	9,867	8,645	11,984	1,277,500
7	300	4,466	8,339	6,404	11,046	1,130,609
8	350	4,391	7,819	5,324	10,215	1,040,373
9	400	4,331	6,908	5,464	8,983	940,141
10	450	4,358	6,237	5,391	7,829 6,971	847,200 783,446
11	500	4,769	5,527	5,438 5,661	5,790	706,617
12	550 600	5,242	5,045 4,950	5,522	4,907	641,009
13	600 650	5,221 5,549	4,984	5,305	4,401	608,659
14 15	650 700	5,444	4,769	4,999	3,898	561,924
16	750	5,264	4,731	4,953	3,682	542,024
17	800	4,949	4,586	4,824	3,531	520,423
18	850	4,759	4,392	4,823	3,728	526,604
19	900	4,551	4,353	4,710	3,707	518,260
20	950	4,675	4,624	4,634	3,710	524,478
21	1,000	5,041	4,530	4,767	3,976	550,400
22	1,050	5,041	4,525	4,865	4,116	561,927
23	1,100	5,198	4,557	5,095	3,809	549,086
24	1,150	5,326	4,636	5,412	3,395	531,046
25	1,200	5,411	4,690	6,021	3,089	525,020
26	1,250	5,436	4,865	6,465	2,903	525,160
27	1,300	5,377	5,064	6,873	2,722	523,696
R	AINBOW TF	ROUT - JUVENI			WALLEY OAY	moma t
R		TWO MILE	SIX MILE	HONOLULU	VALLEY OAK	TOTAL
R	Q	TWO MILE BAR	SIX MILE BAR	BAR	SRA	HAB. AREA(1)
R.	Q 25	TWO MILE BAR 3,345	SIX MILE BAR 7,909	BAR 14,989	SRA 8,024	HAB. AREA(1) 1,068,523
R.	Q 25 50	TWO MILE BAR 3,345 6,325	SIX MILE BAR 7,909 14,719	BAR 14,989 19,506	SRA 8,024 14,082	HAB. AREA(1) 1,068,523 1,761,702
R,	Q 25 50 100	TWO MILE BAR 3,345 6,325 8,605	SIX MILE BAR 7,909 14,719 17,202	BAR 14,989 19,506 23,422	SRA 8,024 14,082 18,681	HAB. AREA(1) 1,068,523 1,761,702 2,246,769
R.	Q 25 50 100 150	TWO MILE BAR 3,345 6,325 8,605 9,304	SIX MILE BAR 7,909 14,719 17,202 17,879	BAR 14,989 19,506 23,422 21,383	SRA 8,024 14,082 18,681 20,380	HAB. AREA(1) 1,068,523 1,761,702 2,246,769 2,347,893
R.	2 25 50 100 150 200	TWO MILE BAR 3,345 6,325 8,605 9,304 9,082	SIX MILE BAR 7,909 14,719 17,202 17,879 16,907	BAR 14,989 19,506 23,422 21,383 17,979	SRA 8,024 14,082 18,681 20,380 19,735	HAB. AREA(1) 1,068,523 1,761,702 2,246,769 2,347,893 2,211,827
R.	Q 25 50 100 150 200 250	TWO MILE BAR 3,345 6,325 8,605 9,304 9,082 8,974	SIX MILE BAR 7,909 14,719 17,202 17,879 16,907 15,740	BAR 14,989 19,506 23,422 21,383 17,979 14,442	SRA 8,024 14,082 18,681 20,380 19,735 18,588	HAB. AREA(1) 1,068,523 1,761,702 2,246,769 2,347,893 2,211,827 2,036,984
R.	Q 25 50 100 150 200 250 300	TWO MILE BAR 3,345 6,325 8,605 9,304 9,082 8,974 8,927	SIX MILE BAR 7,909 14,719 17,202 17,879 16,907 15,740 14,351	BAR 14,989 19,506 23,422 21,383 17,979 14,442 11,627	SRA 8,024 14,082 18,681 20,380 19,735 18,588 17,540	HAB. AREA(1) 1,068,523 1,761,702 2,246,769 2,347,893 2,211,827 2,036,984 1,880,536
Ŕ	Q 25 50 100 150 200 250 300 350	TWO MILE BAR 3,345 6,325 8,605 9,304 9,082 8,974 8,927 8,850	SIX MILE BAR 7,909 14,719 17,202 17,879 16,907 15,740 14,351 13,470	BAR 14,989 19,506 23,422 21,383 17,979 14,442 11,627 9,924	SRA 8,024 14,082 18,681 20,380 19,735 18,588 17,540 16,416	HAB. AREA(1) 1,068,523 1,761,702 2,246,769 2,347,893 2,211,827 2,036,984 1,880,536 1,750,535
R	Q 25 50 100 150 200 250 300 350 400	TWO MILE BAR 3,345 6,325 8,605 9,304 9,082 8,974 8,927 8,850 8,889	SIX MILE BAR 7,909 14,719 17,202 17,879 16,907 15,740 14,351 13,470 12,752	BAR 14,989 19,506 23,422 21,383 17,979 14,442 11,627 9,924 8,906	SRA 8,024 14,082 18,681 20,380 19,735 18,588 17,540 16,416	HAB. AREA(1) 1,068,523 1,761,702 2,246,769 2,347,893 2,211,827 2,036,984 1,880,536 1,750,535 1,696,727
R	Q 25 50 100 150 200 250 300 350 400 450	TWO MILE BAR 3,345 6,325 8,605 9,304 9,082 8,974 8,927 8,850 8,889 8,997	SIX MILE BAR 7,909 14,719 17,202 17,879 16,907 15,740 14,351 13,470 12,752 11,999	BAR 14,989 19,506 23,422 21,383 17,979 14,442 11,627 9,924 8,906 8,329	SRA 8,024 14,082 18,681 20,380 19,735 18,588 17,540 16,416 16,123 15,212	HAB. AREA(1) 1,068,523 1,761,702 2,246,769 2,347,893 2,211,827 2,036,984 1,880,536 1,750,535 1,696,727 1,610,161
R	Q 25 50 100 150 200 250 300 350 400 450 500	TWO MILE BAR 3,345 6,325 8,605 9,304 9,082 8,974 8,927 8,850 8,889 8,997 9,102	SIX MILE BAR 7,909 14,719 17,202 17,879 16,907 15,740 14,351 13,470 12,752 11,999 11,023	BAR 14,989 19,506 23,422 21,383 17,979 14,442 11,627 9,924 8,906 8,329 8,309	SRA 8,024 14,082 18,681 20,380 19,735 18,588 17,540 16,416 16,123 15,212 13,793	HAB. AREA(1) 1,068,523 1,761,702 2,246,769 2,347,893 2,211,827 2,036,984 1,880,536 1,750,535 1,696,727 1,610,161 1,495,731
R	Q 25 50 100 150 200 250 300 350 400 450 500	TWO MILE BAR 3,345 6,325 8,605 9,304 9,082 8,974 8,927 8,850 8,889 8,997 9,102 9,312	SIX MILE BAR 7,909 14,719 17,202 17,879 16,907 15,740 14,351 13,470 12,752 11,999 11,023 9,992	BAR 14,989 19,506 23,422 21,383 17,979 14,442 11,627 9,924 8,906 8,329 8,309 8,182	SRA 8,024 14,082 18,681 20,380 19,735 18,588 17,540 16,416 16,123 15,212 13,793 12,889	HAB. AREA(1) 1,068,523 1,761,702 2,246,769 2,347,893 2,211,827 2,036,984 1,880,536 1,750,535 1,696,727 1,610,161
R	Q 25 50 100 150 200 250 300 350 400 450 500 550 600	TWO MILE BAR 3,345 6,325 8,605 9,304 9,082 8,974 8,927 8,850 8,889 8,997 9,102 9,312 9,655	SIX MILE BAR 7,909 14,719 17,202 17,879 16,907 15,740 14,351 13,470 12,752 11,999 11,023 9,992 9,278	BAR 14,989 19,506 23,422 21,383 17,979 14,442 11,627 9,924 8,906 8,329 8,309 8,182 7,880	SRA 8,024 14,082 18,681 20,380 19,735 18,588 17,540 16,416 16,123 15,212 13,793 12,889 12,140	HAB. AREA(1) 1,068,523 1,761,702 2,246,769 2,347,893 2,211,827 2,036,984 1,880,536 1,750,535 1,696,727 1,610,161 1,495,731 1,415,389
R	Q 25 50 100 150 200 250 300 350 400 450 500	TWO MILE BAR 3,345 6,325 8,605 9,304 9,082 8,974 8,927 8,850 8,889 8,997 9,102 9,312 9,655 9,653	SIX MILE BAR 7,909 14,719 17,202 17,879 16,907 15,740 14,351 13,470 12,752 11,999 11,023 9,992	BAR 14,989 19,506 23,422 21,383 17,979 14,442 11,627 9,924 8,906 8,329 8,309 8,182	SRA 8,024 14,082 18,681 20,380 19,735 18,588 17,540 16,416 16,123 15,212 13,793 12,889	HAB. AREA(1) 1,068,523 1,761,702 2,246,769 2,347,893 2,211,827 2,036,984 1,880,536 1,750,535 1,696,727 1,610,161 1,495,731 1,415,389 1,350,642
R	Q 25 50 100 150 200 250 300 350 400 450 500 550 600 650	TWO MILE BAR 3,345 6,325 8,605 9,304 9,082 8,974 8,927 8,850 8,889 8,997 9,102 9,312 9,655 9,653 9,761	SIX MILE BAR 7,909 14,719 17,202 17,879 16,907 15,740 14,351 13,470 12,752 11,999 11,023 9,992 9,278 8,794 8,474	BAR 14,989 19,506 23,422 21,383 17,979 14,442 11,627 9,924 8,906 8,329 8,309 8,182 7,880 7,862	SRA 8,024 14,082 18,681 20,380 19,735 18,588 17,540 16,416 16,123 15,212 13,793 12,889 12,140 11,232 10,375 9,738	HAB. AREA(1) 1,068,523 1,761,702 2,246,769 2,347,893 2,211,827 2,036,984 1,880,536 1,750,535 1,696,727 1,610,161 1,495,731 1,415,389 1,350,642 1,278,685
R	Q 25 50 100 150 200 250 300 350 400 450 500 550 600 650 700	TWO MILE BAR 3,345 6,325 8,605 9,304 9,082 8,974 8,927 8,850 8,889 8,997 9,102 9,312 9,655 9,653	SIX MILE BAR 7,909 14,719 17,202 17,879 16,907 15,740 14,351 13,470 12,752 11,999 11,023 9,992 9,278 8,794	BAR 14,989 19,506 23,422 21,383 17,979 14,442 11,627 9,924 8,906 8,329 8,309 8,182 7,880 7,862 7,835	SRA 8,024 14,082 18,681 20,380 19,735 18,588 17,540 16,416 16,123 15,212 13,793 12,889 12,140 11,232 10,375 9,738 9,360	HAB. AREA(1) 1,068,523 1,761,702 2,246,769 2,347,893 2,211,827 2,036,984 1,880,536 1,750,535 1,696,727 1,610,161 1,495,731 1,415,389 1,350,642 1,278,685 1,215,287 1,157,448 1,117,951
R	Q 25 50 100 150 200 250 300 350 400 450 500 550 600 650 700 750	TWO MILE BAR 3,345 6,325 8,605 9,304 9,082 8,974 8,927 8,850 8,889 8,997 9,102 9,312 9,655 9,653 9,761 9,772	SIX MILE BAR 7,909 14,719 17,202 17,879 16,907 15,740 14,351 13,470 12,752 11,999 11,023 9,992 9,278 8,794 8,474 8,180	BAR 14,989 19,506 23,422 21,383 17,979 14,442 11,627 9,924 8,906 8,329 8,309 8,182 7,880 7,862 7,835 7,404 7,161 6,885	SRA 8,024 14,082 18,681 20,380 19,735 18,588 17,540 16,416 16,123 15,212 13,793 12,889 12,140 11,232 10,375 9,738 9,360 8,991	HAB. AREA(1) 1,068,523 1,761,702 2,246,769 2,347,893 2,211,827 2,036,984 1,880,536 1,750,535 1,696,727 1,610,161 1,495,731 1,415,389 1,350,642 1,278,685 1,215,287 1,157,448 1,117,951 1,079,197
R	Q 25 50 100 150 200 250 300 350 400 450 500 650 700 750 800 850 900	TWO MILE BAR 3,345 6,325 8,605 9,304 9,082 8,974 8,927 8,850 8,889 8,997 9,102 9,312 9,655 9,653 9,761 9,772 9,669 9,411 9,105	SIX MILE BAR 7,909 14,719 17,202 17,879 16,907 15,740 14,351 13,470 12,752 11,999 11,023 9,992 9,278 8,794 8,474 8,180 7,829 7,672 7,430	BAR 14,989 19,506 23,422 21,383 17,979 14,442 11,627 9,924 8,906 8,329 8,309 8,182 7,880 7,862 7,835 7,404 7,161 6,885 6,656	SRA 8,024 14,082 18,681 20,380 19,735 18,588 17,540 16,416 16,123 15,212 13,793 12,889 12,140 11,232 10,375 9,738 9,360 8,991 8,912	HAB. AREA(1) 1,068,523 1,761,702 2,246,769 2,347,893 2,211,827 2,036,984 1,880,536 1,750,535 1,696,727 1,610,161 1,495,731 1,415,389 1,350,642 1,278,685 1,215,287 1,157,448 1,117,951 1,079,197 1,058,784
R	Q 25 50 100 150 200 250 300 350 400 450 500 650 700 750 800 850 900 950	TWO MILE BAR 3,345 6,325 8,605 9,304 9,082 8,974 8,927 8,850 8,889 8,997 9,102 9,312 9,655 9,653 9,761 9,772 9,669 9,411 9,105 8,897	SIX MILE BAR 7,909 14,719 17,202 17,879 16,907 15,740 14,351 13,470 12,752 11,999 11,023 9,992 9,278 8,794 8,474 8,180 7,829 7,672 7,430 7,107	BAR 14,989 19,506 23,422 21,383 17,979 14,442 11,627 9,924 8,906 8,329 8,309 8,182 7,880 7,862 7,862 7,835 7,404 7,161 6,885 6,656 6,656	SRA 8,024 14,082 18,681 20,380 19,735 18,588 17,540 16,416 16,123 15,212 13,793 12,889 12,140 11,232 10,375 9,738 9,360 8,991 8,912 8,744	HAB. AREA(1) 1,068,523 1,761,702 2,246,769 2,347,893 2,211,827 2,036,984 1,880,536 1,750,535 1,696,727 1,610,161 1,495,731 1,415,389 1,350,642 1,278,685 1,215,287 1,157,448 1,117,951 1,079,197 1,058,784 1,036,560
R	Q 25 50 100 150 200 250 300 350 400 450 500 650 700 750 800 850 900 950	TWO MILE BAR 3,345 6,325 8,605 9,304 9,082 8,974 8,927 8,850 8,889 8,997 9,102 9,312 9,655 9,653 9,761 9,772 9,669 9,411 9,105 8,897 8,777	SIX MILE BAR 7,909 14,719 17,202 17,879 16,907 15,740 14,351 13,470 12,752 11,999 11,023 9,992 9,278 8,794 8,474 8,180 7,829 7,672 7,430 7,107 6,889	BAR 14,989 19,506 23,422 21,383 17,979 14,442 11,627 9,924 8,906 8,329 8,309 8,182 7,880 7,862 7,862 7,835 7,404 7,161 6,885 6,656 6,656	SRA 8,024 14,082 18,681 20,380 19,735 18,588 17,540 16,416 16,123 15,212 13,793 12,889 12,140 11,232 10,375 9,738 9,360 8,991 8,912 8,744 8,671	HAB. AREA(1) 1,068,523 1,761,702 2,246,769 2,347,893 2,211,827 2,036,984 1,880,536 1,750,535 1,696,727 1,610,161 1,495,731 1,415,389 1,350,642 1,278,685 1,215,287 1,157,448 1,117,951 1,079,197 1,058,784 1,036,560 1,025,760
R	Q 25 50 100 150 200 250 300 350 400 450 500 550 600 650 700 750 800 850 900 950 1,000 1,050	TWO MILE BAR 3,345 6,325 8,605 9,304 9,082 8,974 8,927 8,850 8,889 8,997 9,102 9,312 9,655 9,653 9,761 9,772 9,669 9,411 9,105 8,897 8,777 8,846	SIX MILE BAR 7,909 14,719 17,202 17,879 16,907 15,740 14,351 13,470 12,752 11,999 11,023 9,992 9,278 8,794 8,474 8,180 7,829 7,672 7,430 7,107 6,889 6,847	BAR 14,989 19,506 23,422 21,383 17,979 14,442 11,627 9,924 8,906 8,329 8,309 8,182 7,880 7,862 7,862 7,835 7,404 7,161 6,885 6,656 6,656 6,656 6,691	SRA 8,024 14,082 18,681 20,380 19,735 18,588 17,540 16,416 16,123 15,212 13,793 12,889 12,140 11,232 10,375 9,738 9,360 8,991 8,912 8,744 8,671 8,501	HAB. AREA(1) 1,068,523 1,761,702 2,246,769 2,347,893 2,211,827 2,036,984 1,880,536 1,750,535 1,696,727 1,610,161 1,495,731 1,415,389 1,350,642 1,278,685 1,215,287 1,157,448 1,117,951 1,079,197 1,058,784 1,036,560 1,025,760 1,015,266
R	Q 25 50 100 150 200 250 300 350 400 450 500 550 600 650 700 750 800 850 900 950 1,000 1,050	TWO MILE BAR 3,345 6,325 8,605 9,304 9,082 8,974 8,927 8,850 8,889 8,997 9,102 9,312 9,655 9,653 9,761 9,772 9,669 9,411 9,105 8,897 8,777 8,846 9,134	SIX MILE BAR 7,909 14,719 17,202 17,879 16,907 15,740 14,351 13,470 12,752 11,999 11,023 9,992 9,278 8,794 8,474 8,180 7,829 7,672 7,430 7,107 6,889 6,847 6,758	BAR 14,989 19,506 23,422 21,383 17,979 14,442 11,627 9,924 8,906 8,329 8,309 8,182 7,880 7,862 7,835 7,404 7,161 6,885 6,656 6,656 6,656 6,656 6,691 6,799	SRA 8,024 14,082 18,681 20,380 19,735 18,588 17,540 16,416 16,123 15,212 13,793 12,889 12,140 11,232 10,375 9,738 9,360 8,991 8,912 8,744 8,671 8,501 8,348	HAB. AREA(1) 1,068,523 1,761,702 2,246,769 2,347,893 2,211,827 2,036,984 1,880,536 1,750,535 1,696,727 1,610,161 1,495,731 1,415,389 1,350,642 1,278,685 1,215,287 1,157,448 1,117,951 1,079,197 1,058,784 1,036,560 1,025,760 1,015,266 1,010,667
R	Q 25 50 100 150 200 250 300 350 400 450 500 550 600 650 700 750 800 850 900 950 1,000 1,050 1,150	TWO MILE BAR 3,345 6,325 8,605 9,304 9,082 8,974 8,927 8,850 8,889 8,997 9,102 9,312 9,655 9,653 9,761 9,772 9,669 9,411 9,105 8,897 8,777 8,846 9,134 9,239	SIX MILE BAR 7,909 14,719 17,202 17,879 16,907 15,740 14,351 13,470 12,752 11,999 11,023 9,992 9,278 8,794 8,474 8,180 7,829 7,672 7,430 7,107 6,889 6,847 6,758 6,613	BAR 14,989 19,506 23,422 21,383 17,979 14,442 11,627 9,924 8,906 8,329 8,309 8,182 7,880 7,862 7,862 7,835 7,404 7,161 6,885 6,656 6,656 6,656 6,656 6,656 6,691 6,799 6,898	SRA 8,024 14,082 18,681 20,380 19,735 18,588 17,540 16,416 16,123 15,212 13,793 12,889 12,140 11,232 10,375 9,738 9,360 8,991 8,912 8,744 8,671 8,501 8,348 8,029	HAB. AREA(1) 1,068,523 1,761,702 2,246,769 2,347,893 2,211,827 2,036,984 1,880,536 1,750,535 1,696,727 1,610,161 1,495,731 1,415,389 1,350,642 1,278,685 1,215,287 1,157,448 1,117,951 1,079,197 1,058,784 1,079,197 1,058,784 1,036,560 1,025,760 1,015,266 1,010,667 989,963
R	Q 25 50 100 150 200 250 300 350 400 450 500 550 600 650 700 750 800 850 900 950 1,000 1,100 1,150 1,200	TWO MILE BAR 3,345 6,325 8,605 9,304 9,082 8,974 8,927 8,850 8,889 8,997 9,102 9,312 9,655 9,653 9,761 9,772 9,669 9,411 9,105 8,897 8,777 8,846 9,134 9,239 9,449	SIX MILE BAR 7,909 14,719 17,202 17,879 16,907 15,740 14,351 13,470 12,752 11,999 11,023 9,992 9,278 8,794 8,474 8,180 7,829 7,672 7,430 7,107 6,889 6,847 6,758 6,613 6,565	BAR 14,989 19,506 23,422 21,383 17,979 14,442 11,627 9,924 8,906 8,329 8,309 8,182 7,880 7,862 7,862 7,835 7,404 7,161 6,885 6,656 6,656 6,656 6,656 6,656 6,691 6,799 6,898 7,001	SRA 8,024 14,082 18,681 20,380 19,735 18,588 17,540 16,416 16,123 15,212 13,793 12,889 12,140 11,232 10,375 9,738 9,360 8,991 8,912 8,744 8,671 8,501 8,348 8,029 7,756	HAB. AREA(1) 1,068,523 1,761,702 2,246,769 2,347,893 2,211,827 2,036,984 1,880,536 1,750,535 1,696,727 1,610,161 1,495,731 1,415,389 1,350,642 1,278,685 1,215,287 1,157,448 1,117,951 1,079,197 1,058,784 1,036,560 1,025,760 1,015,266 1,010,667 989,963 976,321
R	Q 25 50 100 150 200 250 300 350 400 450 500 550 600 650 700 750 800 850 900 950 1,000 1,050 1,150	TWO MILE BAR 3,345 6,325 8,605 9,304 9,082 8,974 8,927 8,850 8,889 8,997 9,102 9,312 9,655 9,653 9,761 9,772 9,669 9,411 9,105 8,897 8,777 8,846 9,134 9,239	SIX MILE BAR 7,909 14,719 17,202 17,879 16,907 15,740 14,351 13,470 12,752 11,999 11,023 9,992 9,278 8,794 8,474 8,180 7,829 7,672 7,430 7,107 6,889 6,847 6,758 6,613	BAR 14,989 19,506 23,422 21,383 17,979 14,442 11,627 9,924 8,906 8,329 8,309 8,182 7,880 7,862 7,862 7,835 7,404 7,161 6,885 6,656 6,656 6,656 6,656 6,656 6,691 6,799 6,898	SRA 8,024 14,082 18,681 20,380 19,735 18,588 17,540 16,416 16,123 15,212 13,793 12,889 12,140 11,232 10,375 9,738 9,360 8,991 8,912 8,744 8,671 8,501 8,348 8,029	HAB. AREA(1) 1,068,523 1,761,702 2,246,769 2,347,893 2,211,827 2,036,984 1,880,536 1,750,535 1,696,727 1,610,161 1,495,731 1,415,389 1,350,642 1,278,685 1,215,287 1,157,448 1,117,951 1,079,197 1,058,784 1,079,197 1,058,784 1,036,560 1,025,760 1,015,266 1,010,667 989,963

RAINBOW TH	ROUT - ADULT	WUA			
	TWO MILE	SIX MILE	HONOLULU	VALLEY OAK	TOTAL
Q	BAR	BAR	BAR	SRA	HAB. AREA(1)
25	8,661	9,115	7,914	9,914	1,176,960
50	15,056	14,790	14,768	16,363	1,986,597
100	21,621	26,095	25,648	27,22 9	3,291,797
150	26,882	32,857	32,644	37,685	4,378,630
200	32,104	38,105	36,861	44,240	5,111,850
250	36,285	40,695	38,210	49,130	5,602,346
300	39,865	41,534	37,541	52,257	5,886,212
350	42,863	42,016	36,833	53,493	6,021,885
400	45,524	41,028	35,910	53,770	6,052,998
450	47,422	39,188	34,352	53,219	5,983,774
500	48,596	37,171	32,652	52,560	5,887,471
550 600	48,972	35,443	30,929	52,835	5,845,238
600 650	48,916	33,853	29,513	52,237	5,744,035
700	48,650	32,058	28,529	50,886	5,592,033 5,436,231
750 750	48,560	30,297.	27,838	49,334	
800	48,398 48,093	28,566 27,154	27,245 26,586	47,715 46,149	5,277,014 5,123,470
850	47,844	26,011	26,109	44,732	4,990,073
900	47,487	25,108	25,982	43,375	4,870,487
950	47,128	24,434	26,011	42,134	4,766,331
1,000	46,703	23,837	26,110	41,030	4,673,296
1,050	46,244	23,373	26,182	39,969	4,584,477
1,100	45,779	22,993	26,057	39,063	4,503,904
1,150	45,271	22,674	26,007	38,271	4,432,939
1,200	44,920	22,462	25,874	37,562	4,371,003
1,250	44,692	22,284	25,793	37,205	4,337,195
1,300	44,701	22,083	25,697	36,666	4,294,628
			•		
RAINBOW TR	ROUT - SPAWNI				
	TWO MILE	SIX MILE	HONOLULU	VALLEY OAK	TOTAL
Q	TWO MILE BAR	SIX MILE BAR	BAR	SRA	HAB. AREA(1)
Q 25	TWO MILE BAR 2,127	SIX MILE BAR 2,034	BAR 3,698	SRA 1,631	HAB. AREA(1) 265,624
Q 25 50	TWO MILE BAR 2,127 3,522	SIX MILE BAR 2,034 4,710	BAR 3,698 8,200	SRA 1,631 4,097	HAB. AREA(1) 265,624 603,443
Q 25 50 100	TWO MILE BAR 2,127 3,522 3,805	SIX MILE BAR 2,034 4,710 6,405	BAR 3,698 8,200 13,094	SRA 1,631 4,097 9,197	HAB. AREA(1) 265,624 603,443 1,090,281
Q 25 50 100 150	TWO MILE BAR 2,127 3,522 3,805 3,257	SIX MILE BAR 2,034 4,710 6,405 5,343	BAR 3,698 8,200 13,094 10,906	SRA 1,631 4,097 9,197 9,811	HAB. AREA(1) 265,624 603,443 1,090,281 1,057,320
Q 25 50 100 150 200	TWO MILE BAR 2,127 3,522 3,805 3,257 2,718	SIX MILE BAR 2,034 4,710 6,405 5,343 4,271	BAR 3,698 8,200 13,094 10,906 7,731	SRA 1,631 4,097 9,197 9,811 9,073	HAB. AREA(1) 265,624 603,443 1,090,281 1,057,320 911,708
Q 25 50 100 150 200 250	TWO MILE BAR 2,127 3,522 3,805 3,257 2,718 2,288	SIX MILE BAR 2,034 4,710 6,405 5,343 4,271 4,002	BAR 3,698 8,200 13,094 10,906 7,731 5,192	SRA 1,631 4,097 9,197 9,811 9,073 7,437	HAB. AREA(1) 265,624 603,443 1,090,281 1,057,320 911,708 734,806
Q 25 50 100 150 200 250 300	TWO MILE BAR 2,127 3,522 3,805 3,257 2,718 2,288 1,965	SIX MILE BAR 2,034 4,710 6,405 5,343 4,271 4,002 3,414	BAR 3,698 8,200 13,094 10,906 7,731 5,192 3,658	SRA 1,631 4,097 9,197 9,811 9,073 7,437 5,345	HAB. AREA(1) 265,624 603,443 1,090,281 1,057,320 911,708 734,806 542,868
Q 25 50 100 150 200 250 300 350	TWO MILE BAR 2,127 3,522 3,805 3,257 2,718 2,288 1,965 1,894	SIX MILE BAR 2,034 4,710 6,405 5,343 4,271 4,002 3,414 2,964	BAR 3,698 8,200 13,094 10,906 7,731 5,192 3,658 2,587	SRA 1,631 4,097 9,197 9,811 9,073 7,437 5,345 3,792	HAB. AREA(1) 265,624 603,443 1,090,281 1,057,320 911,708 734,806 542,868 404,681
2 50 100 150 200 250 300 350 400	TWO MILE BAR 2,127 3,522 3,805 3,257 2,718 2,288 1,965 1,894 1,770	SIX MILE BAR 2,034 4,710 6,405 5,343 4,271 4,002 3,414 2,964 2,573	BAR 3,698 8,200 13,094 10,906 7,731 5,192 3,658 2,587 1,834	SRA 1,631 4,097 9,197 9,811 9,073 7,437 5,345 3,792 3,191	HAB. AREA(1) 265,624 603,443 1,090,281 1,057,320 911,708 734,806 542,868 404,681 338,453
2 50 100 150 200 250 300 350 400 450	TWO MILE BAR 2,127 3,522 3,805 3,257 2,718 2,288 1,965 1,894 1,770 1,613	SIX MILE BAR 2,034 4,710 6,405 5,343 4,271 4,002 3,414 2,964 2,573 2,143	BAR 3,698 8,200 13,094 10,906 7,731 5,192 3,658 2,587 1,834 1,404	SRA 1,631 4,097 9,197 9,811 9,073 7,437 5,345 3,792 3,191 2,399	HAB. AREA(1) 265,624 603,443 1,090,281 1,057,320 911,708 734,806 542,868 404,681 338,453 264,175
2 50 100 150 200 250 300 350 400 450 500	TWO MILE BAR 2,127 3,522 3,805 3,257 2,718 2,288 1,965 1,894 1,770 1,613 1,573	SIX MILE BAR 2,034 4,710 6,405 5,343 4,271 4,002 3,414 2,964 2,573 2,143 1,785	BAR 3,698 8,200 13,094 10,906 7,731 5,192 3,658 2,587 1,834 1,404	SRA 1,631 4,097 9,197 9,811 9,073 7,437 5,345 3,792 3,191 2,399 1,704	HAB. AREA(1) 265,624 603,443 1,090,281 1,057,320 911,708 734,806 542,868 404,681 338,453 264,175 202,235
2 50 100 150 200 250 300 350 400 450 500	TWO MILE BAR 2,127 3,522 3,805 3,257 2,718 2,288 1,965 1,894 1,770 1,613 1,573 1,451	SIX MILE BAR 2,034 4,710 6,405 5,343 4,271 4,002 3,414 2,964 2,573 2,143 1,785 1,561	BAR 3,698 8,200 13,094 10,906 7,731 5,192 3,658 2,587 1,834 1,404 1,072 901	SRA 1,631 4,097 9,197 9,811 9,073 7,437 5,345 3,792 3,191 2,399 1,704 1,198	HAB. AREA(1) 265,624 603,443 1,090,281 1,057,320 911,708 734,806 542,868 404,681 338,453 264,175 202,235 157,484
2 50 100 150 200 250 300 350 400 450 500 550	TWO MILE BAR 2,127 3,522 3,805 3,257 2,718 2,288 1,965 1,894 1,770 1,613 1,573 1,451 1,332	SIX MILE BAR 2,034 4,710 6,405 5,343 4,271 4,002 3,414 2,964 2,573 2,143 1,785 1,561 1,467	BAR 3,698 8,200 13,094 10,906 7,731 5,192 3,658 2,587 1,834 1,404 1,072 901 842	SRA 1,631 4,097 9,197 9,811 9,073 7,437 5,345 3,792 3,191 2,399 1,704 1,198 855	HAB. AREA(1) 265,624 603,443 1,090,281 1,057,320 911,708 734,806 542,868 404,681 338,453 264,175 202,235 157,484 128,745
2 50 100 150 200 250 300 350 400 450 500	TWO MILE BAR 2,127 3,522 3,805 3,257 2,718 2,288 1,965 1,894 1,770 1,613 1,573 1,451 1,332 1,272	SIX MILE BAR 2,034 4,710 6,405 5,343 4,271 4,002 3,414 2,964 2,573 2,143 1,785 1,561 1,467 1;314	BAR 3,698 8,200 13,094 10,906 7,731 5,192 3,658 2,587 1,834 1,404 1,072 901 842 763	SRA 1,631 4,097 9,197 9,811 9,073 7,437 5,345 3,792 3,191 2,399 1,704 1,198 855 656	HAB. AREA(1) 265,624 603,443 1,090,281 1,057,320 911,708 734,806 542,868 404,681 338,453 264,175 202,235 157,484 128,745 109,417
2 50 100 150 200 250 300 350 400 450 500 650	TWO MILE BAR 2,127 3,522 3,805 3,257 2,718 2,288 1,965 1,894 1,770 1,613 1,573 1,451 1,332 1,272 1,296	SIX MILE BAR 2,034 4,710 6,405 5,343 4,271 4,002 3,414 2,964 2,573 2,143 1,785 1,561 1,467 1;314 1,238	BAR 3,698 8,200 13,094 10,906 7,731 5,192 3,658 2,587 1,834 1,404 1,072 901 842	SRA 1,631 4,097 9,197 9,811 9,073 7,437 5,345 3,792 3,191 2,399 1,704 1,198 855	HAB. AREA(1) 265,624 603,443 1,090,281 1,057,320 911,708 734,806 542,868 404,681 338,453 264,175 202,235 157,484 128,745 109,417 98,776
Q 25 50 100 150 200 250 300 350 400 450 500 650 700	TWO MILE BAR 2,127 3,522 3,805 3,257 2,718 2,288 1,965 1,894 1,770 1,613 1,573 1,451 1,332 1,272	SIX MILE BAR 2,034 4,710 6,405 5,343 4,271 4,002 3,414 2,964 2,573 2,143 1,785 1,561 1,467 1;314	BAR 3,698 8,200 13,094 10,906 7,731 5,192 3,658 2,587 1,834 1,404 1,072 901 842 763 744	1,631 4,097 9,197 9,811 9,073 7,437 5,345 3,792 3,191 2,399 1,704 1,198 855 656 521	HAB. AREA(1) 265,624 603,443 1,090,281 1,057,320 911,708 734,806 542,868 404,681 338,453 264,175 202,235 157,484 128,745 109,417
Q 25 50 100 150 200 250 300 350 400 450 500 650 700 750	TWO MILE BAR 2,127 3,522 3,805 3,257 2,718 2,288 1,965 1,894 1,770 1,613 1,573 1,451 1,332 1,272 1,296 1,282	SIX MILE BAR 2,034 4,710 6,405 5,343 4,271 4,002 3,414 2,964 2,573 2,143 1,785 1,561 1,467 1;314 1,238 1,201	BAR 3,698 8,200 13,094 10,906 7,731 5,192 3,658 2,587 1,834 1,404 1,072 901 842 763 744 740	SRA 1,631 4,097 9,197 9,811 9,073 7,437 5,345 3,792 3,191 2,399 1,704 1,198 855 656 521 573	HAB. AREA(1) 265,624 603,443 1,090,281 1,057,320 911,708 734,806 542,868 404,681 338,453 264,175 202,235 157,484 128,745 109,417 98,776 101,256
Q 25 50 100 150 200 250 300 350 400 450 500 650 700 750 800 850 900	TWO MILE BAR 2,127 3,522 3,805 3,257 2,718 2,288 1,965 1,894 1,770 1,613 1,573 1,451 1,332 1,272 1,296 1,282 1,225 1,127 1,061	SIX MILE BAR 2,034 4,710 6,405 5,343 4,271 4,002 3,414 2,964 2,573 2,143 1,785 1,561 1,467 1;314 1,238 1,201 1,131 1,075 1,031	BAR 3,698 8,200 13,094 10,906 7,731 5,192 3,658 2,587 1,834 1,404 1,072 901 842 763 744 740 785 835 899	SRA 1,631 4,097 9,197 9,811 9,073 7,437 5,345 3,792 3,191 2,399 1,704 1,198 855 656 521 573 635 622 618	HAB. AREA(1) 265,624 603,443 1,090,281 1,057,320 911,708 734,806 542,868 404,681 338,453 264,175 202,235 157,484 128,745 109,417 98,776 101,256 104,070 101,251 100,190
Q 25 50 100 150 200 250 300 350 400 450 500 650 700 750 800 850 900 950	TWO MILE BAR 2,127 3,522 3,805 3,257 2,718 2,288 1,965 1,894 1,770 1,613 1,573 1,451 1,332 1,272 1,296 1,282 1,225 1,127 1,061 1,124	SIX MILE BAR 2,034 4,710 6,405 5,343 4,271 4,002 3,414 2,964 2,573 2,143 1,785 1,561 1,467 1;314 1,238 1,201 1,131 1,075 1,031 982	BAR 3,698 8,200 13,094 10,906 7,731 5,192 3,658 2,587 1,834 1,404 1,072 901 842 763 744 740 785 835 899 1,006	1,631 4,097 9,197 9,811 9,073 7,437 5,345 3,792 3,191 2,399 1,704 1,198 855 656 521 573 635 622 618 596	HAB. AREA(1) 265,624 603,443 1,090,281 1,057,320 911,708 734,806 542,868 404,681 338,453 264,175 202,235 157,484 128,745 109,417 98,776 101,256 104,070 101,251 100,190 101,132
Q 25 50 100 150 200 250 300 350 400 450 500 650 700 750 800 850 900 950 1,000	TWO MILE BAR 2,127 3,522 3,805 3,257 2,718 2,288 1,965 1,894 1,770 1,613 1,573 1,451 1,332 1,272 1,296 1,282 1,225 1,127 1,061 1,124 1,201	SIX MILE BAR 2,034 4,710 6,405 5,343 4,271 4,002 3,414 2,964 2,573 2,143 1,785 1,561 1,467 1;314 1,238 1,201 1,131 1,075 1,031 982 938	BAR 3,698 8,200 13,094 10,906 7,731 5,192 3,658 2,587 1,834 1,404 1,072 901 842 763 744 740 785 835 899 1,006 1,164	1,631 4,097 9,197 9,811 9,073 7,437 5,345 3,792 3,191 2,399 1,704 1,198 855 656 521 573 635 622 618 596 520	HAB. AREA(1) 265,624 603,443 1,090,281 1,057,320 911,708 734,806 542,868 404,681 338,453 264,175 202,235 157,484 128,745 109,417 98,776 101,256 104,070 101,251 100,190 101,132 99,738
Q 25 50 100 150 200 250 300 350 400 450 500 650 700 750 800 850 900 950 1,050	TWO MILE BAR 2,127 3,522 3,805 3,257 2,718 2,288 1,965 1,894 1,770 1,613 1,573 1,451 1,332 1,272 1,296 1,282 1,225 1,127 1,061 1,124 1,201 1,341	SIX MILE BAR 2,034 4,710 6,405 5,343 4,271 4,002 3,414 2,964 2,573 2,143 1,785 1,561 1,467 1;314 1,238 1,201 1,131 1,075 1,031 982 938 913	BAR 3,698 8,200 13,094 10,906 7,731 5,192 3,658 2,587 1,834 1,404 1,072 901 842 763 744 740 785 835 899 1,006 1,164 1,279	SRA 1,631 4,097 9,197 9,811 9,073 7,437 5,345 3,792 3,191 2,399 1,704 1,198 855 656 521 573 635 622 618 596 520 468	HAB. AREA(1) 265,624 603,443 1,090,281 1,057,320 911,708 734,806 542,868 404,681 338,453 264,175 202,235 157,484 128,745 109,417 98,776 101,256 104,070 101,251 100,190 101,132 99,738 100,576
2 50 100 150 200 250 300 350 400 450 500 550 600 650 700 750 800 850 900 950 1,000 1,050	TWO MILE BAR 2,127 3,522 3,805 3,257 2,718 2,288 1,965 1,894 1,770 1,613 1,573 1,451 1,332 1,272 1,296 1,282 1,225 1,127 1,061 1,124 1,201 1,341 1,612	SIX MILE BAR 2,034 4,710 6,405 5,343 4,271 4,002 3,414 2,964 2,573 2,143 1,785 1,561 1,467 1;314 1,238 1,201 1,131 1,075 1,031 982 938 913 883	BAR 3,698 8,200 13,094 10,906 7,731 5,192 3,658 2,587 1,834 1,404 1,072 901 842 763 744 740 785 835 899 1,006 1,164 1,279 1,469	1,631 4,097 9,197 9,811 9,073 7,437 5,345 3,792 3,191 2,399 1,704 1,198 855 656 521 573 635 622 618 596 520 468 462	HAB. AREA(1) 265,624 603,443 1,090,281 1,057,320 911,708 734,806 542,868 404,681 338,453 264,175 202,235 157,484 128,745 109,417 98,776 101,256 104,070 101,251 100,190 101,132 99,738 100,576 108,540
Q 25 50 100 150 200 250 300 350 400 450 500 550 600 650 700 750 800 850 900 950 1,000 1,100 1,150	TWO MILE BAR 2,127 3,522 3,805 3,257 2,718 2,288 1,965 1,894 1,770 1,613 1,573 1,451 1,332 1,272 1,296 1,282 1,225 1,127 1,061 1,124 1,201 1,341 1,612 1,743	SIX MILE BAR 2,034 4,710 6,405 5,343 4,271 4,002 3,414 2,964 2,573 2,143 1,785 1,561 1,467 1;314 1,238 1,201 1,131 1,075 1,031 982 938 913 883 865	BAR 3,698 8,200 13,094 10,906 7,731 5,192 3,658 2,587 1,834 1,404 1,072 901 842 763 744 740 785 835 899 1,006 1,164 1,279 1,469 1,544	1,631 4,097 9,197 9,811 9,073 7,437 5,345 3,792 3,191 2,399 1,704 1,198 855 656 521 573 635 622 618 596 520 468 462 453	HAB. AREA(1) 265,624 603,443 1,090,281 1,057,320 911,708 734,806 542,868 404,681 338,453 264,175 202,235 157,484 128,745 109,417 98,776 101,256 104,070 101,251 100,190 101,132 99,738 100,576 108,540 111,565
Q 25 50 100 150 200 250 300 350 400 450 500 550 600 650 700 750 800 850 900 950 1,000 1,100 1,150	TWO MILE BAR 2,127 3,522 3,805 3,257 2,718 2,288 1,965 1,894 1,770 1,613 1,573 1,451 1,332 1,272 1,296 1,282 1,225 1,127 1,061 1,124 1,201 1,341 1,612 1,743 1,833	SIX MILE BAR 2,034 4,710 6,405 5,343 4,271 4,002 3,414 2,964 2,573 2,143 1,785 1,561 1,467 1;314 1,238 1,201 1,131 1,075 1,031 982 938 913 883 865 865	BAR 3,698 8,200 13,094 10,906 7,731 5,192 3,658 2,587 1,834 1,404 1,072 901 842 763 744 740 785 835 899 1,006 1,164 1,279 1,469 1,544 1,597	1,631 4,097 9,197 9,811 9,073 7,437 5,345 3,792 3,191 2,399 1,704 1,198 855 656 521 573 635 622 618 596 520 468 462 453	HAB. AREA(1) 265,624 603,443 1,090,281 1,057,320 911,708 734,806 542,868 404,681 338,453 264,175 202,235 157,484 128,745 109,417 98,776 101,256 104,070 101,251 100,190 101,132 99,738 100,576 108,540 111,565 112,385
Q 25 50 100 150 200 250 300 350 400 450 500 650 700 750 850 950 1,000 1,150 1,200 1,250	TWO MILE BAR 2,127 3,522 3,805 3,257 2,718 2,288 1,965 1,894 1,770 1,613 1,573 1,451 1,332 1,272 1,296 1,282 1,225 1,127 1,061 1,124 1,201 1,341 1,612 1,743 1,833 1,902	SIX MILE BAR 2,034 4,710 6,405 5,343 4,271 4,002 3,414 2,964 2,573 2,143 1,785 1,561 1,467 1;314 1,238 1,201 1,131 1,075 1,031 982 938 913 883 865 865 872	BAR 3,698 8,200 13,094 10,906 7,731 5,192 3,658 2,587 1,834 1,404 1,072 901 842 763 744 740 785 835 899 1,006 1,164 1,279 1,469 1,544 1,597 1,634	1,631 4,097 9,197 9,811 9,073 7,437 5,345 3,792 3,191 2,399 1,704 1,198 855 656 521 573 635 622 618 596 520 468 462 453 425 394	HAB. AREA(1) 265,624 603,443 1,090,281 1,057,320 911,708 734,806 542,868 404,681 338,453 264,175 202,235 157,484 128,745 109,417 98,776 101,256 104,070 101,251 100,190 101,132 99,738 100,576 108,540 111,565 112,385 112,469
Q 25 50 100 150 200 250 300 350 400 450 500 550 600 650 700 750 800 850 900 950 1,000 1,100 1,150	TWO MILE BAR 2,127 3,522 3,805 3,257 2,718 2,288 1,965 1,894 1,770 1,613 1,573 1,451 1,332 1,272 1,296 1,282 1,225 1,127 1,061 1,124 1,201 1,341 1,612 1,743 1,833	SIX MILE BAR 2,034 4,710 6,405 5,343 4,271 4,002 3,414 2,964 2,573 2,143 1,785 1,561 1,467 1;314 1,238 1,201 1,131 1,075 1,031 982 938 913 883 865 865	BAR 3,698 8,200 13,094 10,906 7,731 5,192 3,658 2,587 1,834 1,404 1,072 901 842 763 744 740 785 835 899 1,006 1,164 1,279 1,469 1,544 1,597	1,631 4,097 9,197 9,811 9,073 7,437 5,345 3,792 3,191 2,399 1,704 1,198 855 656 521 573 635 622 618 596 520 468 462 453	HAB. AREA(1) 265,624 603,443 1,090,281 1,057,320 911,708 734,806 542,868 404,681 338,453 264,175 202,235 157,484 128,745 109,417 98,776 101,256 104,070 101,251 100,190 101,132 99,738 100,576 108,540 111,565 112,385

STEELHEAD I	ROUT - FRY	AIIW			
SIELLMERD 1	TWO MILE	SIX MILE	HONOLULU	VALLEY OAK	TOTAL
Q	BAR	BAR	BAR	SRA	HAB. AREA(1)
25	7,007	16,837	22,945	14,697	1,927,000
50	9,787	18,748	25,224	20,220	2,440,600
1.00	12,245	18,573	20,191	20,990	2,433,822
150	12,573	17,328	16,852	20,116	2,288,378
200	12,166	15,976	14,123	18,178	2,066,617
250	12,071	13,800	11,840	17,105	1,903,207
300	12,192	12,271	9,723	16,220	1,772,566
350	12,279	11,985	8,894	15,887	1,729,046
400	12,480	11,436	8,945	15,291	1,682,477
450	13,069	10,715	9,030	14,288	1,612,637
500	13,368	9,931	8,831	13,480	1,543,765
550	13,560	9,463	8,602	12,599	1,473,316
600	13,374	9,028	8,469	11,806	1,404,415
650	13,346	8,716	8,566	10,987	1,343,788
700	13,074	8,374	8,529	10,279	1,282,790
750	12,894	8,078	8,746	9,624	1,233,308
800	13,002	8,070	8,897	9,180	1,207,747
1X850	12,830	8,057	9,360	9,328	1,223,813
900	13,043	8,134	9,689	9,439	1,243,590
950	12,939	8,320	9,735	9,342	1,239,493
1,000	12,675	8,607	9,856	9,489	1,252,620
1,050	12,413	8,822 9,104	10,116	9,564	1,262,247
1,100 1,150	12,291 12,384	9,413	10,382 11,081	9,075 8,695	1,237,222 1,232,96 5
1,200	12,384	9,721	11,739	8,314	1,232,383
1,250	12,094	9,939	11,759	8,021	1,223,281
1,300	11,880	10,127	11,961	7,716	1,187,987
-,	,	,	11//01	,,,	_,,,
	ROUT - JUVE				
	TWO MILE	SIX MILE	HONOLULU	VALLEY OAK	TOTAL
Q	TWO MILE BAR	SIX MILE BAR	BAR	SRA	HAB. AREA(1)
Q 25	TWO MILE BAR 5,026	SIX MILE BAR 13,800	BAR 19,982	SRA 13,963	HAB. AREA(1) 1,721,295
Q 25 50	TWO MILE BAR 5,026 9,486	SIX MILE BAR 13,800 21,554	BAR 19,982 28,231	SRA 13,963 22,542	HAB. AREA(1) 1,721,295 2,708,966
Q 25 50 100	TWO MILE BAR 5,026 9,486 12,020	SIX MILE BAR 13,800 21,554 26,412	BAR 19,982 28,231 32,289	SRA 13,963 22,542 30,507	HAB. AREA(1) 1,721,295 2,708,966 3,477,869
Q 25 50 100 150	TWO MILE BAR 5,026 9,486 12,020 11,949	SIX MILE BAR 13,800 21,554 26,412 27,111	BAR 19,982 28,231 32,289 31,802	SRA 13,963 22,542 30,507 32,137	HAB. AREA(1) 1,721,295 2,708,966 3,477,869 3,591,817
Q 25 50 100 150 200	TWO MILE BAR 5,026 9,486 12,020 11,949 11,030	SIX MILE BAR 13,800 21,554 26,412 27,111 26,481	BAR 19,982 28,231 32,289 31,802 28,274	SRA 13,963 22,542 30,507 32,137 31,793	HAB. AREA(1) 1,721,295 2,708,966 3,477,869 3,591,817 3,467,371
Q 25 50 100 150 200 250	TWO MILE BAR 5,026 9,486 12,020 11,949 11,030 10,117	SIX MILE BAR 13,800 21,554 26,412 27,111 26,481 24,610	BAR 19,982 28,231 32,289 31,802 28,274 24,213	SRA 13,963 22,542 30,507 32,137 31,793 30,626	HAB. AREA(1) 1,721,295 2,708,966 3,477,869 3,591,817 3,467,371 3,252,043
Q 25 50 100 150 200 250 300	TWO MILE BAR 5,026 9,486 12,020 11,949 11,030 10,117 9,740	SIX MILE BAR 13,800 21,554 26,412 27,111 26,481 24,610 22,682	BAR 19,982 28,231 32,289 31,802 28,274 24,213 20,384	SRA 13,963 22,542 30,507 32,137 31,793 30,626 29,117	HAB. AREA(1) 1,721,295 2,708,966 3,477,869 3,591,817 3,467,371 3,252,043 3,026,867
Q 25 50 100 150 200 250 300 350	TWO MILE BAR 5,026 9,486 12,020 11,949 11,030 10,117 9,740 9,381	SIX MILE BAR 13,800 21,554 26,412 27,111 26,481 24,610 22,682 21,291	BAR 19,982 28,231 32,289 31,802 28,274 24,213 20,384 17,780	SRA 13,963 22,542 30,507 32,137 31,793 30,626 29,117 27,118	HAB. AREA(1) 1,721,295 2,708,966 3,477,869 3,591,817 3,467,371 3,252,043 3,026,867 2,803,527
Q 25 50 100 150 200 250 300 350 400	TWO MILE BAR 5,026 9,486 12,020 11,949 11,030 10,117 9,740 9,381 9,084	SIX MILE BAR 13,800 21,554 26,412 27,111 26,481 24,610 22,682 21,291 19,776	BAR 19,982 28,231 32,289 31,802 28,274 24,213 20,384 17,780 15,861	SRA 13,963 22,542 30,507 32,137 31,793 30,626 29,117 27,118 25,476	HAB. AREA(1) 1,721,295 2,708,966 3,477,869 3,591,817 3,467,371 3,252,043 3,026,867 2,803,527 2,617,441
Q 25 50 100 150 200 250 300 350 400 450	TWO MILE BAR 5,026 9,486 12,020 11,949 11,030 10,117 9,740 9,381 9,084 9,080	SIX MILE BAR 13,800 21,554 26,412 27,111 26,481 24,610 22,682 21,291 19,776 18,259	BAR 19,982 28,231 32,289 31,802 28,274 24,213 20,384 17,780 15,861 14,383	SRA 13,963 22,542 30,507 32,137 31,793 30,626 29,117 27,118 25,476 23,651	HAB. AREA(1) 1,721,295 2,708,966 3,477,869 3,591,817 3,467,371 3,252,043 3,026,867 2,803,527 2,617,441 2,433,172
Q 25 50 100 150 200 250 300 350 400 450 500	TWO MILE BAR 5,026 9,486 12,020 11,949 11,030 10,117 9,740 9,381 9,084 9,080 9,294	SIX MILE BAR 13,800 21,554 26,412 27,111 26,481 24,610 22,682 21,291 19,776 18,259 16,852	BAR 19,982 28,231 32,289 31,802 28,274 24,213 20,384 17,780 15,861 14,383 13,218	SRA 13,963 22,542 30,507 32,137 31,793 30,626 29,117 27,118 25,476 23,651 21,853	HAB. AREA(1) 1,721,295 2,708,966 3,477,869 3,591,817 3,467,371 3,252,043 3,026,867 2,803,527 2,617,441 2,433,172 2,263,287
Q 25 50 100 150 200 250 300 350 400 450 500	TWO MILE BAR 5,026 9,486 12,020 11,949 11,030 10,117 9,740 9,381 9,084 9,080 9,294 9,561	SIX MILE BAR 13,800 21,554 26,412 27,111 26,481 24,610 22,682 21,291 19,776 18,259 16,852 15,637	BAR 19,982 28,231 32,289 31,802 28,274 24,213 20,384 17,780 15,861 14,383 13,218 12,377	SRA 13,963 22,542 30,507 32,137 31,793 30,626 29,117 27,118 25,476 23,651 21,853 19,810	HAB. AREA(1) 1,721,295 2,708,966 3,477,869 3,591,817 3,467,371 3,252,043 3,026,867 2,803,527 2,617,441 2,433,172 2,263,287 2,087,845
Q 25 50 100 150 200 250 300 350 400 450 500 550 600	TWO MILE BAR 5,026 9,486 12,020 11,949 11,030 10,117 9,740 9,381 9,084 9,080 9,294 9,561 9,665	SIX MILE BAR 13,800 21,554 26,412 27,111 26,481 24,610 22,682 21,291 19,776 18,259 16,852 15,637 14,609	BAR 19,982 28,231 32,289 31,802 28,274 24,213 20,384 17,780 15,861 14,383 13,218 12,377 11,628	SRA 13,963 22,542 30,507 32,137 31,793 30,626 29,117 27,118 25,476 23,651 21,853 19,810 17,801	HAB. AREA(1) 1,721,295 2,708,966 3,477,869 3,591,817 3,467,371 3,252,043 3,026,867 2,803,527 2,617,441 2,433,172 2,263,287 2,087,845 1,917,149
Q 25 50 100 150 200 250 300 350 400 450 500 550 600 650	TWO MILE BAR 5,026 9,486 12,020 11,949 11,030 10,117 9,740 9,381 9,084 9,080 9,294 9,561 9,665 9,867	SIX MILE BAR 13,800 21,554 26,412 27,111 26,481 24,610 22,682 21,291 19,776 18,259 16,852 15,637 14,609 13,697	BAR 19,982 28,231 32,289 31,802 28,274 24,213 20,384 17,780 15,861 14,383 13,218 12,377 11,628 11,104	SRA 13,963 22,542 30,507 32,137 31,793 30,626 29,117 27,118 25,476 23,651 21,853 19,810 17,801 16,083	HAB. AREA(1) 1,721,295 2,708,966 3,477,869 3,591,817 3,467,371 3,252,043 3,026,867 2,803,527 2,617,441 2,433,172 2,263,287 2,087,845 1,917,149 1,775,023
Q 25 50 100 150 200 250 300 350 400 450 500 550 600	TWO MILE BAR 5,026 9,486 12,020 11,949 11,030 10,117 9,740 9,381 9,084 9,080 9,294 9,561 9,665 9,867 9,813	SIX MILE BAR 13,800 21,554 26,412 27,111 26,481 24,610 22,682 21,291 19,776 18,259 16,852 15,637 14,609 13,697 12,748	BAR 19,982 28,231 32,289 31,802 28,274 24,213 20,384 17,780 15,861 14,383 13,218 12,377 11,628 11,104 10,766	SRA 13,963 22,542 30,507 32,137 31,793 30,626 29,117 27,118 25,476 23,651 21,853 19,810 17,801 16,083 14,636	HAB. AREA(1) 1,721,295 2,708,966 3,477,869 3,591,817 3,467,371 3,252,043 3,026,867 2,803,527 2,617,441 2,433,172 2,263,287 2,087,845 1,917,149 1,775,023 1,649,748
Q 25 50 100 150 200 250 300 350 400 450 500 550 600 650 700	TWO MILE BAR 5,026 9,486 12,020 11,949 11,030 10,117 9,740 9,381 9,084 9,080 9,294 9,561 9,665 9,867	SIX MILE BAR 13,800 21,554 26,412 27,111 26,481 24,610 22,682 21,291 19,776 18,259 16,852 15,637 14,609 13,697	BAR 19,982 28,231 32,289 31,802 28,274 24,213 20,384 17,780 15,861 14,383 13,218 12,377 11,628 11,104	SRA 13,963 22,542 30,507 32,137 31,793 30,626 29,117 27,118 25,476 23,651 21,853 19,810 17,801 16,083 14,636 13,354	HAB. AREA(1) 1,721,295 2,708,966 3,477,869 3,591,817 3,467,371 3,252,043 3,026,867 2,803,527 2,617,441 2,433,172 2,263,287 2,087,845 1,917,149 1,775,023
Q 25 50 100 150 200 250 300 350 400 450 500 550 600 650 700	TWO MILE BAR 5,026 9,486 12,020 11,949 11,030 10,117 9,740 9,381 9,084 9,080 9,294 9,561 9,665 9,867 9,813 9,569	SIX MILE BAR 13,800 21,554 26,412 27,111 26,481 24,610 22,682 21,291 19,776 18,259 16,852 15,637 14,609 13,697 12,748 11,972 11,455	BAR 19,982 28,231 32,289 31,802 28,274 24,213 20,384 17,780 15,861 14,383 13,218 12,377 11,628 11,104 10,766 10,696 10,583	SRA 13,963 22,542 30,507 32,137 31,793 30,626 29,117 27,118 25,476 23,651 21,853 19,810 17,801 16,083 14,636	HAB. AREA(1) 1,721,295 2,708,966 3,477,869 3,591,817 3,467,371 3,252,043 3,026,867 2,803,527 2,617,441 2,433,172 2,263,287 2,087,845 1,917,149 1,775,023 1,649,748 1,540,990 1,455,095
Q 25 50 100 150 200 250 300 350 400 450 500 550 600 650 700 750 800	TWO MILE BAR 5,026 9,486 12,020 11,949 11,030 10,117 9,740 9,381 9,084 9,080 9,294 9,561 9,665 9,867 9,813 9,569 9,344	SIX MILE BAR 13,800 21,554 26,412 27,111 26,481 24,610 22,682 21,291 19,776 18,259 16,852 15,637 14,609 13,697 12,748 11,972	BAR 19,982 28,231 32,289 31,802 28,274 24,213 20,384 17,780 15,861 14,383 13,218 12,377 11,628 11,104 10,766 10,696	SRA 13,963 22,542 30,507 32,137 31,793 30,626 29,117 27,118 25,476 23,651 21,853 19,810 17,801 16,083 14,636 13,354 12,340	HAB. AREA(1) 1,721,295 2,708,966 3,477,869 3,591,817 3,467,371 3,252,043 3,026,867 2,803,527 2,617,441 2,433,172 2,263,287 2,087,845 1,917,149 1,775,023 1,649,748 1,540,990
Q 25 50 100 150 200 250 300 350 400 450 500 550 600 650 700 750 800 850	TWO MILE BAR 5,026 9,486 12,020 11,949 11,030 10,117 9,740 9,381 9,084 9,080 9,294 9,561 9,665 9,867 9,813 9,569 9,344 9,110	SIX MILE BAR 13,800 21,554 26,412 27,111 26,481 24,610 22,682 21,291 19,776 18,259 16,852 15,637 14,609 13,697 12,748 11,972 11,455 11,052	BAR 19,982 28,231 32,289 31,802 28,274 24,213 20,384 17,780 15,861 14,383 13,218 12,377 11,628 11,104 10,766 10,583 10,470	SRA 13,963 22,542 30,507 32,137 31,793 30,626 29,117 27,118 25,476 23,651 21,853 19,810 17,801 16,083 14,636 13,354 12,340 11,491	HAB. AREA(1) 1,721,295 2,708,966 3,477,869 3,591,817 3,467,371 3,252,043 3,026,867 2,803,527 2,617,441 2,433,172 2,263,287 2,087,845 1,917,149 1,775,023 1,649,748 1,540,990 1,455,095 1,382,493
Q 25 50 100 150 200 250 300 350 400 450 500 550 600 650 700 750 800 850 900	TWO MILE BAR 5,026 9,486 12,020 11,949 11,030 10,117 9,740 9,381 9,084 9,080 9,294 9,561 9,665 9,867 9,813 9,569 9,344 9,110 8,908 8,761 8,716	SIX MILE BAR 13,800 21,554 26,412 27,111 26,481 24,610 22,682 21,291 19,776 18,259 16,852 15,637 14,609 13,697 12,748 11,972 11,455 11,052 10,779 10,626 10,476	BAR 19,982 28,231 32,289 31,802 28,274 24,213 20,384 17,780 15,861 14,383 13,218 12,377 11,628 11,104 10,766 10,696 10,583 10,470 10,404 10,273 10,208	SRA 13,963 22,542 30,507 32,137 31,793 30,626 29,117 27,118 25,476 23,651 21,853 19,810 17,801 16,083 14,636 13,354 12,340 11,491 10,687	HAB. AREA(1) 1,721,295 2,708,966 3,477,869 3,591,817 3,467,371 3,252,043 3,026,867 2,803,527 2,617,441 2,433,172 2,263,287 2,087,845 1,917,149 1,775,023 1,649,748 1,540,990 1,455,095 1,382,493 1,317,002
25 50 100 150 200 250 300 350 400 450 500 550 600 650 700 750 800 850 900 950 1,000	TWO MILE BAR 5,026 9,486 12,020 11,949 11,030 10,117 9,740 9,381 9,084 9,080 9,294 9,561 9,665 9,867 9,813 9,569 9,344 9,110 8,908 8,761 8,716 8,742	SIX MILE BAR 13,800 21,554 26,412 27,111 26,481 24,610 22,682 21,291 19,776 18,259 16,852 15,637 14,609 13,697 12,748 11,972 11,455 11,052 10,779 10,626 10,476 10,240	BAR 19,982 28,231 32,289 31,802 28,274 24,213 20,384 17,780 15,861 14,383 13,218 12,377 11,628 11,104 10,766 10,696 10,583 10,470 10,404 10,273 10,208 10,220	SRA 13,963 22,542 30,507 32,137 31,793 30,626 29,117 27,118 25,476 23,651 21,853 19,810 17,801 16,083 14,636 13,354 12,340 11,491 10,687 10,021	HAB. AREA(1) 1,721,295 2,708,966 3,477,869 3,591,817 3,467,371 3,252,043 3,026,867 2,803,527 2,617,441 2,433,172 2,263,287 2,087,845 1,917,149 1,775,023 1,649,748 1,540,990 1,455,095 1,382,493 1,317,002 1,263,007 1,241,851 1,226,095
25 50 100 150 200 250 300 350 400 450 500 550 600 650 700 750 800 850 900 950 1,000 1,050	TWO MILE BAR 5,026 9,486 12,020 11,949 11,030 10,117 9,740 9,381 9,084 9,080 9,294 9,561 9,665 9,867 9,813 9,569 9,344 9,110 8,908 8,761 8,716 8,742 8,813	SIX MILE BAR 13,800 21,554 26,412 27,111 26,481 24,610 22,682 21,291 19,776 18,259 16,852 15,637 14,609 13,697 12,748 11,972 11,455 11,052 10,779 10,626 10,476 10,240 10,057	BAR 19,982 28,231 32,289 31,802 28,274 24,213 20,384 17,780 15,861 14,383 13,218 12,377 11,628 11,104 10,766 10,583 10,470 10,404 10,273 10,208 10,220 10,306	SRA 13,963 22,542 30,507 32,137 31,793 30,626 29,117 27,118 25,476 23,651 21,853 19,810 17,801 16,083 14,636 13,354 12,340 11,491 10,687 10,021 9,786 9,611 9,028	HAB. AREA(1) 1,721,295 2,708,966 3,477,869 3,591,817 3,467,371 3,252,043 3,026,867 2,803,527 2,617,441 2,433,172 2,263,287 2,087,845 1,917,149 1,775,023 1,649,748 1,540,990 1,455,095 1,382,493 1,317,002 1,263,007 1,241,851 1,226,095 1,185,668
25 50 100 150 200 250 300 350 400 450 500 550 600 650 700 750 800 850 900 950 1,000 1,050 1,100	TWO MILE BAR 5,026 9,486 12,020 11,949 11,030 10,117 9,740 9,381 9,084 9,080 9,294 9,561 9,665 9,867 9,813 9,569 9,344 9,110 8,908 8,761 8,716 8,716 8,716 8,742 8,813 8,931	SIX MILE BAR 13,800 21,554 26,412 27,111 26,481 24,610 22,682 21,291 19,776 18,259 16,852 15,637 14,609 13,697 12,748 11,972 11,455 11,052 10,779 10,626 10,476 10,240 10,057 9,936	BAR 19,982 28,231 32,289 31,802 28,274 24,213 20,384 17,780 15,861 14,383 13,218 12,377 11,628 11,104 10,766 10,583 10,470 10,404 10,273 10,208 10,208 10,220 10,306 10,514	SRA 13,963 22,542 30,507 32,137 31,793 30,626 29,117 27,118 25,476 23,651 21,853 19,810 17,801 16,083 14,636 13,354 12,340 11,491 10,687 10,021 9,786 9,611 9,028 8,467	HAB. AREA(1) 1,721,295 2,708,966 3,477,869 3,591,817 3,467,371 3,252,043 3,026,867 2,803,527 2,617,441 2,433,172 2,263,287 2,087,845 1,917,149 1,775,023 1,649,748 1,540,990 1,455,095 1,382,493 1,317,002 1,263,007 1,241,851 1,226,095 1,185,668 1,151,316
25 50 100 150 200 250 300 350 400 450 500 550 600 650 700 750 800 850 900 950 1,000 1,050 1,100 1,150	TWO MILE BAR 5,026 9,486 12,020 11,949 11,030 10,117 9,740 9,381 9,084 9,080 9,294 9,561 9,665 9,867 9,813 9,569 9,344 9,110 8,908 8,761 8,716 8,716 8,716 8,716 8,716 8,716 8,716 8,716 8,716	SIX MILE BAR 13,800 21,554 26,412 27,111 26,481 24,610 22,682 21,291 19,776 18,259 16,852 15,637 14,609 13,697 12,748 11,972 11,455 11,052 10,779 10,626 10,476 10,240 10,057 9,936 9,903	BAR 19,982 28,231 32,289 31,802 28,274 24,213 20,384 17,780 15,861 14,383 13,218 12,377 11,628 11,104 10,766 10,583 10,470 10,404 10,273 10,208 10,220 10,306 10,514 10,736	SRA 13,963 22,542 30,507 32,137 31,793 30,626 29,117 27,118 25,476 23,651 21,853 19,810 17,801 16,083 14,636 13,354 12,340 11,491 10,687 10,021 9,786 9,611 9,028 8,467 7,841	HAB. AREA(1) 1,721,295 2,708,966 3,477,869 3,591,817 3,467,371 3,252,043 3,026,867 2,803,527 2,617,441 2,433,172 2,263,287 2,087,845 1,917,149 1,775,023 1,649,748 1,540,990 1,455,095 1,382,493 1,317,002 1,263,007 1,241,851 1,226,095 1,185,668 1,151,316 1,114,320
25 50 100 150 200 250 300 350 400 450 500 550 600 650 700 750 800 850 900 950 1,000 1,050 1,100	TWO MILE BAR 5,026 9,486 12,020 11,949 11,030 10,117 9,740 9,381 9,084 9,080 9,294 9,561 9,665 9,867 9,813 9,569 9,344 9,110 8,908 8,761 8,716 8,716 8,716 8,742 8,813 8,931	SIX MILE BAR 13,800 21,554 26,412 27,111 26,481 24,610 22,682 21,291 19,776 18,259 16,852 15,637 14,609 13,697 12,748 11,972 11,455 11,052 10,779 10,626 10,476 10,240 10,057 9,936	BAR 19,982 28,231 32,289 31,802 28,274 24,213 20,384 17,780 15,861 14,383 13,218 12,377 11,628 11,104 10,766 10,583 10,470 10,404 10,273 10,208 10,208 10,220 10,306 10,514	SRA 13,963 22,542 30,507 32,137 31,793 30,626 29,117 27,118 25,476 23,651 21,853 19,810 17,801 16,083 14,636 13,354 12,340 11,491 10,687 10,021 9,786 9,611 9,028 8,467	HAB. AREA(1) 1,721,295 2,708,966 3,477,869 3,591,817 3,467,371 3,252,043 3,026,867 2,803,527 2,617,441 2,433,172 2,263,287 2,087,845 1,917,149 1,775,023 1,649,748 1,540,990 1,455,095 1,382,493 1,317,002 1,263,007 1,241,851 1,226,095 1,185,668 1,151,316

STEELHEAD	TROUT - ADUI	LT WUA	,		
_	TWO MILE	SIX MILE	HONOLULU	VALLEY OAK	TOTAL
Q 25	BAR	BAR	BAR 401	SRA 499	HAB. AREA(1) 68,511
25 50	979 1,570	408 955	1,308	830	131,080
100	2,450	4,348	5,661	3,426	478,890
150	3,514	10,262	9,678	6,830	927,036
200	4,949	11,678	13,153	10,391	1,295,703
250	6,319	11,913	17,148	15,441	1,753,179
300	8,389	14,291	17,770	19,169 22,560	2,105,723 2,422,776
350 400	10,786 12,043	16,554 18,856	17,592 16,859	25,730	2,692,826
450	13,203	20,034	15,429	27,282	2,814,479
500	14,697	21,345	15,828	27,022	2,857,783
550	17,085	18,718	14,790	25,412	2,720,629
600	19,315	16,216	13,282	24,797	2,641,715
650	21,354	14,322	12,301	22,765	2,484,302
700 750	21,036	12,799	11,421 10,625	21,148 19,554	2,320,464 2,136,290
750 800	19,489 18,420	11,244 10,349	10,517	18,308	2,011,478
850	18,501	9,812	10,376	17,086	1,916,109
900	18,832	9,509	10,093	16,299	1,856,794
950	17,959	9,284	9,210	15,998	1,797,561
1,000	17,343	8,976	8,660	15,595	1,741,382
1,050	17,300	8,819	8,687	15,424	1,726,337
1,100	17,234	8,854	8,879	15,674	1,746,793
1,150	16,988	8,718	9,056	15,966	1,763,20 6
1,200	16,792	8,711 9,092	8,918 8,910	15,510 14,885	1,725,427 1,692,417
1,250 1,300	16,940 16,616	9,279	9,305	14,753	1,688,902
1,500	10,010	3/2/3	5,000	,	_, ,
STEELHEAD	TROUT - SPAN			1787 7 DV 08V	TOTAL
	TWO MILE	SIX MILE	HONOLULU	VALLEY OAK	TOTAL
Q	TWO MILE BAR	SIX MILE BAR	BAR	SRA	HAB. AREA(1)
Q 25	TWO MILE BAR 557	SIX MILE BAR 116	BAR 189	SRA 227	HAB. AREA(1) 32,076
Q 25 50	TWO MILE BAR 557 950	SIX MILE BAR 116 690	BAR 189 1,614	SRA	HAB. AREA(1)
Q 25	TWO MILE BAR 557	SIX MILE BAR 116	BAR 189	SRA 227 1,257	HAB. AREA(1) 32,076 149,926 551,960 792,859
Q 25 50 100	TWO MILE BAR 557 950 1,877	SIX MILE BAR 116 690 3,084	BAR 189 1,614 7,223 9,759 9,807	SRA 227 1,257 4,538 6,708 8,088	HAB. AREA(1) 32,076 149,926 551,960 792,859 888,313
Q 25 50 100 150	TWO MILE BAR 557 950 1,877 2,499 2,435 2,240	SIX MILE BAR 116 690 3,084 4,597 4,651 4,094	BAR 189 1,614 7,223 9,759 9,807 8,104	SRA 227 1,257 4,538 6,708 8,088 8,047	HAB. AREA(1) 32,076 149,926 551,960 792,859 888,313 836,553
Q 25 50 100 150 200 250 300	TWO MILE BAR 557 950 1,877 2,499 2,435 2,240 2,017	SIX MILE BAR 116 690 3,084 4,597 4,651 4,094 3,458	BAR 189 1,614 7,223 9,759 9,807 8,104 6,268	SRA 227 1,257 4,538 6,708 8,088 8,047 7,244	HAB. AREA(1) 32,076 149,926 551,960 792,859 888,313 836,553 727,934
Q 25 50 100 150 200 250 300 350	TWO MILE BAR 557 950 1,877 2,499 2,435 2,240 2,017 1,761	SIX MILE BAR 116 690 3,084 4,597 4,651 4,094 3,458 3,110	BAR 189 1,614 7,223 9,759 9,807 8,104 6,268 4,659	SRA 227 1,257 4,538 6,708 8,088 8,047 7,244 6,112	HAB. AREA(1) 32,076 149,926 551,960 792,859 888,313 836,553 727,934 606,175
Q 25 50 100 150 200 250 300 350 400	TWO MILE BAR 557 950 1,877 2,499 2,435 2,240 2,017 1,761 1,499	SIX MILE BAR 116 690 3,084 4,597 4,651 4,094 3,458 3,110 3,037	BAR 189 1,614 7,223 9,759 9,807 8,104 6,268 4,659 3,433	SRA 227 1,257 4,538 6,708 8,088 8,047 7,244 6,112 4,746	HAB. AREA(1) 32,076 149,926 551,960 792,859 888,313 836,553 727,934 606,175 481,337
Q 25 50 100 150 200 250 300 350 400 450	TWO MILE BAR 557 950 1,877 2,499 2,435 2,240 2,017 1,761 1,499 1,264	SIX MILE BAR 116 690 3,084 4,597 4,651 4,094 3,458 3,110 3,037 2,892	BAR 189 1,614 7,223 9,759 9,807 8,104 6,268 4,659 3,433 2,533	SRA 227 1,257 4,538 6,708 8,088 8,047 7,244 6,112 4,746 3,468	HAB. AREA(1) 32,076 149,926 551,960 792,859 888,313 836,553 727,934 606,175 481,337 368,241
Q 25 50 100 150 200 250 300 350 400 450 500	TWO MILE BAR 557 950 1,877 2,499 2,435 2,240 2,017 1,761 1,499 1,264 1,085	SIX MILE BAR 116 690 3,084 4,597 4,651 4,094 3,458 3,110 3,037 2,892 2,639	BAR 189 1,614 7,223 9,759 9,807 8,104 6,268 4,659 3,433 2,533 1,855	SRA 227 1,257 4,538 6,708 8,088 8,047 7,244 6,112 4,746 3,468 2,464	HAB. AREA(1) 32,076 149,926 551,960 792,859 888,313 836,553 727,934 606,175 481,337 368,241 277,424
Q 25 50 100 150 200 250 300 350 400 450 500	TWO MILE BAR 557 950 1,877 2,499 2,435 2,240 2,017 1,761 1,499 1,264 1,085 938	SIX MILE BAR 116 690 3,084 4,597 4,651 4,094 3,458 3,110 3,037 2,892 2,639 2,328	BAR 189 1,614 7,223 9,759 9,807 8,104 6,268 4,659 3,433 2,533	SRA 227 1,257 4,538 6,708 8,088 8,047 7,244 6,112 4,746 3,468	HAB. AREA(1) 32,076 149,926 551,960 792,859 888,313 836,553 727,934 606,175 481,337 368,241
Q 25 50 100 150 200 250 300 350 400 450 500	TWO MILE BAR 557 950 1,877 2,499 2,435 2,240 2,017 1,761 1,499 1,264 1,085	SIX MILE BAR 116 690 3,084 4,597 4,651 4,094 3,458 3,110 3,037 2,892 2,639	BAR 189 1,614 7,223 9,759 9,807 8,104 6,268 4,659 3,433 2,533 1,855 1,345	SRA 227 1,257 4,538 6,708 8,088 8,047 7,244 6,112 4,746 3,468 2,464 1,710 1,155 814	HAB. AREA(1) 32,076 149,926 551,960 792,859 888,313 836,553 727,934 606,175 481,337 368,241 277,424 206,696 151,537 115,740
Q 25 50 100 150 200 250 300 350 400 450 500 550 600 650 700	TWO MILE BAR 557 950 1,877 2,499 2,435 2,240 2,017 1,761 1,499 1,264 1,085 938 820 751 718	SIX MILE BAR 116 690 3,084 4,597 4,651 4,094 3,458 3,110 3,037 2,892 2,639 2,328 1,964 1,644 1,407	BAR 189 1,614 7,223 9,759 9,807 8,104 6,268 4,659 3,433 2,533 1,855 1,345 955 708 570	SRA 227 1,257 4,538 6,708 8,088 8,047 7,244 6,112 4,746 3,468 2,464 1,710 1,155 814 572	HAB. AREA(1) 32,076 149,926 551,960 792,859 888,313 836,553 727,934 606,175 481,337 368,241 277,424 206,696 151,537 115,740 91,157
Q 25 50 100 150 200 250 300 350 400 450 500 550 600 650 700	TWO MILE BAR 557 950 1,877 2,499 2,435 2,240 2,017 1,761 1,499 1,264 1,085 938 820 751 718 718	SIX MILE BAR 116 690 3,084 4,597 4,651 4,094 3,458 3,110 3,037 2,892 2,639 2,328 1,964 1,644 1,407 1,226	BAR 189 1,614 7,223 9,759 9,807 8,104 6,268 4,659 3,433 2,533 1,855 1,345 955 708 570 515	SRA 227 1,257 4,538 6,708 8,088 8,047 7,244 6,112 4,746 3,468 2,464 1,710 1,155 814 572 421	HAB. AREA(1) 32,076 149,926 551,960 792,859 888,313 836,553 727,934 606,175 481,337 368,241 277,424 206,696 151,537 115,740 91,157 76,222
Q 25 50 100 150 200 250 300 350 400 450 500 550 600 650 700 750 800	TWO MILE BAR 557 950 1,877 2,499 2,435 2,240 2,017 1,761 1,499 1,264 1,085 938 820 751 718 718 756	SIX MILE BAR 116 690 3,084 4,597 4,651 4,094 3,458 3,110 3,037 2,892 2,639 2,328 1,964 1,644 1,407 1,226 1,122	BAR 189 1,614 7,223 9,759 9,807 8,104 6,268 4,659 3,433 2,533 1,855 1,345 955 708 570 515 497	SRA 227 1,257 4,538 6,708 8,088 8,047 7,244 6,112 4,746 3,468 2,464 1,710 1,155 814 572 421 313	HAB. AREA(1) 32,076 149,926 551,960 792,859 888,313 836,553 727,934 606,175 481,337 368,241 277,424 206,696 151,537 115,740 91,157 76,222 67,148
Q 25 50 100 150 200 250 300 350 400 450 500 550 600 650 700 750 800 850	TWO MILE BAR 557 950 1,877 2,499 2,435 2,240 2,017 1,761 1,499 1,264 1,085 938 820 751 718 718 756 792	SIX MILE BAR 116 690 3,084 4,597 4,651 4,094 3,458 3,110 3,037 2,892 2,639 2,328 1,964 1,644 1,407 1,226 1,122 1,001	BAR 189 1,614 7,223 9,759 9,807 8,104 6,268 4,659 3,433 2,533 1,855 1,345 955 708 570 515 497 486	SRA 227 1,257 4,538 6,708 8,088 8,047 7,244 6,112 4,746 3,468 2,464 1,710 1,155 814 572 421 313 254	HAB. AREA(1) 32,076 149,926 551,960 792,859 888,313 836,553 727,934 606,175 481,337 368,241 277,424 206,696 151,537 115,740 91,157 76,222 67,148 61,241
Q 25 50 100 150 200 250 300 350 400 450 500 550 600 650 700 750 800 850 900	TWO MILE BAR 557 950 1,877 2,499 2,435 2,240 2,017 1,761 1,499 1,264 1,085 938 820 751 718 718 756 792 773	SIX MILE BAR 116 690 3,084 4,597 4,651 4,094 3,458 3,110 3,037 2,892 2,639 2,328 1,964 1,644 1,407 1,226 1,122 1,001 875	BAR 189 1,614 7,223 9,759 9,807 8,104 6,268 4,659 3,433 2,533 1,855 1,345 955 708 570 515 497 486 483	SRA 227 1,257 4,538 6,708 8,088 8,047 7,244 6,112 4,746 3,468 2,464 1,710 1,155 814 572 421 313 254 273	HAB. AREA(1) 32,076 149,926 551,960 792,859 888,313 836,553 727,934 606,175 481,337 368,241 277,424 206,696 151,537 115,740 91,157 76,222 67,148 61,241 59,759
Q 25 50 100 150 200 250 300 350 400 450 500 550 600 650 700 750 800 850 900	TWO MILE BAR 557 950 1,877 2,499 2,435 2,240 2,017 1,761 1,499 1,264 1,085 938 820 751 718 718 756 792 773 764	SIX MILE BAR 116 690 3,084 4,597 4,651 4,094 3,458 3,110 3,037 2,892 2,639 2,328 1,964 1,644 1,407 1,226 1,122 1,001 875 756	BAR 189 1,614 7,223 9,759 9,807 8,104 6,268 4,659 3,433 2,533 1,855 1,345 955 708 570 515 497 486 483 493	SRA 227 1,257 4,538 6,708 8,088 8,047 7,244 6,112 4,746 3,468 2,464 1,710 1,155 814 572 421 313 254 273 333	HAB. AREA(1) 32,076 149,926 551,960 792,859 888,313 836,553 727,934 606,175 481,337 368,241 277,424 206,696 151,537 115,740 91,157 76,222 67,148 61,241 59,759 61,585
Q 25 50 100 150 200 250 300 350 400 450 500 550 600 650 700 750 800 850 900 950	TWO MILE BAR 557 950 1,877 2,499 2,435 2,240 2,017 1,761 1,499 1,264 1,085 938 820 751 718 718 756 792 773 764 723	SIX MILE BAR 116 690 3,084 4,597 4,651 4,094 3,458 3,110 3,037 2,892 2,639 2,328 1,964 1,644 1,407 1,226 1,122 1,001 875 756 641	BAR 189 1,614 7,223 9,759 9,807 8,104 6,268 4,659 3,433 2,533 1,855 1,345 955 708 570 515 497 486 483	SRA 227 1,257 4,538 6,708 8,088 8,047 7,244 6,112 4,746 3,468 2,464 1,710 1,155 814 572 421 313 254 273	HAB. AREA(1) 32,076 149,926 551,960 792,859 888,313 836,553 727,934 606,175 481,337 368,241 277,424 206,696 151,537 115,740 91,157 76,222 67,148 61,241 59,759
Q 25 50 100 150 200 250 300 350 400 450 500 550 600 650 700 750 800 850 900	TWO MILE BAR 557 950 1,877 2,499 2,435 2,240 2,017 1,761 1,499 1,264 1,085 938 820 751 718 718 756 792 773 764	SIX MILE BAR 116 690 3,084 4,597 4,651 4,094 3,458 3,110 3,037 2,892 2,639 2,328 1,964 1,644 1,407 1,226 1,122 1,001 875 756	BAR 189 1,614 7,223 9,759 9,807 8,104 6,268 4,659 3,433 2,533 1,855 1,345 955 708 570 515 497 486 483 493	SRA 227 1,257 4,538 6,708 8,088 8,047 7,244 6,112 4,746 3,468 2,464 1,710 1,155 814 572 421 313 254 273 333 392 439 435	HAB. AREA(1) 32,076 149,926 551,960 792,859 888,313 836,553 727,934 606,175 481,337 368,241 277,424 206,696 151,537 115,740 91,157 76,222 67,148 61,241 59,759 61,585 62,682 64,033-62,347
Q 25 50 100 150 200 250 300 350 400 450 500 550 600 650 700 750 800 850 900 950 1,000	TWO MILE BAR 557 950 1,877 2,499 2,435 2,240 2,017 1,761 1,499 1,264 1,085 938 820 751 718 718 718 756 792 773 764 723 680	SIX MILE BAR 116 690 3,084 4,597 4,651 4,094 3,458 3,110 3,037 2,892 2,639 2,328 1,964 1,644 1,407 1,226 1,122 1,001 875 756 641 551 490 436	BAR 189 1,614 7,223 9,759 9,807 8,104 6,268 4,659 3,433 2,533 1,855 1,345 955 708 570 515 497 486 483 493 524 540 552	SRA 227 1,257 4,538 6,708 8,088 8,047 7,244 6,112 4,746 3,468 2,464 1,710 1,155 814 572 421 313 254 273 333 392 439 435 417	HAB. AREA(1) 32,076 149,926 551,960 792,859 888,313 836,553 727,934 606,175 481,337 368,241 277,424 206,696 151,537 115,740 91,157 76,222 67,148 61,241 59,759 61,585 62,682 64,033- 62,347 60,142
Q 25 50 100 150 200 250 300 350 400 450 500 550 600 650 700 750 800 850 900 950 1,000 1,050 1,100 1,150	TWO MILE BAR 557 950 1,877 2,499 2,435 2,240 2,017 1,761 1,499 1,264 1,085 938 820 751 718 718 756 792 773 764 723 680 649 640 701	SIX MILE BAR 116 690 3,084 4,597 4,651 4,094 3,458 3,110 3,037 2,892 2,639 2,328 1,964 1,644 1,407 1,226 1,122 1,001 875 756 641 551 490 436 401	BAR 189 1,614 7,223 9,759 9,807 8,104 6,268 4,659 3,433 2,533 1,855 1,345 955 708 570 515 497 486 483 493 524 540 552 569	SRA 227 1,257 4,538 6,708 8,088 8,047 7,244 6,112 4,746 3,468 2,464 1,710 1,155 814 572 421 313 254 273 333 392 439 435 417 397	HAB. AREA(1) 32,076 149,926 551,960 792,859 888,313 836,553 727,934 606,175 481,337 368,241 277,424 206,696 151,537 115,740 91,157 76,222 67,148 61,241 59,759 61,585 62,682 64,033- 62,347 60,142 59,565
Q 25 50 100 150 200 250 300 350 400 450 500 550 600 650 700 750 800 850 900 950 1,000 1,050 1,150	TWO MILE BAR 557 950 1,877 2,499 2,435 2,240 2,017 1,761 1,499 1,264 1,085 938 820 751 718 718 756 792 773 764 723 680 649 640.	SIX MILE BAR 116 690 3,084 4,597 4,651 4,094 3,458 3,110 3,037 2,892 2,639 2,328 1,964 1,644 1,407 1,226 1,122 1,001 875 756 641 551 490 436	BAR 189 1,614 7,223 9,759 9,807 8,104 6,268 4,659 3,433 2,533 1,855 1,345 955 708 570 515 497 486 483 493 524 540 552	SRA 227 1,257 4,538 6,708 8,088 8,047 7,244 6,112 4,746 3,468 2,464 1,710 1,155 814 572 421 313 254 273 333 392 439 435 417	HAB. AREA(1) 32,076 149,926 551,960 792,859 888,313 836,553 727,934 606,175 481,337 368,241 277,424 206,696 151,537 115,740 91,157 76,222 67,148 61,241 59,759 61,585 62,682 64,033- 62,347 60,142

CURVE SET DEFINITION DATA WAS OBTAINED FROM THE FISHFIL FILE WHOSE TITLE LINE IS -TROUT SUITABILITY CRITERIA, STANISLAUS RIVER PHABSIM W/"PERFECT" SUBSTRATE

VELOCITY WEIGHTING FOR RAINBOW TROUT (BOVEE 78/01/24)

F	RY	JUVENILE		ADULT		SPAWN	ING
VELOCITY	WEIGHT	VELOCITY	WEIGHT	· VELOCITY	WEIGHT	VELOCITY	WEIGHT
0.00	0.06	0.00	0.00	0.00	0.04	0.00	0.00
0.10	0.18	0.10	0.00	0.10	0.18	0.50	0.00
0.20	0.39	0.20	0.11	0.25	0.32	0.60	0.06
0.30	0.96	0.30	0.40	0.50	0.48	0.80	0.42
0.40	1.00	0.40	0.95	0.75	0.63	1.10	0.65
0.50	1.00	0.50	0.97	0.95	0.81	1.20	0.77
0.60	1.00	0.70	1.00	1.00	0.88	1.30	0.95
0.70	0.95	1.30	1.00	1.05	0.95	1.40	0.98
0.80	0.81	1.50	0.98	1.15	0.98	1.50	1.00
0.90	0.75	1.60	0.94	1.20	1.00	1.90	1.00
1.00	0.72	1.70	0.86	1.30	1.00	2.00	0.98
1.10	0.69	1.80	0.73	1.35	0.98	2.10	0.95
1.20	0.65	1.90	0.70	1.45	0.93	2.30	0.68
1.30	0.62	2.20	0.49	1.65	0.79	2.50	0.59
1.40	0.59	2.40	0.38	1.95	0.66	2.80	0.39
1.50	0.56	2.50	0.14	2.10	0.56	3.10	0.07
1.80	-0.38	2.60	0.10	2.25	0.42	3.20	0.00
2.00	0.26	2.70	0.07	2.40	0.30	100.00	0.00
2.20	0.14	2.80	0.06	2.90	0.00		7
2.40	0.06	3.00	0.03	100.00	0.00		*
2.70	0.00	4.00	0.00 -				
100.00	0.00	100.00	0.00				

DEPTH WEIGHTING FOR RAINBOW TROUT (BOVEE 78/01/24)

	FRY	JUT	VENILE	AD	ULT	SPAWN	ING
DEPTH	WEIGHT	DEPTH	WEIGHT	DEPTH	WEIGHT	DEPTH	WEIGHT
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.20	0.00	0.40	0.00	0.15	0.06	0.30	0.00
0.40	0.15	0.60	0.27	0.30	0.11	0.45	0.31
0.50	0.30	0.70	0.55	0.50	0.14	0.50	0.50
0.60	1.00	0.80	0.98	0.80	0.18	0.55	0.80
0.90	1.00	0.90	1.00	0.85	0.19	0.60	0.95
1.00	0.98	1.05	1.00	1.00	0.22	0.65	0.98
1.10	0.88	1.10	0.98	1.10	0.26	0.70	1.00
1.30	0.60	1.30	0.68	1.20	0.30	0.85	1.00
1.50	0.40	1.50	0.52	1.30	0.36	0.90	0.98
1.60	0.33	1.60	0.45	1.40	0.46	0.95	0.96
1.70	0.27	1.80	0.37	1.45	0.54	1.05	0.87
1.90	0.19	1.90	0.34	1.50	0.73	1.40	0.49
2.10	0.13	2.00	0.30	1.55	0.91	1.50	0.39
2.40	0.08	2.10	0.28	1.60	0.95	1.60	0.31
2.70	0.03	2.20	0.26	1.65	0.98	1.75	0.24
3.00	0.02	2.40	0.23	1.75	1.00	1.90	0.17
5.00	0.02	2.60	0.21	4.00	1.00	2.05	0.12
6.00	0.02	3.00	0.20	100.00	1.00	2.25	0.07
100.00	0.02	3.20	0.18			2.50	0.03
	•	3.50	0.15			3.20	0.00
		3.80	0.12			100.00	0.00
		4.10	0.10				
		5.00	0.10				
		6.00	0.10				
		100.00	0.10				

VELOCITY WEIGHTING FOR WINTER STEELHEAD (BOVEE, 1978)

FRY		JUVEN	IILE .	ADULT		SPAWNI	NG
VELOCITY	WEIGHT	VELOCITY	WEIGHT	VELOCITY	WEIGHT	VELOCITY	WEIGH
0.00	0.05	0.00	0.00	0.00	0.01	0.00	0.00
0.10	0.12	0.10	0.00	0.60	0.02	1.00	0.00
0.20	0.30	0.20	0.20	0.80	0.06	1.15	0.08
0.30	0.90	0.30	0.90	0.90	0.10	1.40	0.40
0.50	1.00	0.50	0.98	1.00	0.14	1.50	0.60
0.60	1.00	0.70	1.00	1.25	0.30	1.60	0.74
0.70	0.96	1.10	1.00	1.50	0.66	1.65	0.80
0.80	0.82	1.40	0.98	1.60	1.00	1.85	0.96
0.90	0.76	1.50	0.96	1.70	1.00	2.00	1.00
1.00	0.72	1.70	0.84	1.80	0.96	2.20	0.96
1.20	0.64	2.00	0.64	1.90	0.46	2.30	0.90
1.75	0.42	2.30	0.42	2.00	0.32	2.50	0.76
1.90	0.34	2.50	0.16	2.50	0.06	2.70	0.64
2.10	0.20	3.00	0.04	3.00	0.02	3.10	0.32
2.20	0.14	3.50	0.02	4.00	0.00	3.25	0.22
2.50	0.04	4.30	0.00	100.00	0.00	3.40	0.14
2.70	0.00	100.00	0.00			3.70	0.00
100.00	0.00					100.00	0.00

DEPTH WEIGHTING FOR WINTER STEELHEAD (BOVEE, 1978)

FRY		JUVENI	rr.F	ADULT		SPAW	NING
DEPTH	WEIGHT	DEPTH	WEIGHT	DEPTH	WEIGHT	DEPTH	WEIGHT
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.10	0.10	0.10	0.06	1.00	0.00	0.40	0.00
0.20	0.80	0.30	0.20	1.10	0.10	0.50	0.20
0.30	0.96	0.60	0.66	1.25	0.32	0.70	0.40
0.40	0.98	1.00	0.96	1.50	0.60	0.90	0.62
0.60	1.00	1.25	1.00	1.70	0.76	1.00	0.92
0.70	1.00	1.50	0.88	2.00	0.92	1.15	1.00
1.00	0.96	2.00	0.64	2.30	1.00	1.20	1.00
1.10	0.80	2.20	0.58	100.00	1.00	1.40	0.88
1.20	0.64	2.50	0.48			1.50	0.76
1.30	0.56	3.00	0.34			1.75	0.52
1.40	0.46	3.50	0.24			1.90	0.40
1.50	0.42	4.00	0.14			2.20	0.22
1.70	0.30	4.50	0.08			2.25	0.20
1.90	0.20	5.00	0.00			2.60	0.08
2.00	0.16	100.00	0.00			2.80	0.04
2.20	0.10					3.00	0.02
2.40	0.06					3.50	0.00
2.70	0.20					100.00	0.00
6.00	0.20						
100.00	0.00						