




Early SR Redds

2 messages

Provins, Samuel <samuel_provins@fws.gov>
To: Sarah Gallagher - NOAA Federal <Sarah.Gallagher@noaa.gov>

Wed, May 29, 2019 at 12:54 PM

Hey,
Looks like since 2003 the mean proportion of SR reds before sept 15 is 8.4% but it is highly variable (SD 9%).



Working with others to conserve, protect, and enhance fish, wildlife, plants, and their habitats for the continuing benefit of the American people.

Sam Provins, Fish Biologist
Pacific Southwest Region
United States Fish and Wildlife Service

Red Bluff Fish and Wildlife Office
10950 Tyler Road, Red Bluff, CA 96080
Red Bluff Desk: (530) 527-3043 ext. 254
Mobile: (856) 313-7455
Anderson Field Office: (530) 365-2410
Samuel_Provins@fws.gov

Sarah Gallagher - NOAA Federal <sarah.gallagher@noaa.gov>
To: "Provins, Samuel" <samuel_provins@fws.gov>

Wed, May 29, 2019 at 1:28 PM

Thanks Sam. A range may be most appropriate.
Sarah Gallagher | Fish Biologist
[NOAA Fisheries](#) | [West Coast Region](#)
U.S. Department of Commerce
650 Capitol Mall, Suite 5-100, Sacramento, CA 95814
916-930-3712 | Sarah.Gallagher@noaa.gov

[Quoted text hidden]