
From: Perry, Russell <rperry@usgs.gov>
Sent: Friday, May 24, 2019 8:32 AM
To: Micko, Steve/SAC
Cc: Vamsi Sridharan - NOAA Affiliate; Cathy Marcinkevage - NOAA Federal; Adam Pope; J Stuart; Leaf, Rob/SAC; Sumer, Derya
Subject: Re: [EXTERNAL] Re: Preliminary ROC on LTO plots to start discussion

Got it. So I imagine CalSimm II is modeling how many days in a month the DCC will be open, and in DSM2, it will open from the first day of the month up the number of days indicated from the CalSim II output. Is that correct?

Russ

Russell W. Perry, Ph.D.
Research Fisheries Biologist
Quantitative Fisheries Ecology Section
USGS Western Fisheries Research Center
Columbia River Research Laboratory
5501A Cook-Underwood Road
Cook, WA 98605
Phone: (509) 538-2942
Email: rperry@usgs.gov
Website: <http://wfrc.usgs.gov>

On Thu, May 23, 2019 at 4:34 PM Micko, Steve/SAC <Steve.Micko@jacobs.com> wrote:

Hi Russ,

CalSim II develops the DCC operation schedule. Although there is a proposed change to DCC operations, model representation of the proposed DCC operations are the same in COS and PA. Proposed changes cannot be captured within the CalSim model.

I believe the CalSim II implementation of October 1 – December 14 period in NMFS BO Action 4.1.2 causes different DCC operations between COS and PA. In the PA, CalSim II opens DCC gates for more days in October/November (depending on the year) to meet water quality standards at Jersey Point and Rock Slough.

Please let me know if you have any questions.

Best,

Steve


From: Perry, Russell <rperry@usgs.gov>
Sent: Thursday, May 23, 2019 11:35 AM
To: Vamsi Sridharan - NOAA Affiliate <vamsi.sridharan@noaa.gov>; Micko, Steve/SAC <Steve.Micko@jacobs.com>
Cc: Cathy Marcinkevage - NOAA Federal <cathy.marcinkevage@noaa.gov>; Adam Pope <apope@usgs.gov>; J Stuart <J.Stuart@noaa.gov>
Subject: Re: [EXTERNAL] Re: Preliminary ROC on LTO plots to start discussion

Hi Vamsi and Steve,

Thanks for the help in understanding how daily flows were constructed from the monthly flows. I have another question about DCC operations to help us interpret our results. In October/November we are finding some differences in DCC operation between scenarios in some years (see top panel below). Can you tell us the control rule that is causing there to be different DCC operations between scenarios? It doesn't appear to be flows > 25 kcfs, which triggers a DCC closure.

Thanks,

Russ



Russell W. Perry, Ph.D.

Research Fisheries Biologist

Quantitative Fisheries Ecology Section

USGS Western Fisheries Research Center

Columbia River Research Laboratory

5501A Cook-Underwood Road

Cook, WA 98605

Phone: (509) 538-2942

Email: rperry@usgs.gov

Website: <http://wfrc.usgs.gov>

On Thu, May 9, 2019 at 3:35 PM Vamsi Sridharan - NOAA Affiliate <vamsi.sridharan@noaa.gov> wrote:

Hi Steve,

Hope you are doing great. After running our survival model for the COS and PA scenarios, we noticed that the daily flow into the Delta has distinct monthly jumps, but is more or less constant each day in a given month. It was my understanding that typically DSM2 rim flows from CALSIM monthly flows are disaggregated daily using a spline fit to the monthly histogram.

Am I correct in assuming that in this case, the monthly discharge values from CALSIM have been applied as a constant for each day with some inter-day randomness added in? Please advise.

Regards,

Vamsi

On Thu, May 9, 2019 at 2:33 PM Perry, Russell <rperry@usgs.gov> wrote:

Hi Cathy,

Find attached three pdfs -- one each for survival, median travel time, and migration routing from Freeport to Chipps Island. Each page is a water year showing flows, DCC operations, and survival, travel time, and routing for PA and COS. So there's 82 pages in each pdf. We'll summarize this down into box plots, but I think these are a good place to start understanding how operations change both within and among years and how that affects daily survival, travel time, and routing.

Vamsi,

Cathy asked if we could summarize the STARS runs that we did for the life cycle model to provide some further insights in the ROC on LTO effects analysis. I'd like to include you as a co-author on our report for for the work that you've done gathering the daily flow and DCC data and summarizing our investigations of using STARS for the life cycle model.

All,

The flow data changes daily, but does have obvious monthly "jumps", which seems quite different the from CALSIM daily dissaggregated flow data we used for WaterFix. Is this a characteristic that you've noticed before with these runs?

Are we just focused on COS and PA, or do we want to do anything with WOA?

These are hot off the presses and we haven't had a chance to absorb them yet, so let me know if you see anything wonky.

I will be off much of the next week, but we'll be pecking away at more summary plots and pass them along when we have them. I will be checking email once a day or so. Adam will be available to answer questions that arise.

Cheers,

Russ

Russell W. Perry, Ph.D.

Research Fisheries Biologist

Quantitative Fisheries Ecology Section

USGS Western Fisheries Research Center

Columbia River Research Laboratory

5501A Cook-Underwood Road

Cook, WA 98605

Phone: (509) 538-2942

Email: rperry@usgs.gov

Website: <http://wfrc.usgs.gov>

--

Vamsi Krishna Sridharan, Ph.D.

Assistant Project Scientist (Hydrodynamics)

Division of Physical and Biological Sciences

University of California, Santa Cruz

110 McAllister Way, Santa Cruz, CA 95060

vamsi.sridharan@noaa.gov | +1-831-420-3905

<http://www.vamsikrishnasridharan.wordpress.com>

NOTICE - This communication may contain confidential and privileged information that is for the sole use of the intended recipient. Any viewing, copying or distribution of, or reliance on this message by unintended recipients is strictly prohibited. If you have received this message in error, please notify us immediately by replying to the message and deleting it from your computer.