

**Stanislaus River Minimum Fish Flow Schedule**

Water Year Type: Critically Dry

OCT	CFS	NOV	CFS	DEC	CFS	JAN	CFS	FEB	CFS	MAR	CFS
1	200	1	200	1	200	1	200	1	200	1	200
2	200	2	200	2	200	2	200	2	200	2	200
3	200	3	200	3	200	3	400	3	200	3	200
4	200	4	200	4	200	4	400	4	200	4	200
5	200	5	200	5	200	5	200	5	400	5	200
6	200	6	200	6	200	6	200	6	400	6	200
7	200	7	200	7	200	7	200	7	200	7	200
8	200	8	200	8	200	8	200	8	200	8	200
9	200	9	200	9	200	9	200	9	200	9	200
10	200	10	200	10	200	10	200	10	200	10	200
11	200	11	200	11	200	11	200	11	200	11	200
12	200	12	200	12	200	12	200	12	200	12	200
13	200	13	200	13	200	13	200	13	200	13	200
14	200	14	200	14	200	14	200	14	200	14	200
15	500	15	200	15	200	15	200	15	200	15	200
16	750	16	200	16	200	16	200	16	200	16	200
17	1000	17	200	17	200	17	200	17	200	17	200
18	1250	18	200	18	200	18	200	18	200	18	200
19	1250	19	200	19	200	19	200	19	200	19	200
20	1250	20	200	20	200	20	200	20	200	20	200
21	1250	21	200	21	200	21	200	21	200	21	200
22	1250	22	200	22	200	22	200	22	200	22	200
23	1250	23	200	23	200	23	200	23	200	23	200
24	1250	24	200	24	200	24	200	24	200	24	200
25	1250	25	200	25	200	25	200	25	200	25	200
26	1000	26	200	26	200	26	200	26	200	26	200
27	750	27	200	27	200	27	200	27	200	27	200
28	500	28	200	28	200	28	200	28	200	28	200
29	200	29	200	29	200	29	200			29	200
30	200	30	200	30	200	30	200			30	200
31	200			31	200	31	200			31	200

APR	CFS	MAY	CFS	JUN	CFS	JUL	CFS	AUG	CFS	SEP	CFS
1	200	1	725	1	150	1	150	1	150	1	150
2	200	2	725	2	150	2	150	2	150	2	150
3	200	3	725	3	150	3	150	3	150	3	150
4	200	4	725	4	150	4	150	4	150	4	150
5	200	5	725	5	150	5	150	5	150	5	150
6	200	6	725	6	150	6	150	6	150	6	150
7	200	7	725	7	150	7	150	7	150	7	150
8	200	8	725	8	150	8	150	8	150	8	150
9	200	9	725	9	150	9	150	9	150	9	150
10	200	10	725	10	150	10	150	10	150	10	150
11	200	11	725	11	150	11	150	11	150	11	150
12	200	12	725	12	150	12	150	12	150	12	150
13	200	13	550	13	150	13	150	13	150	13	150
14	200	14	450	14	150	14	150	14	150	14	150
15	350	15	300	15	150	15	150	15	150	15	150
16	500	16	150	16	150	16	150	16	150	16	150
17	725	17	150	17	150	17	150	17	150	17	150
18	725	18	150	18	150	18	150	18	150	18	150
19	725	19	150	19	150	19	150	19	150	19	150
20	725	20	150	20	150	20	150	20	150	20	150
21	725	21	150	21	150	21	150	21	150	21	150
22	725	22	150	22	150	22	150	22	150	22	150
23	725	23	150	23	150	23	150	23	150	23	150
24	725	24	150	24	150	24	150	24	150	24	150
25	725	25	150	25	150	25	150	25	150	25	150
26	725	26	150	26	150	26	150	26	150	26	150
27	725	27	150	27	150	27	150	27	150	27	150
28	725	28	150	28	150	28	150	28	150	28	150
29	725	29	150	29	150	29	150	29	150	29	150
30	725	30	150	30	150	30	150	30	150	30	150
		31	150			31	150	31	150		

**Stanislaus River Minimum Fish Flow Schedule**

Water Year Type: **Dry**

OCT	CFS	NOV	CFS	DEC	CFS	JAN	CFS	FEB
1	200	1	200	1	200	1	200	1
2	200	2	200	2	200	2	200	2
3	200	3	200	3	200	3	400	3
4	200	4	200	4	200	4	400	4
5	200	5	200	5	200	5	400	5
6	200	6	200	6	200	6	200	6
7	200	7	200	7	200	7	200	7
8	200	8	200	8	200	8	200	8
9	200	9	200	9	200	9	200	9
10	200	10	200	10	200	10	200	10
11	200	11	200	11	200	11	200	11
12	200	12	200	12	200	12	200	12
13	200	13	200	13	200	13	200	13
14	200	14	200	14	200	14	200	14
15	500	15	200	15	200	15	200	15
16	750	16	200	16	200	16	200	16
17	1000	17	200	17	200	17	200	17
18	1250	18	200	18	200	18	200	18
19	1250	19	200	19	200	19	200	19
20	1250	20	200	20	200	20	200	20
21	1500	21	200	21	200	21	200	21
22	1500	22	200	22	200	22	200	22
23	1500	23	200	23	200	23	200	23
24	1250	24	200	24	200	24	200	24
25	1250	25	200	25	200	25	200	25
26	1250	26	200	26	200	26	200	26
27	1000	27	200	27	200	27	200	27
28	750	28	200	28	200	28	200	28
29	500	29	200	29	200	29	200	
30	200	30	200	30	200	30	200	
31	200			31	200	31	200	

APR	CFS	MAY	CFS	JUN	CFS	JUL	CFS	AUG
1	200	1	1000	1	200	1	200	1
2	200	2	1000	2	200	2	200	2
3	200	3	1000	3	200	3	200	3
4	200	4	1000	4	200	4	200	4
5	200	5	1000	5	200	5	200	5
6	200	6	1000	6	200	6	200	6
7	200	7	1000	7	200	7	200	7
8	350	8	1000	8	200	8	200	8
9	500	9	1000	9	200	9	200	9
10	750	10	1000	10	200	10	200	10
11	1000	11	1000	11	200	11	200	11
12	1000	12	1000	12	200	12	200	12
13	1000	13	1000	13	200	13	200	13
14	1000	14	1000	14	200	14	200	14

15	1000	15	1000	15	200	15	200	15
16	1000	16	800	16	200	16	200	16
17	1000	17	600	17	200	17	200	17
18	1000	18	450	18	200	18	200	18
19	1000	19	300	19	200	19	200	19
20	1000	20	200	20	200	20	200	20
21	1000	21	200	21	200	21	200	21
22	1000	22	200	22	200	22	200	22
23	1000	23	200	23	200	23	200	23
24	1000	24	200	24	200	24	200	24
25	1000	25	200	25	200	25	200	25
26	1000	26	200	26	200	26	200	26
27	1000	27	200	27	200	27	200	27
28	1000	28	200	28	200	28	200	28
29	1000	29	200	29	200	29	200	29
30	1000	30	200	30	200	30	200	30
		31	200			31	200	31

<b>CFS</b>	<b>MAR</b>	<b>CFS</b>
200	1	200
200	2	200
200	3	200
200	4	200
400	5	200
400	6	200
400	7	200
200	8	200
200	9	200
200	10	200
200	11	200
200	12	200
200	13	200
200	14	200
200	15	200
200	16	200
200	17	200
200	18	200
200	19	200
200	20	200
200	21	200
200	22	200
200	23	200
200	24	200
200	25	200
200	26	200
200	27	200
200	28	200
	29	200
	30	200
	31	200

<b>CFS</b>	<b>SEP</b>	<b>CFS</b>
200	1	200
200	2	200
200	3	200
200	4	200
200	5	200
200	6	200
200	7	200
200	8	200
200	9	200
200	10	200
200	11	200
200	12	200
200	13	200
200	14	200

200	<b>15</b>	200
200	<b>16</b>	200
200	<b>17</b>	200
200	<b>18</b>	200
200	<b>19</b>	200
200	<b>20</b>	200
200	<b>21</b>	200
200	<b>22</b>	200
200	<b>23</b>	200
200	<b>24</b>	200
200	<b>25</b>	200
200	<b>26</b>	200
200	<b>27</b>	200
200	<b>28</b>	200
200	<b>29</b>	200
200	<b>30</b>	200
200		

### Stanislaus River Minimum Fish Flow Schedule

Water Year Type: Below Normal

OCT	CFS	NOV	CFS	DEC	CFS	JAN	CFS	FEB
1	250	1	200	1	200	1	200	1
2	250	2	200	2	200	2	200	2
3	250	3	200	3	200	3	400	3
4	250	4	200	4	200	4	400	4
5	250	5	200	5	200	5	400	5
6	250	6	200	6	200	6	400	6
7	250	7	200	7	200	7	200	7
8	250	8	200	8	200	8	200	8
9	250	9	200	9	200	9	200	9
10	250	10	200	10	200	10	200	10
11	250	11	200	11	200	11	200	11
12	250	12	200	12	200	12	200	12
13	250	13	200	13	200	13	200	13
14	250	14	200	14	200	14	200	14
15	500	15	200	15	200	15	200	15
16	750	16	200	16	200	16	200	16
17	1000	17	200	17	200	17	200	17
18	1250	18	200	18	200	18	200	18
19	1500	19	200	19	200	19	200	19
20	1500	20	200	20	200	20	200	20
21	1500	21	200	21	200	21	200	21
22	1500	22	200	22	200	22	200	22
23	1500	23	200	23	200	23	200	23
24	1500	24	200	24	200	24	200	24
25	1500	25	200	25	200	25	200	25
26	1500	26	200	26	200	26	200	26
27	1500	27	200	27	200	27	200	27
28	1250	28	200	28	200	28	200	28
29	1000	29	200	29	200	29	200	
30	750	30	200	30	200	30	200	
31	500			31	200	31	200	

APR	CFS	MAY	CFS	JUN	CFS	JUL	CFS	AUG
1	400	1	1500	1	900	1	250	1
2	750	2	1500	2	600	2	250	2
3	1000	3	1500	3	600	3	250	3
4	1250	4	1500	4	600	4	250	4
5	1500	5	1500	5	600	5	250	5
6	1700	6	1500	6	600	6	250	6
7	2000	7	1500	7	450	7	250	7
8	2000	8	1500	8	450	8	250	8
9	2000	9	1500	9	450	9	250	9
10	2000	10	1500	10	450	10	250	10
11	1500	11	1500	11	300	11	250	11
12	1500	12	1500	12	300	12	250	12
13	1500	13	1500	13	300	13	250	13
14	1500	14	1250	14	300	14	250	14

15	1500	15	1250	15	250	15	250	15
16	1500	16	1250	16	250	16	250	16
17	1500	17	1250	17	250	17	250	17
18	1500	18	1250	18	250	18	250	18
19	2000	19	1250	19	250	19	250	19
20	2000	20	1000	20	250	20	250	20
21	2000	21	1000	21	250	21	250	21
22	2000	22	1000	22	250	22	250	22
23	1500	23	1000	23	250	23	250	23
24	1500	24	1000	24	250	24	250	24
25	1500	25	1000	25	250	25	250	25
26	1500	26	1000	26	250	26	250	26
27	1500	27	900	27	250	27	250	27
28	1500	28	900	28	250	28	250	28
29	1500	29	900	29	250	29	250	29
30	1500	30	900	30	250	30	250	30
		31	900			31	250	31

<b>CFS</b>	<b>MAR</b>	<b>CFS</b>
200	1	200
200	2	200
200	3	200
200	4	200
400	5	200
400	6	200
400	7	200
400	8	200
200	9	200
200	10	200
200	11	200
200	12	200
200	13	200
200	14	200
200	15	200
200	16	200
200	17	200
200	18	200
200	19	200
200	20	200
200	21	200
200	22	200
200	23	200
200	24	200
200	25	200
200	26	200
200	27	200
200	28	200
	29	200
	30	200
	31	200

<b>CFS</b>	<b>SEP</b>	<b>CFS</b>
250	1	250
250	2	250
250	3	250
250	4	250
250	5	250
250	6	250
250	7	250
250	8	250
250	9	250
250	10	250
250	11	250
250	12	250
250	13	250
250	14	250



250	<b>15</b>	250
250	<b>16</b>	250
250	<b>17</b>	250
250	<b>18</b>	250
250	<b>19</b>	250
250	<b>20</b>	250
250	<b>21</b>	250
250	<b>22</b>	250
250	<b>23</b>	250
250	<b>24</b>	250
250	<b>25</b>	250
250	<b>26</b>	250
250	<b>27</b>	250
250	<b>28</b>	250
250	<b>29</b>	250
250	<b>30</b>	250
250		

### Stanislaus River Minimum Fish Flow Schedule

Water Year Type: Above Normal

OCT	CFS	NOV	CFS	DEC	CFS	JAN	CFS	FEB
1	300	1	200	1	200	1	200	1
2	300	2	200	2	200	2	200	2
3	300	3	200	3	200	3	400	3
4	300	4	200	4	200	4	400	4
5	300	5	200	5	200	5	400	5
6	300	6	200	6	200	6	400	6
7	300	7	200	7	200	7	400	7
8	300	8	200	8	200	8	200	8
9	300	9	200	9	200	9	200	9
10	300	10	200	10	200	10	200	10
11	300	11	200	11	200	11	200	11
12	300	12	200	12	200	12	200	12
13	300	13	200	13	200	13	200	13
14	300	14	200	14	200	14	200	14
15	500	15	200	15	200	15	200	15
16	750	16	200	16	200	16	200	16
17	1000	17	200	17	200	17	200	17
18	1250	18	200	18	200	18	200	18
19	1500	19	200	19	200	19	200	19
20	1500	20	200	20	200	20	200	20
21	1500	21	200	21	200	21	200	21
22	1500	22	200	22	200	22	200	22
23	1500	23	200	23	200	23	200	23
24	1500	24	200	24	200	24	200	24
25	1500	25	200	25	200	25	200	25
26	1500	26	200	26	200	26	200	26
27	1500	27	200	27	200	27	200	27
28	1250	28	200	28	200	28	200	28
29	1000	29	200	29	200	29	200	
30	750	30	200	30	200	30	200	
31	500			31	200	31	200	

APR	CFS	MAY	CFS	JUN	CFS	JUL	CFS	AUG
1	3000	1	3000	1	1200	1	300	1
2	3000	2	3000	2	1200	2	300	2
3	3000	3	3000	3	1200	3	300	3
4	3000	4	3000	4	1200	4	300	4
5	2300	5	2300	5	1200	5	300	5
6	1500	6	1500	6	1200	6	300	6
7	1200	7	1500	7	1200	7	300	7
8	800	8	1500	8	1200	8	300	8
9	800	9	1500	9	1000	9	300	9
10	800	10	1500	10	1000	10	300	10
11	800	11	1500	11	1000	11	300	11
12	800	12	1500	12	1000	12	300	12
13	800	13	1500	13	1000	13	300	13
14	800	14	1500	14	1000	14	300	14

15	800	15	1200	15	1000	15	300	15
16	800	16	1200	16	1000	16	300	16
17	800	17	1200	17	1000	17	300	17
18	800	18	1200	18	1000	18	300	18
19	800	19	1200	19	1000	19	300	19
20	800	20	1200	20	1000	20	300	20
21	800	21	1200	21	1000	21	300	21
22	800	22	1200	22	1000	22	300	22
23	800	23	1200	23	1000	23	300	23
24	800	24	1200	24	750	24	300	24
25	800	25	1200	25	750	25	300	25
26	800	26	1200	26	500	26	300	26
27	1500	27	1200	27	500	27	300	27
28	2300	28	1200	28	500	28	300	28
29	3000	29	1200	29	300	29	300	29
30	3000	30	1200	30	300	30	300	30
		31	1200			31	300	31

<b>CFS</b>	<b>MAR</b>	<b>CFS</b>
200	1	200
200	2	350
200	3	700
200	4	1200
400	5	1800
400	6	2300
400	7	3000
400	8	3000
400	9	3000
200	10	3000
200	11	3000
200	12	3000
200	13	1200
200	14	800
200	15	800
200	16	800
200	17	800
200	18	800
200	19	800
200	20	800
200	21	800
200	22	800
200	23	800
200	24	800
200	25	800
200	26	800
200	27	1200
200	28	1500
	29	2300
	30	3000
	31	3000

<b>CFS</b>	<b>SEP</b>	<b>CFS</b>
300	1	300
300	2	300
300	3	300
300	4	300
300	5	300
300	6	300
300	7	300
300	8	300
300	9	300
300	10	300
300	11	300
300	12	300
300	13	300
300	14	300

300	<b>15</b>	300
300	<b>16</b>	300
300	<b>17</b>	300
300	<b>18</b>	300
300	<b>19</b>	300
300	<b>20</b>	300
300	<b>21</b>	300
300	<b>22</b>	300
300	<b>23</b>	300
300	<b>24</b>	300
300	<b>25</b>	300
300	<b>26</b>	300
300	<b>27</b>	300
300	<b>28</b>	300
300	<b>29</b>	300
300	<b>30</b>	300
300		

**Stanislaus River Minimum Fish Flow Schedule**

Water Year Type: Wet

OCT	CFS	NOV	CFS	DEC	CFS	JAN	CFS	FEB
1	400	1	300	1	300	1	300	1
2	400	2	300	2	300	2	300	2
3	400	3	300	3	300	3	600	3
4	400	4	300	4	300	4	600	4
5	400	5	300	5	300	5	600	5
6	400	6	300	6	300	6	600	6
7	400	7	300	7	300	7	600	7
8	400	8	300	8	300	8	600	8
9	400	9	300	9	300	9	300	9
10	400	10	300	10	300	10	300	10
11	400	11	300	11	300	11	300	11
12	400	12	300	12	300	12	300	12
13	400	13	300	13	300	13	300	13
14	400	14	300	14	300	14	300	14
15	500	15	300	15	300	15	300	15
16	750	16	300	16	300	16	300	16
17	1000	17	300	17	300	17	300	17
18	1250	18	300	18	300	18	300	18
19	1500	19	300	19	300	19	300	19
20	1500	20	300	20	300	20	300	20
21	1500	21	300	21	300	21	300	21
22	1500	22	300	22	300	22	300	22
23	1500	23	300	23	300	23	300	23
24	1500	24	300	24	300	24	300	24
25	1500	25	300	25	300	25	300	25
26	1500	26	300	26	300	26	300	26
27	1500	27	300	27	300	27	300	27
28	1250	28	300	28	300	28	300	28
29	1000	29	300	29	300	29	300	
30	750	30	300	30	300	30	300	
31	500			31	300	31	300	

APR	CFS	MAY	CFS	JUN	CFS	JUL	CFS	AUG
1	800	1	4800	1	1200	1	800	1
2	800	2	4800	2	1200	2	500	2
3	1200	3	4500	3	1200	3	500	3
4	2400	4	4500	4	1200	4	500	4
5	5000	5	4500	5	1200	5	500	5
6	5000	6	2400	6	1200	6	500	6
7	5000	7	1200	7	1200	7	400	7
8	4500	8	800	8	1200	8	400	8
9	3500	9	800	9	1200	9	400	9
10	2400	10	800	10	1200	10	400	10
11	1200	11	800	11	1200	11	400	11
12	800	12	800	12	1200	12	400	12
13	800	13	800	13	1200	13	400	13
14	800	14	800	14	1200	14	400	14

<b>15</b>	800	<b>15</b>	800	<b>15</b>	1200	<b>15</b>	400	<b>15</b>
<b>16</b>	800	<b>16</b>	800	<b>16</b>	1200	<b>16</b>	400	<b>16</b>
<b>17</b>	800	<b>17</b>	800	<b>17</b>	1200	<b>17</b>	400	<b>17</b>
<b>18</b>	800	<b>18</b>	1500	<b>18</b>	1200	<b>18</b>	400	<b>18</b>
<b>19</b>	800	<b>19</b>	1500	<b>19</b>	1000	<b>19</b>	400	<b>19</b>
<b>20</b>	800	<b>20</b>	1500	<b>20</b>	1000	<b>20</b>	400	<b>20</b>
<b>21</b>	800	<b>21</b>	2500	<b>21</b>	1000	<b>21</b>	400	<b>21</b>
<b>22</b>	800	<b>22</b>	2500	<b>22</b>	1000	<b>22</b>	400	<b>22</b>
<b>23</b>	800	<b>23</b>	2500	<b>23</b>	1000	<b>23</b>	400	<b>23</b>
<b>24</b>	800	<b>24</b>	2500	<b>24</b>	1000	<b>24</b>	400	<b>24</b>
<b>25</b>	800	<b>25</b>	2500	<b>25</b>	1000	<b>25</b>	400	<b>25</b>
<b>26</b>	800	<b>26</b>	1500	<b>26</b>	1000	<b>26</b>	400	<b>26</b>
<b>27</b>	800	<b>27</b>	1500	<b>27</b>	1000	<b>27</b>	400	<b>27</b>
<b>28</b>	800	<b>28</b>	1500	<b>28</b>	800	<b>28</b>	400	<b>28</b>
<b>29</b>	1200	<b>29</b>	1500	<b>29</b>	800	<b>29</b>	400	<b>29</b>
<b>30</b>	2400	<b>30</b>	1500	<b>30</b>	800	<b>30</b>	400	<b>30</b>
		<b>31</b>	1500			<b>31</b>	400	<b>31</b>

CFS	MAR	CFS
300	1	600
300	2	1200
300	3	2400
300	4	5000
600	5	5000
600	6	5000
600	7	5000
600	8	4500
600	9	2400
600	10	1200
300	11	800
300	12	800
300	13	800
300	14	800
300	15	800
300	16	800
300	17	800
300	18	800
300	19	800
300	20	1200
300	21	1200
300	22	1200
300	23	1200
300	24	1200
300	25	800
300	26	800
300	27	800
300	28	800
	29	800
	30	800
	31	800

CFS	SEP	CFS
400	1	400
400	2	400
400	3	400
400	4	400
400	5	400
400	6	400
400	7	400
400	8	400
400	9	400
400	10	400
400	11	400
400	12	400
400	13	400
400	14	400



400	<b>15</b>	400
400	<b>16</b>	400
400	<b>17</b>	400
400	<b>18</b>	400
400	<b>19</b>	400
400	<b>20</b>	400
400	<b>21</b>	400
400	<b>22</b>	400
400	<b>23</b>	400
400	<b>24</b>	400
400	<b>25</b>	400
400	<b>26</b>	400
400	<b>27</b>	400
400	<b>28</b>	400
400	<b>29</b>	400
400	<b>30</b>	400
400		

Monthly volume* of minimum Appendix 2-E flows (TAF)					
MONTH	Critically Dry	Dry	Below Normal	Above Normal	Wet
October	36	39	48	49	52
November	12	12	12	12	18
December	12	12	12	12	18
January	13	13	14	14	22
February	12	12	13	13	20
March	12	12	12	94	101
April	27	46	92	83	97
May	25	39	76	96	120
June	9	12	22	56	65
July	9	12	15	18	26
August	9	12	15	18	25
September	9	12	15	18	24

Annual volume^ of minimum Appendix 2-E flows (TAF)				
Critically Dry	Dry	Below Normal	Above Normal	Wet
185.259	234.152	346.716	483.676	589.496

March-April-May-June combined volume (TAF)				
C	D	BN	AN	W
73	109	203	328	384

Average daily flow** of minimum Appendix 2-E flows (cfs)					
MONTH	Critically Dry	Dry	Below Normal	Above Normal	Wet
October	577	635	774	797	842
November	200	200	200	200	300
December	200	200	200	200	300
January	213	219	226	232	358
February	214	221	229	236	364
March	200	200	200	1521	1648
April	460	767	1553	1400	1633
May	400	631	1242	1555	1958
June	150	200	363	940	1100
July	150	200	250	300	429
August	150	200	250	300	400
September	150	200	250	300	400

\*Volume, in thousand acre-feet (TAF) was computed for each MONTH as: (the sum of the daily minimum flow requirements \* 1.9835)/1000, and the cells were formatted to show values rounded to the nearest TAF.

\*\*Average daily flow, in cubic feet per second (cfs) was computed for each MONTH as: the average of the daily minimum flow requirements, and the cells were formatted to show values rounded to the nearest cfs.

^Volume, in thousand acre-feet (TAF) was computed for each YEAR as: the sum of the monthly volumes for that yeartype in the Appendix 2-E flow schedule, and the cells were formatted to show values rounded to the nearest TAF. Note that the annual sums were computed using the actual, not rounded, monthly values.