

Literature Cited

- Acuña, S., Baxa, D., and Teh, S. 2012. Sublethal dietary effects of microcystin producing *Microcystis* on threadfin shad, *Dorosoma petenense*. *Toxicon* 60(6):1191-1202.
doi: <https://doi.org/10.1016/j.toxicon.2012.08.004>
- Alpine, A.E. and Cloern, J.E. 1992. Trophic interactions and direct physical effects control phytoplankton biomass and production in an estuary. *Limnology and Oceanography* 37(5): 946-955.
- Andrews, S.W., Gross, E.S. and Hutton, P.H., 2016. A water balance model to estimate flow through the Old and Middle River corridor. *San Francisco Estuary and Watershed Science* 14(2).
- Andrews, S.W., Gross, E.S. and P. H. Hutton. 2017. Modeling salt intrusion in the Bay-Delta prior to anthropogenic influence. *Continental Shelf Research* 146: 58-81.
- Arthur, J.F., M.D. Ball and S.Y. Baughman. 1996. Summary of federal and state water project environmental impacts in the San Francisco Bay–Delta Estuary, California. Pages 445–495 In: Hollibaugh, J.T. (ed). *San Francisco Bay: The ecosystem*. Pacific Division, American Association for the Advancement of Science.
- Baskerville-Bridges, B., C. Lindberg and S.L. Doroshov. 2004. The effect of light intensity, alga concentration, and prey density on the feeding behavior of delta smelt larvae. Pages 219-228 In: Feyrer, F., L.R. Brown, R.L. Brown, J.J. Orsi (eds.). *Early life history of fishes in the San Francisco Estuary and Watershed*. AFS Symposium 39, Bethesda (MD): American Fisheries Society.
- Baumsteiger, J., and P.B. Moyle, P. B. 2017. Assessing extinction. *BioScience* 67(4): 357-366.
- Baxter, R., R. Breuer, L. Brown, M. Chotkowski, F. Feyrer, M. Gingras, B. Herbold, A. Mueller-Solger, M. Nobriga, T. Sommer and K. Souza. 2008. Pelagic organism decline progress report: 2007 synthesis of results. Interagency Ecological Program for the San Francisco Estuary. State of California.
https://water.ca.gov/LegacyFiles/iep/docs/pod/synthesis_report_031408.pdf
- Baxter, R., R. Breuer, L. Brown, L. Conrad, F. Feyrer, S. Fong, K. Gehrts, L. Grimaldo, B. Herbold, P. Hrodey, A. Mueller-Solger, T. Sommer and K. Souza. 2010. Interagency Ecological Program: 2010 Pelagic Organism Decline Work Plan and Synthesis of Results. Interagency Ecological Program for the San Francisco Estuary. State of California.
<https://www.water.ca.gov/LegacyFiles/iep/docs/FinalPOD2010Workplan12610.pdf>

- Bennett, W.A. 2005. Critical assessment of the delta smelt population in the San Francisco Estuary, California. *San Francisco Estuary and Watershed Science* 3(2). doi: <http://escholarship.org/uc/item/0725n5vk>
- Bennett, W.A. and J.R. Burau. 2015. Riders on the storm: selective tidal movements facilitate the spawning migration of threatened Delta Smelt in the San Francisco Estuary. *Estuaries and Coasts* 38(3):826-835. doi: <http://dx.doi.org/10.1007/s12237-014-9877-3>
- Bennett, W.A., W.J. Kimmerer and J.R. Burau. 2002. Plasticity in vertical migration by native and exotic estuarine fishes in a dynamic low-salinity zone. *Limnology and Oceanography* 47(5):1496-1507. doi: <http://dx.doi.org/10.4319/lo.2002.47.5.1496>
- Bennett, W. A. and P.B. Moyle. 1996. Where have all the fishes gone?: interactive factors producing fish declines in the Sacramento-San Joaquin Estuary. *San Francisco Bay: The Ecosystem*. San Francisco State University.
- Bever, A.J., M.L. MacWilliams, B. Herbold, L.R. Brown and F.V. Feyrer. 2016. Linking hydrodynamic complexity to delta smelt (*Hypomesus transpacificus*) distribution in the San Francisco Estuary, USA. *San Francisco Estuary and Watershed Science* 14(1). doi: <http://dx.doi.org/10.15447/sfews.2016v14iss1art3>
- Bouley, P. and W. J. Kimmerer. 2006. Ecology of a highly abundant, introduced cyclopoid copepod in a temperate estuary. *Marine Ecology Progress Series* 324: 219-228.
- Brown, L.R., W.A. Bennett, R.W. Wagner, T. Morgan-King, N. Knowles, F. Feyrer, D.H. Schoellhamer, M.T. Stacy, and M. Dettinger. 2013. Implications for future survival of Delta smelt from four climate change scenarios for the Sacramento-San Joaquin Delta, California. *Estuaries and Coasts* 36(4):754-774. doi: <http://dx.doi.org/10.1007/s12237-013-9585-4>
- Brown, L.R., W. Kimmerer and R. Brown. 2009. Managing water to protect fish: a review of California's environmental water account, 2001–2005. *Environmental management* 43(2): 357-368.
- Brown, L.R., W. Kimmerer, J.L. Conrad, S. Lesmeister and A. Mueller-Solger. 2016. Food webs of the Delta, Suisun Bay, and Suisun Marsh: an update on current understanding and possibilities for management. *San Francisco Estuary and Watershed Science* 14(3).
- Brown, L.R., L.M. Komoroske, R.W. Wagner, T. Morgan-King, J.T. May, R.E. Connon, R.E. and N.A. Fangue. 2016. Coupled downscaled climate models and ecophysiological metrics forecast habitat compression for an endangered estuarine fish. *PloS one* 11(1): e0146724.

- Brown, R., S. Greene, P. Coulston and S. Barrow. 1996. An evaluation of the effectiveness of fish salvage operations at the intake to the California aqueduct, 1979-1993. San Francisco Bay: the ecosystem. Pacific Division of the American Association for the Advancement of Science, San Francisco, CA, 497-518.
- Brown, T. 2009. Phytoplankton community composition: the rise of the flagellates. IEP Newsletter 22(3):20–28.
http://www.water.ca.gov/iep/newsletters/2009/IEPNewsletter_Final2SUMMER-Fall2009%20.pdf
- Brooks, M., E. Fleishman, L. Brown, P. Lehman, I. Werner, N. Scholz, C. Mitchelmore, J. Lovvorn, M. Johnson, D. Schlenk, S. van Drunick, J. Drever, D. Stoms, A. Parker and R. Dugdale. 2012. Life Histories, Salinity Zones, and Sublethal Contributions of Contaminants to Pelagic Fish Declines Illustrated with a Case Study of San Francisco Estuary, California, USA. *Estuaries and Coasts* 35(2):603-621.
doi: <http://dx.doi.org/10.1007/s12237-011-9459-6>
- Bush, E.E. 2017. Migratory life histories and early growth of the endangered estuarine Delta Smelt (*Hypomesus transpacificus*). University of California, Davis.
- California Department of Finance. 2012. California county population and housing demographics. Department of Finance, State of California.
<http://www.dof.ca.gov/Forecasting/Demographics/Estimates/>
- Castillo, G., J. Morinaka, J. Lindberg, R. Fujimura, B. Baskerville-Bridges, J. Hobbs, G. Tigan and L. Ellison. 2012. Pre-Screen Loss and Fish Facility Efficiency for Delta Smelt at the South Delta's State Water Project, California. *San Francisco Estuary and Watershed Science* 10(4). <https://escholarship.org/uc/item/28m595k4>
- Cavallo, B., J. Merz and J. Setka. 2013. Effects of predator and flow manipulation on Chinook salmon (*Oncorhynchus tshawytscha*) survival in an imperiled estuary. *Environmental Biology of Fishes* 96(2-3):393-403. doi: <http://dx.doi.org/10.1007/s10641-012-9993-5>
- (CDFG) California Department of Fish and Game. 2009. California Endangered Species Act Incidental Take Permit No. 2081-2009-001-03. Department of Water Resources California State Water Project Delta Facilities and Operations. Yountville, CA: California Department of Fish and Game, Bay Delta Region.
- (CDFA) California Department of Fish and Wildlife. 2019. Summer Townet Results.
<http://www.dfg.ca.gov/delta/projects.asp?ProjectID=TOWNET>

Central Valley Regional Water Quality Control Board. 2013. Amending Waste Discharge Requirements Order R5-2010-0114-01 (NPDES Permit No. Ca 0077682) and Time Schedule Order R5-2010-0115-01. Sacramento Regional County Sanitation District, Sacramento Regional Wastewater Treatment Plant, Sacramento County. Sacramento, CA. http://www.waterboards.ca.gov/centralvalley/board_decisions/adopted_orders/sacramento/r5-2013-0124.pdf

Cloern, J.E. 2019. Patterns, pace, and processes of water quality variability in a long-studied estuary. *Limnology and Oceanography* 64:S192-S208. doi: 10.1002/lo.10958

Cloern, J.E., Alpine, A.E., Cole, B.E., Wong, R.L., Arthur, J.F. and Ball, M.D., 1983. River discharge controls phytoplankton dynamics in the northern San Francisco Bay estuary. *Estuarine, Coastal and Shelf Science* 16(4): 415-429.

Cloern, J.E. and A.D. Jassby. 2012. Drivers of change in estuarine-coastal ecosystems: Discoveries from four decades of study in San Francisco Bay. *Reviews of Geophysics*, 50(4).

Cloern, J.E., N. Knowles, L.R. Brown, D. Cayan, M.D. Dettinger, T.L Morgan, D.H. Schoellhamer, M.T. Stacey, M. van der Wegen R. Wayne Wagner and A.D. Jassby. 2011. Projected evolution of California's San Francisco Bay-Delta-River system in a century of climate change. *PloS ONE* 6(9).

Cole, B.E. and J.E. Cloern. 1984. Significance of biomass and light availability to phytoplankton productivity in San Francisco Bay. *Marine ecology progress series*. Oldendorf 17(1): 15-24.

Connon, R. E., J. Geist, J. Pfeiff, A.V. Loguinov, L.S. D'Abronzo, H. Wintz, C.D. Vulpe and I. Werner. 2009. Linking mechanistic and behavioral responses to sublethal esfenvalerate exposure in the endangered delta smelt; *Hypomesus transpacificus* (Fam. Osmeridae). *BMC Genomics* 10:608. <http://bmcbioinformatics.biomedcentral.com/articles/10.1186/1471-2164-10-608>

Connon, R.E., S. Beggel, L.S. D'Abronzo, J.P. Geist, J. Pfeiff, A.V. Loguinov, C.D. Vulpe and I. Werner. 2011a. Linking molecular biomarkers with higher level condition indicators to identify effects of copper exposures on the endangered delta smelt (*Hypomesus transpacificus*). *Environmental Toxicology and Chemistry* 30(2):290-300. doi: <http://dx.doi.org/10.1002/etc.400>

Connon, R.E., L.A. Deanovic, E.B. Fritsch, L.S. D'Abronzo and I. Werner. 2011b. Sublethal responses to ammonia exposure in the endangered delta smelt; *Hypomesus transpacificus* (Fam. Osmeridae). *Aquatic Toxicology* 105(3):369-377. doi: <https://doi.org/10.1016/j.aquatox.2011.07.002>

- Conrad, J. L., A.J. Bibian, K.L. Weinersmith, D. De Carion, M.J. Young, P. Crain, E.L. Hestir, M.J. Santos and A. Sih. 2016. Novel Species Interactions in a Highly Modified Estuary: Association of Largemouth Bass with Brazilian Waterweed *Egeria densa*. Transactions of the American Fisheries Society 145(2):249-263.
doi: <http://dx.doi.org/10.1080/00028487.2015.1114521>
- Crain, P.K., K. Whitener and P.B. Moyle. 2004. Use of a restored central California floodplain by larvae of native and alien fishes. Pages 125-104 In: American Fisheries Society Symposium 39. American Fisheries Society.
- Culberson, S., L. Bottorff, M. Roberson, and E. Soderstrom. 2008. Geophysical Setting and Consequences of Management in the Bay-Delta. Pages 37-54 In: Healey, M.C., M.D. Dettinger and R.B. Norgaard (eds.). The State of Bay-Delta Science, 2008. Sacramento, CA: CALFED Science Program.
http://meteora.ucsd.edu/cap/pdf files/sbds_2008_final_report_101508.pdf#page=45
- Culberson, S.D., T.C. Foin, and J.N. Collins. 2004. The role of sedimentation in estuarine marsh development within the San Francisco Estuary, California, USA. Journal of Coastal Research 970-979. doi: <http://dx.doi.org/10.2112/03-0033.1>
- Damon, L.J., S.B. Slater, R.D. Baxter and R.W. Fujimura. 2016. Fecundity and reproductive potential of wild female delta smelt in the upper San Francisco Estuary, California. California Fish and Game 102(4):188-210.
- Davis, B.E., D.E. Cocherell, T. Sommer, R.D. Baxter, T.C. Hung, A.E. Todgham and N.A. Fangue. 2019. Sensitivities of an endemic, endangered California smelt and two non-native fishes to serial increases in temperature and salinity: implications for shifting community structure with climate change. Conservation Physiology 7(1): coy076.
- Dege, M. and L.R. Brown. 2004. Effect of outflow on spring and summertime distribution and abundance of larval and juvenile fishes in the upper San Francisco estuary. Pages 49-66 In: Feyrer, F., Brown, L.R., Brown, R.L., Orsi J.J. (eds.). Early life history of fishes in the San Francisco Estuary and Watershed. American Fisheries Society Symposium 39.
- Delta Protection Commission. 2012. Economic Sustainability Plan for the Sacramento-San Joaquin Delta. Prepared by Business Forecast Center, University of the Pacific. January 19, 2012.
http://www.delta.ca.gov/files/2016/10/Final_ESP_w_Appendices_2012.pdf
- Delta Modeling Associates. 2012. Low salinity zone flipbook. Version 0.9, June 15, 2012. Pages 15-42 In: U. S. EPA letter to the California State Water Resources Control Board. April 17, 2012. RE: Bay-Delta Workshop 1 – Ecosystem Changes and the Low Salinity Zone.
http://www.waterboards.ca.gov/waterrights/water_issues/programs/bay_delta/docs/cmnt081712/karen_schwinn.pdf

- Dettinger, M.D. 2005. From Climate-change Spaghetti to Climate-change Distributions for 21st-Century California. *San Francisco Estuary and Watershed Science* 3(1).
<http://repositories.cdlib.org/jmie/sfews/vol3/iss1/art4>
- Dettinger, M., J. Anderson, M. Anderson, L.R. Brown, D. Cayan and E. Maurer. 2016. Climate change and the Delta. *San Francisco Estuary and Watershed Science* 14(3)
<http://escholarship.org/uc/item/2r71j15r>
- Dettinger, M., B. Udall and A. Georgakakos. 2015. Western water and climate change. *Ecological Applications* 25(8): 2069-2093. doi: <http://dx.doi.org/10.1890/15-0938.1>
- Dubrovsky, N.M., C.R. Kratzer, L.R. Brown, J.M. Gronberg and K.R. Burow. 1998. Water Quality in the San Joaquin-Tulare Basins, California, 1992–95. US Geological Survey, Sacramento, CA. <https://pubs.usgs.gov/circ/circ1159/circ1159.pdf>
- Dugdale, R.C., F.P. Wilkerson, V.E. Hogue, and A. Marchi. 2007. The role of ammonium and nitrate in spring bloom development in San Francisco Bay. *Estuarine, Coastal and Shelf Science* 73(1):17-29. doi: <http://dx.doi.org/10.1016/j.ecss.2006.12.008>
- Dugdale, R., F. Wilkerson, A.E. Parker, A. Marchi, and K. Taberski. 2012. River flow and ammonium discharge determine spring phytoplankton blooms in an urbanized estuary. *Estuarine, Coastal and Shelf Science* 115: 187-199.
- Dugdale, R. C., F.P. Wilkerson and A.E. Parker. 2016. The effect of clam grazing on phytoplankton spring blooms in the low-salinity zone of the San Francisco Estuary: A modelling approach. *Ecological Modelling* 340:1-16.
doi: <http://dx.doi.org/10.1016/j.ecolmodel.2016.08.018>
- Durand, J., W. Fleenor, R. McElreath, M.J. Santos, and P. Moyle. 2016. Physical controls on the distribution of the submersed aquatic weed *Egeria densa* in the Sacramento–San Joaquin Delta and implications for habitat restoration. *San Francisco Estuary and Watershed Science* 14(1). <http://dx.doi.org/10.15447/sfews.2016v14iss1art4>
- (DWR) California Department of Water Resources. 2016. Delta Smelt Resiliency Strategy. California Department of Water Resources, California Natural Resources Agency, Sacramento, CA. <http://resources.ca.gov/docs/Delta-Smelt-Resiliency-Strategy-FINAL070816.pdf>
- (DWR) California Department of Water Resources. 2000. Suisun Marsh Monitoring Program Reference Guide. Version 2. June. Environmental Services Office. Sacramento, CA. http://www.water.ca.gov/suisun/dataReports/docs/SMSCGReferenceGuide_Version02.pdf
- Eder, K.J., R.C. Kaufman, D.E. Cocherell, J.C. Lindberg, N.A. Fangue, and F.J. Loge. 2014. Longfin and delta smelt food consumption and bioenergetics assessments. Report to U.S. Bureau of Reclamation for grant R10AC20107.

Enos, C., J. Sutherland and M.L. Nobriga. 2007. Results of a two-year fish entrainment study at Morrow Island Distribution System in Suisun Marsh. Interagency Ecological Program Newsletter 20(1):10-19.
http://www.water.ca.gov/iep/newsletters/2007/IEPNewsletterfinal3_winter2007.pdf

Ferrari, M.C.O., L. Ranåker, K.L. Weinersmith, M.J. Young, A. Sih and J.L. Conrad. 2014. Effects of turbidity and an invasive waterweed on predation by introduced largemouth bass. Environmental Biology of Fishes 97(1):79-90.
doi: <http://dx.doi.org/10.1007/s10641-013-0125-7>

Feyrer, F., J.E. Cloern, L.R. Brown, M.A. Fish, K.A. Hieb and R.D. Baxter. 2015. Estuarine fish communities respond to climate variability over both river and ocean basins. Global change biology 21(10): 3608-3619.

Feyrer, F., B. Herbold, S.A. Matern P.B. and Moyle. 2003. Dietary shifts in a stressed fish assemblage: consequences of a bivalve invasion in the San Francisco Estuary. Environmental Biology of Fishes 67(3): 277-288.

Feyrer F., K. Newman, M. Nobriga, T. Sommer. 2011. Modeling the effects of future outflow on the abiotic habitat of an imperiled estuarine fish. Estuaries and Coasts 34(1):120-128.
doi: <http://dx.doi.org/10.1007/s12237-010-9343-9>

Feyrer, F., K. Newman, M. Nobriga and T. Sommer. 2016. Delta Smelt Habitat in the San Francisco Estuary: A Reply to Manly, Fullerton, Hendrix, and Burnham's "Comments on Feyrer et al. Modeling the Effects of Future Outflow on the Abiotic Habitat of an Imperiled Estuarine Fish". Estuaries and Coasts 39(1): 287-289.

Feyrer, F., M.L. Nobriga and T.R. Sommer. 2007. Multidecadal trends for three declining fish species: habitat patterns and mechanisms in the San Francisco Estuary, California, USA. Canadian Journal of Fisheries and Aquatic Science 64(4):723-734.
doi: <http://dx.doi.org/10.1139/f07-048>

Feyrer, F., D. Portz, D. Odum, K.B. Newman, T. Sommer, D. Contreras, R. Baxter, S. Slater, D. Sereno and E. Van Nieuwenhuyse. 2013. SmeltCam: Underwater video codend for trawled nets with an application to the distribution of the imperiled delta smelt. PLoS ONE 8(7). doi: <http://dx.doi.org/10.1371/journal.pone.0067829>

Feyrer, F., T. Sommer and W. Harrell, W. 2006. Managing floodplain inundation for native fish: production dynamics of age-0 spittail (*Pogonichthys macrolepidotus*) in California's Yolo Bypass. Hydrobiologia 573(1): 213-226.

Fisch, K.M., J.M. Henderson, R.S. Burton and B. May. 2011. Population genetics and conservation implications for the endangered delta smelt in the San Francisco Bay-Delta. Conservation genetics 12(6): 1421-1434.

- Fisch, K. M., J.A. Ivy, R. S. Burton and B. May. 2012. Evaluating the performance of captive breeding techniques for conservation hatcheries: a case study of the Delta Smelt captive breeding program. *Journal of Heredity*. doi: <http://dx.doi.org/10.1093/jhered/ess084>
- Florsheim, J.L. and J.F. Mount. 2002. Restoration of floodplain topography by sand-splay complex formation in response to intentional levee breaches, Lower Cosumnes River, California. *Geomorphology* 44(1):67-94. doi: [http://dx.doi.org/10.1016/S0169-555X\(01\)00146-5](http://dx.doi.org/10.1016/S0169-555X(01)00146-5)
- Foott, J. S. and J. Bigelow. 2010. Pathogen survey, gill Na-K-ATPase activity, and leukocyte profile of adult delta smelt. *California Fish and Game* 96(4):223-231.
<https://www.fws.gov/canvfhc/Reports/Sacramento%20and%20San%20Joaquin%20River/Foott,%20J.%20Scott%20and%20J.%20Bigelow,%202010.%20%20Pathogen%20survey,%20Gill%20Na-K-ATPase%20activity,%20and%20leukocyte%20profile%20of%20adult%20delta%20smelt%20%20.pdf>
- Frantzich, J., T. Sommer, T. and B. Schreier. 2018. Physical and biological responses to flow in a tidal freshwater slough complex. *San Francisco Estuary and Watershed Science* 16(1).
- Ganguly, A.R., K. Steinhaeuser, D.J. Erikson, M. Branstetter, E.S. Parish, N. Singh, J.B. Drake and L. Buja. 2009. Higher trends but larger uncertainty and geographic variability in 21st century temperature and heat waves. *Proceedings of the National Academy of Science of the United States of America* 106(37):15555-15559.
doi: <http://dx.doi.org/10.1073/pnas.0904495106>
- Gewant, D. and S.M. Bollens. 2012. Fish assemblages of interior tidal marsh channels in relation to environmental variables in the upper San Francisco Estuary. *Environmental biology of fishes* 94(2):483-499. doi: <http://dx.doi.org/10.1007/s10641-011-9963-3>
- Glibert, P.M, D. Fullerton, J.M. Burkholder, J. C. Cornwell and T. M. Kana. 2011. Ecological Stoichiometry, Biogeochemical Cycling, Invasive Species, and Aquatic Food Webs: San Francisco Estuary and Comparative Systems. *Reviews in Fisheries Science* 19(4):358-417. doi: <http://dx.doi.org/10.1080/10641262.2011.611916>
- Grimaldo, L.F., R.E. Miller, C.M. Peregrin and Z.P. Hymanson. 2004. Spatial and temporal distribution of native and alien ichthyoplankton in three habitat types of the Sacramento-San Joaquin Delta. Pages 81-96 In: American Fisheries Society Symposium 39. American Fisheries Society.
<https://pdfs.semanticscholar.org/11ae/bf2b061e4958162a8be13417656fee029843.pdf>
- Grimaldo, L. F., T. Sommer, N. Van Ark, G. Jones, E. Holland, P.B. Moyle, B. Herbold and P. Smith. 2009. Factors affecting fish entrainment into massive water diversions in a tidal freshwater estuary: can fish losses be managed? *North American Journal of Fisheries Management* 29(5):1253-1270. doi: <http://dx.doi.org/10.1577/M08-062.1>

- Grimaldo, L., R.E. Miller, C.M. Peregrin and Z. Hymanson. 2012. Fish assemblages in reference and restored tidal freshwater marshes of the San Francisco Estuary. *San Francisco Estuary and Watershed Science* 10(1). <https://escholarship.org/uc/item/52t3x0hq>
- Gross, E.S., P.H. Hutton and A.J. Draper. 2018. A Comparison of Outflow and Salt Intrusion in the Pre-Development and Contemporary San Francisco Estuary. *San Francisco Estuary and Watershed Science* 14(1).
- Grossman, G. D. 2016. Predation on fishes in the Sacramento–San Joaquin Delta: current knowledge and future directions. *San Francisco Estuary and Watershed Science* 14(2).
- Hamilton, S.A. and D.D. Murphy. 2018. Analysis of limiting factors across the life cycle of Delta smelt (*Hypomesus transpacificus*). *Environmental management* 62(2): 365-382.
- Hammock, B.G., Hartman, R., Slater, S.B., Hennessy, A. and Teh, S.J., 2019. Tidal Wetlands Associated with Foraging Success of Delta Smelt. *Estuaries and Coasts*: 1-11.
- Hammock, B. G., Moose, S. P., Solis, S. S., Goharian, E., & Teh, S. J. 2019. Hydrodynamic Modeling Coupled with Long-term Field Data Provide Evidence for Suppression of Phytoplankton by Invasive Clams and Freshwater Exports in the San Francisco Estuary. *Environmental Management*: 1-15.
- Hammock, B.G., J.A. Hobbs, S.B. Slater, S. Acuña and S.J. Teh. 2015. Contaminant and food limitation stress in an endangered estuarine fish. *Science of the Total Environment* 532:316-326. doi: <http://dx.doi.org/10.1016/j.scitotenv.2015.06.018>
- Hammock, B.G., Slater, S.B., Baxter, R.D., Fangue, N.A., Cocherell, D., Hennessy, A., Kurobe, T., Tai, C.Y. and Teh, S.J., 2017. Foraging and metabolic consequences of semi-anadromy for an endangered estuarine fish. *PloS ONE* 12(3):p.e0173497.
- Hasenbein, M., N.A. Fangue, J.P. Geist, L.M. Komoroske and R.E. Connon. 2016. Physiological stress biomarkers reveal stocking density effects in late larval Delta Smelt (*Hypomesus transpacificus*). *Aquaculture* 450:108-115.
doi: <http://dx.doi.org/10.1016/j.aquaculture.2015.07.005>
- Hasenbein, M., N.A. Fangue, J. Geist, L.M. Komoroske, J. Truong, R. McPherson R.E. and Connon. 2016. Assessments at multiple levels of biological organization allow for an integrative determination of physiological tolerances to turbidity in an endangered fish species. *Conservation physiology* 4(1): cow004.
- Hasenbein, M., L.M. Komoroske, R.E. Connon, J. Geist and N.A. Fangue. 2013. Turbidity and salinity affect feeding performance and physiological stress in the endangered delta smelt. *Integrative and Comparative Biology* 53(4):620-634.
doi: <http://dx.doi.org/10.1093/icb/ict082>

- Hasenbein, M., I. Werner, L.A. Deanovic, J. Geist, E.B. Fritsch, A. Javidmehr, C, Foe, N.A. Fangue and R.E. Connon. 2014. Transcriptomic profiling permits the identification of pollutant sources and effects in ambient water samples. *Science of the Total Environment* 468: 688-698. doi: <http://dx.doi.org/10.1016/j.scitotenv.2013.08.081>
- Hastings, M.C. and A. Popper. 2005. Effects of sound of fish. Final Report #CA05-0537. Project PA76 Noise Thresholds for endangered fish. Final Report to the California Department of Transportation. Sacramento, CA. http://www.dot.ca.gov/newtech/researchreports/2002-2006/2005/effects_of_sounds_on_fish.pdf
- Hayes, D. F., T.R. Crockett, T.J. Ward, and D. Averett. 2000. Sediment resuspension during cutterhead dredging operations. *Journal of Waterway, Port, Coastal, and Ocean Engineering* 126(3):153-161. doi: [http://dx.doi.org/10.1061/\(ASCE\)0733-950X\(2000\)126:3\(153\)](http://dx.doi.org/10.1061/(ASCE)0733-950X(2000)126:3(153))
- Hayhoe, K., D. Cayan, C.B. Field, P.C. Frumhoff, E.P. Maurer, N.L. Miller, S.C. Moser, S.H. Schneideri, K.N. Cahill, E.E. Cleland, L. Dale, R. Drapek, R.M. Hanemann, L.S. Kalkstein, J. Lenihan, C.K. Lunch, R.P. Neilson, S.C. Sheridan and J.H. Verville. 2004. Emissions pathways, climate change, and impacts on California. *Proceedings of the National Academy of Sciences of the United States of America* 101(34):12422-12427. doi: <http://dx.doi.org/10.1073/pnas.0404500101>
- Herren, J. R. and S.S. Kawasaki. 2001. Inventory of water diversions in four geographic areas in California's Central Valley. *Fish Bulletin* 179:343-355. ftp://ftp.pcouncil.org/pub/Salmon%20EFH/151_Herren_and_Kawasaki_2001.pdf
- Hestir, E. L., D.H. Schoellhamer, J. Greenberg, T. Morgan-King and S.L. Ustin. 2016. The effect of submerged aquatic vegetation expansion on a declining turbidity trend in the Sacramento-San Joaquin River Delta. *Estuaries and Coasts* 1-13. doi: <http://dx.doi.org/10.1007/s12237-015-0055-z>
- Hestir, E.L., D.H. Schoellhamer, T. Morgan-King and S.L. Ustin. 2013. A step decrease in sediment concentration in a highly modified tidal river delta following the 1983 El Niño floods. *Marine Geology* 345:304-313. doi: <http://dx.doi.org/10.1016/j.margeo.2013.05.008>
- Hirose, T. and K. Kawaguchi. 1998. Spawning ecology of Japanese surf smelt, *Hypomesus pretiosus japonicus* (Osmeridae), in Otsuchi Bay, northeastern Japan. *Environmental biology of fishes* 52(1-3): 213-223.
- Hobbs, J.A., W.A. Bennett and J.E. Burton. 2006. Assessing nursery habitat quality for native smelts (Osmeridae) in the low-salinity zone of the San Francisco estuary. *Journal of Fish Biology* 69(3):907-922. doi: <http://dx.doi.org/10.1577/T06-087.1>

- Hobbs, J.A., W.A. Bennett, J. Burton and B. Baskerville-Bridges. 2007. Modification of the biological intercept model to account for ontogenetic effects in laboratory-reared delta smelt (*Hypomesus transpacificus*). Fishery Bulletin 105(1): 30-38.
- Hobbs, J.A., W.A. Bennett, J. Burton and M. Gras. 2007. Classification of larval and adult delta smelt to nursery areas by use of trace elemental fingerprinting. Transactions of the American Fisheries Society 136(2):518-527. doi: <http://dx.doi.org/10.1577/T06-087.1>
- Hobbs, J., P.B. Moyle, N. Fangue and R.E. Connon. 2017. Is extinction inevitable for Delta Smelt and Longfin Smelt? An opinion and recommendations for recovery. San Francisco Estuary and Watershed Science 15(2).
- Huber, M. and R. Knutti. 2012. Anthropogenic and natural warming inferred from changes in Earth's energy balance. Nature Geoscience 5(1):31-36.
doi: <http://dx.doi.org/10.1038/ngeo1327>
- Hutton, P.H., Chen, L., Rath, J.S. and Roy, S.B., 2019. Tidally-averaged flows in the interior Sacramento–San Joaquin River Delta: Trends and change attribution. Hydrological Processes 33(2): 230-243.
- Hutton, P. H., Rath, J. S., Chen, L., Ungs, M. J., & Roy, S. B. 2015. Nine decades of salinity observations in the San Francisco Bay and Delta: Modeling and trend evaluations. Journal of Water Resources Planning and Management 142(3), 04015069.
- Hutton, P.H., J.S. Rath, S.B. Roy. 2017. Freshwater flow to the San Francisco Bay-Delta estuary over nine decades (Part 1): Trend evaluation. Hydrological Processes 31(14): 2500-2515.
- Hung, T. C., K.J. Eder, A. Javidmehr and F.J. Loge. 2014. Decline in Feeding Activity of Female Cultured Delta smelt Prior to Spawning. North American Journal of Aquaculture 76(2):159-163. doi: <http://dx.doi.org/10.1080/15222055.2014.886650>
- (IEP) Interagency Ecological Program. 2015. An updated conceptual model of Delta Smelt biology: our evolving understanding of an estuarine fish. IEP Management, Analysis and Synthesis Team. Interagency Ecological Program for the San Francisco Bay/Delta Estuary. Technical Report 90. California Department of Water Resources.
http://www.water.ca.gov/iep/docs/Delta_Smelt_MAST_Synthesis_Report_January%202015.pdf
- Ingersoll, C.G., E.L. Brunson, F.J. Dwyer, G.T. Ankley, D.A. Benoit, T.J. Norberg-King and P.V. Winger. 1995. Toxicity and bioaccumulation of sediment-associated contaminants using freshwater invertebrates: A review of methods and applications. Environmental Toxicology and Chemistry 14(11):1885-1894.
doi: <http://dx.doi.org/10.1002/etc.5620141110>

(IPCC) Intergovernmental Panel on Climate Change. 2001: Climate Change 2001: The Scientific Basis. Contribution of Working Group I to the Third Assessment Report of the Intergovernmental Panel on Climate Change, Houghton, J.T., Y. Ding, D.J. Griggs, M. Noguer, P.J. van der Linden, X. Dai, K. Maskell, and C.A. Johnson (eds.). Cambridge University Press, Cambridge, UK.
<http://www.ipcc.ch/ipccreports/tar/wg1/index.php?idp=0>

(IPCC) Intergovernmental Panel on Climate Change. 2007a. Climate Change 2007: The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change. Solomon, S., D. Qin, M. Manning, Z. Chen, M. Marquis, K.B. Averyt, M. Tignor and H.L. Miller (eds.). Cambridge University Press, Cambridge, UK.
http://www.ipcc.ch/publications_and_data/publications_ipcc_fourth_assessment_report_wg1_report_the_physical_science_basis.htm

(IPCC) Intergovernmental Panel on Climate Change. 2007b: Climate Change 2007: Impacts, Adaptation and Vulnerability. Contribution of Working Group II to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change, M.L. Parry, O.F. Canziani, J.P. Palutikof, P.J. van der Linden and C.E. Hanson (eds.). Cambridge University Press, Cambridge, UK.
http://www.ipcc.ch/pdf/assessment-report/ar4/wg2/ar4_wg2_full_report.pdf

(IPCC) Intergovernmental Panel on Climate Change. 2014. Climate Change 2014: Synthesis Report. Contribution of Working Groups I, II and III to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change. IPCC, Geneva, Switzerland.
http://www.ipcc.ch/pdf/assessment-report/ar5/syr/SYR_AR5_FINAL_full_wcover.pdf

Jassby, A. 2008. Phytoplankton in the upper San Francisco Estuary: recent biomass trends, their causes, and their trophic significance. *San Francisco Estuary and Watershed Science* 6(1).
<https://escholarship.org/uc/item/71h077r1>

Jassby, A.D. and J.E. Cloern. 2000. Organic matter sources and rehabilitation of the Sacramento-San Joaquin Delta (California, USA). *Aquatic Conservation: Marine and Freshwater Ecosystems* 10(5):323-352.
https://sfbay.wr.usgs.gov/publications/pdf/jassby_2000_organic.pdf

Jassby, A.D., J.E. Cloern and B.E. Cole. 2002. Annual primary production: Patterns and mechanisms of change in a nutrient-rich tidal ecosystem. *Limnology and Oceanography* 47(3):698-712. doi: <http://dx.doi.org/10.4319/lo.2002.47.3.0698>

Jassby, A.D., W.J. Kimmerer, S.G. Monismith, C. Armor, J.E. Cloern, T.M. Powell, J.R. Schubel, and T.J. Vendlinski. 1995. Isohaline position as a habitat indicator for estuarine populations. *Ecological Applications* 5(1):272-289.
doi: <http://dx.doi.org/10.2307/1942069>

- Jeffries, K.M., R.E. Connon, B.E. Davis, L.M. Komoroske, M.T. Britton, T. Sommer, A. Todgham and N.A. Fangue. 2016. Effects of high temperatures on threatened estuarine fishes during periods of extreme drought. *Journal of Experimental Biology* 219(11):1705-1716. doi: <http://dx.doi.org/10.1242/jeb.134528>
- Jeffries, K.M., L.M. Komoroske, J. Truong, I. Werner, M. Hasenbein, S. Hasenbein, N.A. Fangue and R.E. Connon. 2015. The transcriptome-wide effects of exposure to a pyrethroid pesticide on the Critically Endangered delta smelt *Hypomesus transpacificus*. *Endangered Species Research* 28(1): 43-60.
- Jin, J., T. Kurobe, W.F. Ramírez-Duarte, M.B. Bolotaolo, C.H. Lam, P.K. Pandey, T.C. Hung, M.E. Stillway, L. Zweig, J. Caudill and L. Lin. 2018. Sub-lethal effects of herbicides penoxsulam, imazamox, fluridone and glyphosate on Delta Smelt (*Hypomesus transpacificus*). *Aquatic toxicology* 197: 79-88.
- Kammerer, B.D., T.C. Hung, R.D. Baxter S.J. and The. 2016. Physiological effects of salinity on Delta Smelt, *Hypomesus transpacificus*. *Fish physiology and biochemistry* 42(1): 219-232.
- Kayfetz, K. and W. Kimmerer. 2017. Abiotic and biotic controls on the copepod *Pseudodiaptomus forbesi* in the upper San Francisco Estuary. *Marine Ecology Progress Series* 581: 85-101.
- Kjelson, M.A. and P.L. Brandes. 1989. The use of smolt survival estimates to quantify the effects of habitat changes on salmonid stocks in the Sacramento-San Joaquin rivers, California. Canadian special publication of fisheries and aquatic sciences/Publication speciale canadienne des sciences halieutiques et aquatiques.
- Kimmerer, W.J. 2002a. Physical, biological, and management responses to variable freshwater flow into the San Francisco Estuary. *Estuaries* 25(6):1275-1290.
doi: <http://dx.doi.org/10.1007/BF02692224>
- Kimmerer, W.J. 2002b. Effects of freshwater flow on abundance of estuarine organisms: physical effects or trophic linkages? *Marine Ecology Progress Series* 243:39-55.
doi: <http://dx.doi.org/10.3354/meps243039>
- Kimmerer, W.J. 2004. Open water processes of the San Francisco Estuary: from physical forcing to biological responses. *San Francisco Estuary and Watershed Science* 2(1).
<http://escholarship.org/uc/item/9bp499mv>
- Kimmerer, W.J. 2008. Losses of Sacramento River Chinook salmon and delta smelt to entrainment in water diversions in the Sacramento-San Joaquin Delta. *San Francisco Estuary and Watershed Science* 6(2). <http://escholarship.org/uc/item/7v92h6fs>
- Kimmerer, W.J., 2011. Modeling Delta Smelt losses at the south Delta export facilities. *San Francisco Estuary and Watershed Science* 9(1).

- Kimmerer, W.J., J.R. Burau W.A. and Bennett, W.A., 1998. Tidally oriented vertical migration and position maintenance of zooplankton in a temperate estuary. *Limnology and Oceanography* 43(7): 1697-1709.
- Kimmerer, W.J., E. Gartside and J.J. Orsi. 1994. Predation by an introduced clam as the likely cause of substantial declines in zooplankton of San Francisco Bay. *Marine ecology progress series* 113: 81-93.
- Kimmerer, W.J., E.S. Gross and M.L. MacWilliams. 2014. Tidal migration and retention of estuarine zooplankton investigated using a particle-tracking model. *Limnology and Oceanography* 59(3): 901-916.
- Kimmerer, W. J., E.S. Gross and M.L MacWilliams. 2009. Is the response of estuarine nekton to freshwater flow in the San Francisco Estuary explained by variation in habitat volume? *Estuaries and Coasts* 32(2):375. <http://www.jstor.org/stable/40663547>
- Kimmerer, W.J., E.S. Gross, A.M. Slaughter and J.R. Durand. 2019. Spatial Subsidies and Mortality of an Estuarine Copepod Revealed Using a Box Model. *Estuaries and Coasts* 42(1): 218-236.
- Kimmerer, W. and A. Gould. 2010. A Bayesian approach to estimating copepod development times from stage frequency data. *Limnology and Oceanography: Methods* 8(4): 118-126.
- Kimmerer, W.J., T.R. Ignoffo, A.M. Slaughter and A.L. Gould. 2014. Food-limited reproduction and growth of three copepod species in the low-salinity zone of the San Francisco Estuary. *Journal of Plankton Research* 36(3): 722-735.
- Kimmerer, W., T.R. Ignoffo, B. Bemowski, J. Modéran, A. Holmes and B. Bergamaschi. 2018. Zooplankton Dynamics in the Cache Slough Complex of the Upper San Francisco Estuary. *San Francisco Estuary and Watershed Science* 16(3).
- Kimmerer, W.J., T.R. Ignoffo, K.R. Kayfetz and A.M. Slaughter. 2018. Effects of freshwater flow and phytoplankton biomass on growth, reproduction, and spatial subsidies of the estuarine copepod *Pseudodiaptomus forbesi*. *Hydrobiologia* 807(1): 113-130.
- Kimmerer, W.J., M.L. MacWilliams and E. S. Gross. 2013. Variation of fish habitat and extent of the low-salinity zone with freshwater flow in the San Francisco Estuary. *San Francisco Estuary and Watershed Science* 11(4). <http://escholarship.org/uc/item/3pz7x1x8>
- Kimmerer, W.J., and M.L. Nobriga. 2008. Investigating Particle Transport and Fate in the Sacramento-San Joaquin Delta Using a Particle-Tracking Model. *San Francisco Estuary and Watershed Science* 6(1). <https://escholarship.org/uc/item/547917gn>

- Kimmerer, W.J. and J.J. Orsi. 1996. Changes in the zooplankton of the San Francisco Bay Estuary since the introduction of the clam *Potamocorbula amurensis*. San Francisco Bay: The Ecosystem:.403-424.
- Kimmerer, W.J. and K.A. Rose. 2018. Individual-Based Modeling of Delta Smelt Population Dynamics in the Upper San Francisco Estuary III. Effects of Entrainment Mortality and Changes in Prey. *Transactions of the American Fisheries Society* 147(1): 223-243.
- Kimmerer WJ, J.K. Thompson. 2014. Phytoplankton growth balanced by clam and zooplankton grazing and net transport into the low-salinity zone of the San Francisco Estuary. *Estuaries and Coasts* 37(5):1202-1218. doi: <http://dx.doi.org/10.1007/s12237-013-9753-6>
- Knowles, N. and D.R. Cayan. 2002. Potential effects of global warming on the Sacramento/San Joaquin watershed and the San Francisco estuary. *Geophysical Research Letters* 29(18). doi: <http://dx.doi.org/10.1029/2001GL014339>
- Knutson Jr, A.C. and Orsi, J.J., 1983. Factors regulating abundance and distribution of the shrimp *Neomysis mercedis* in the Sacramento-San Joaquin Estuary. *Transactions of the American Fisheries Society* 112(4): 476-485.
- Komoroske, L.M., Connon, R.E., Jeffries, K.M. and Fangue, N.A., 2015. Linking transcriptional responses to organismal tolerance reveals mechanisms of thermal sensitivity in a mesothermal endangered fish. *Molecular ecology* 24(19): 4960-4981.
- Komoroske, L.M., R.E. Connon, J. Lindberg, B.S. Cheng, G. Castillo, M. Hasenbein, and N. A. Fangue, 2014. Ontogeny influences sensitivity to climate change stressors in an endangered fish. *Conservation Physiology* 2. <http://conphys.oxfordjournals.org/content/2/1/cou008.short>
- Komoroske, M., K.M. Jeffries, R.E. Connon, J. Dexter, M. Hasenbein, C. Verhille and N.A. Fangue. 2016. Sublethal salinity stress contributes to habitat limitation in an endangered estuarine fish. *Evolutionary Applications*. doi: <http://dx.doi.org/10.1111/eva.12385>
- Kratina, P., R. Mac Nally, W.J. Kimmerer, J.R. Thomson and M. Winder. 2014. Human-induced biotic invasions and changes in plankton interaction networks. *Journal of Applied Ecology* 51(4):1066-1074. doi: <http://dx.doi.org/10.1111/1365-2664.12266>
- Kuivila, K.M. and Moon G.E. 2004. Potential exposure of larval and juvenile delta smelt to dissolved pesticides in the Sacramento-San Joaquin Delta, California. Pages 229-242 In: Feyrer, F., Brown L.R., Brown R.L., Orsi J.J. (eds.). Early life history of fishes in the San Francisco Estuary and watershed. *American Fisheries Society Symposium* 39. Bethesda (MD): American Fisheries Society. https://wwwrcamnl.wr.usgs.gov/tracel/references/pdf/AmFishSocSymp_v39p229.pdf

- Kurobe, T., M.O. Park, A. Javidmehr, F.C. Teh, S.C. Acuña, C.J. Corbin, A.J. Conley, W.A. Bennett and S.J. Teh. 2016. Assessing oocyte development and maturation in the threatened Delta Smelt, *Hypomesus transpacificus*. Environmental Biology of Fishes 99(4):423-432. doi: <http://dx.doi.org/10.1007/s10641-016-0483-z>
- Latour, R.J. 2016. Explaining Patterns of Pelagic Fish Abundance in the Sacramento-San Joaquin Delta. Estuaries and Coasts 39(1):233-247.
doi: <http://dx.doi.org/10.1007/s12237-015-9968-9>
- Lehman, P. W., G. Boyer, C. Hall, S. Waller and K. Gehrt. 2005. Distribution and toxicity of a new colonial *Microcystis aeruginosa* bloom in the San Francisco Bay Estuary, California. Hydrobiologia 541(1):87-99. doi: <http://dx.doi.org/10.1007/s10750-004-4670-0>
- Lehman, P.W., C. Kendall, M.A. Guerin, M.B. Young, S.R. Silva, G.L. Boyer, and S.J. Teh. 2014. Characterization of the *Microcystis* bloom and Its nitrogen supply in San Francisco estuary using stable isotopes. Estuaries and Coasts 38:165-178.
doi: <http://dx.doi.org/10.1007/s12237-014-9811-8>
- Lehman, P.W., K. Marr, G.L. Boyer, S. Acuna and S.J. Teh. 2013. Long-term trends and causal factors associated with *Microcystis* abundance and toxicity in San Francisco Estuary and implications for climate change impacts. Hydrobiologia 718(1):141-158.
doi: <http://dx.doi.org/10.1007/s10750-013-1612-8>
- Lehman, P.W., S.J. Teh, G.L. Boyer, M.L. Nobriga, E. Bass and C. Hogle. 2010. Initial impacts of *Microcystis aeruginosa* blooms on the aquatic food web in the San Francisco Estuary. Hydrobiologia 637(1):229-248. doi: <http://dx.doi.org/10.1007/s10750-009-9999-y>
- Lindberg, J.C., G. Tigan, L. Ellison, T. Rettinghouse, M.M. Nagel and K.M. Fisch. 2013. Aquaculture methods for a genetically managed population of endangered Delta Smelt. North American Journal of Aquaculture 75(2):186-196.
doi: <http://dx.doi.org/10.1080/15222055.2012.751942>
- Lopez, C.B., J.E. Cloern, T.S. Schraga, A.J. Little, L.V. Lucas, J.K. Thompson and J.R. Burau. 2006. Ecological values of shallow-water habitats: implications for the restoration of disturbed ecosystems. Ecosystems 9(3): 422-440.
- Lucas, L.V., J.E. Cloern, J.K. Thompson and N.E. Monsen. 2002. Functional variability of habitats within the Sacramento–San Joaquin Delta: restoration implications. Ecological Applications 12(5):1528-1547.
doi: [http://dx.doi.org/10.1890/1051-0761\(2002\)012\[1528:FVOHWT\]2.0.CO;2](http://dx.doi.org/10.1890/1051-0761(2002)012[1528:FVOHWT]2.0.CO;2)
- Lucas, L.V., J.K. Thompson and L.R. Brown. 2009. Why are diverse relationships observed between phytoplankton biomass and transport time? Limnology and oceanography 54(1): 381-390.

- Mac Nally, R., J.R. Thomson, W.J. Kimmerer, F. Feyrer, K.B. Newman, A. Sih, W.A. Bennett, L. Brown, E. Fleishman, S.D. Culberson and G. Castillo. 2010. Analysis of pelagic species decline in the upper San Francisco Estuary using multivariate autoregressive modeling (MAR). *Ecological Applications* 20(5): 1417-1430.
- MacWilliams, M., A.J. Bever and E. Foresman. 2016. 3-D simulations of the Bay-Delta with subgrid bathymetry to explore long-term trends in salinity distribution and fish abundance. *Bay-Delta and Watershed Science* 14(2).
- MacWilliams, M.L., A.J. Bever, E.S. Gross, G.S. Ketefian, W.J. Kimmerer. 2015. Three-dimensional modeling of hydrodynamics and salinity in the Bay-Delta: An evaluation of model accuracy, X2, and the low-salinity zone. *Bay-Delta and Watershed Science* 13(1).
- Mager, R.C., S.I. Doroshov, J.P. Van Eenennaam and R.L. Brown. 2004. Early life stages of delta smelt. Pages 169-180 in Feyrer, F., Brown, L.R., Brown, R.L., and Orsi, J.J. (eds.). *Early life history of fishes in the San Francisco Estuary and Watershed*. American Fisheries Society Symposium 39, Bethesda, MD.
- Mahardja, B., J.A. Hobbs, N. Ikemiyagi, A. Benjamin and A.J. Finger. 2019. Role of freshwater floodplain-tidal slough complex in the persistence of the endangered delta smelt. *PLoS ONE* 14(1): e0208084.
- Manly, B.F.J., D. Fullerton, A.N. Hendrix and K.P. Burnham. 2015. Comments on Feyrer et al. “modeling the effects of future outflow on the abiotic habitat of an imperiled estuarine fish”. *Estuaries and coasts* 38(5): 1815-1820.
- Matern, S.A., P.B. Moyle and L.C. Pierce. 2002. Native and alien fishes in a California estuarine marsh: twenty-one years of changing assemblages. *Transactions of the American Fisheries Society* 131(5):797-816.
doi: [http://dx.doi.org/10.1577/1548-8659\(2002\)131<0797:NAAFIA>2.0.CO;2](http://dx.doi.org/10.1577/1548-8659(2002)131<0797:NAAFIA>2.0.CO;2)
- Maunder, M.N. and R.B. Deriso. 2011. A state-space multistage life cycle model to evaluate population impacts in the presence of density dependence: illustrated with application to Delta Smelt (*Hypomesus transpacificus*). *Canadian Journal of Fisheries and Aquatic Sciences* 68:1285-1306. doi: <http://dx.doi.org/10.1139/F2011-071>
- Meehl, G.A., C. Covey, T. Delworth, M. Latif, B. McAvaney, J. Mitchell, R. Stouffer and K. Taylor. 2007. The WCRP CMIP3 multi-model dataset: A new era in climate change research. *Bulletin of the American Meteorological Society* 88:1383-1394.
doi: <http://dx.doi.org/10.1175/BAMS-88-9-1383>
- Merz, J.E., S. Hamilton, P.S. Bergman and B. Cavallo. 2011. Spatial perspective for delta smelt: a summary of contemporary survey data. *California Fish and Game* 97(4):164-189.
<https://nrm.dfg.ca.gov/FileHandler.ashx?DocumentID=46489>

- Miller, L.W. 2000. The tow-net survey abundance index for delta smelt revisited. Interagency Ecological Program for the San Francisco Estuary (Newsletter)13(1):37-44.
<http://www.water.ca.gov/iep/newsletters/2000/2000winter.pdf>
- Miller, W.J., B.F.J. Manly, D.D. Murphy, D. Fullerton and R.R. Ramey. 2012. An investigation of factors affecting the decline of delta smelt (*Hypomesus transpacificus*) in the Sacramento-San Joaquin Estuary. Reviews in Fisheries Science (20)1:1-19.
doi: <http://dx.doi.org/10.1080/10641262.2011.634930>
- Monismith, S.G. 2016. A note on Delta outflow. San Francisco Estuary and Watershed Science 14(3).
- Morgan-King, T.L. and D.H. Schoellhamer. 2013. Suspended-sediment flux and retention in a backwater tidal slough complex near the landward boundary of an estuary. Estuaries and Coasts 36(2): 300-318. doi: <http://dx.doi.org/10.1007/s12237-012-9574-z>
- Morinaka, J. 2013. Acute Mortality and Injury of Delta Smelt Associated With Collection, Handling, Transport, and Release at the State Water Project Fish Salvage Facility. Technical Report 89. November. Interagency Ecological Program, Sacramento.
http://www.water.ca.gov/iep/docs/tech_rpts/TR89.IEP_Tech_Report_89_CHTR_AMI_ja_morinaka_02-25-14.pdf
- Mount, J. and R. Twiss. 2005. Subsidence, sea level rise, and seismicity in the Sacramento–San Joaquin Delta. San Francisco Estuary and Watershed Science 3(1).
<https://escholarship.org/uc/item/4k44725p>
- Moyle, P.B., 2002. Inland fishes of California: revised and expanded. Univ of California Press.
- Moyle, P.B., Baxter, R.D., Sommer, T., Foin, T.C. and Matern, S.A., 2004. Biology and population dynamics of Sacramento splittail (*Pogonichthys macrolepidotus*) in the San Francisco Estuary: a review. San Francisco Estuary and Watershed Science 2(2).
- Moyle, P.B., Brown, L.R., Durand, J.R. and Hobbs, J.A., 2016. Delta smelt: life history and decline of a once-abundant species in the San Francisco Estuary. San Francisco Estuary and Watershed Science 14(2).
- Moyle, P.B., L.R. Brown and J.R. Durand. 2016. Delta smelt: life history and decline of a once-abundant species in the San Francisco Estuary. San Francisco Estuary and Watershed Science 14(2). <http://escholarship.org/uc/item/09k9f76s>
- Moyle, P.B., P.K. Crain, K. Whitener and J.F. Mount. 2003. Alien fishes in natural streams: fish distribution, assemblage structure, and conservation in the Cosumnes River, California, USA. Environmental Biology of Fishes 68(2):143-162.
doi: <http://dx.doi.org/10.1023/B:EBFI.0000003846.54826.a6>

- Moyle, P. B., R. A. Daniels, B. Herbold and D.M. Baltz. 1986. Patterns in distribution and abundance of a noncoevolved assemblage of estuarine fishes in California. *Fishery Bulletin* 84(1):105-117.
https://www.researchgate.net/profile/Peter_Moyle2/publication/237472008_Patterns_in_distribution_and_abundance_of_a_noncoevolved_assemblage_of_estuarine_fishes_in_California/links/0046352ba106c33194000000/Patterns-in-distribution-and-abundance-of-a-noncoevolved-assemblage-of-estuarine-fishes-in-California.pdf
- Murphy, D.D. and S.A. Hamilton. 2013. Eastern migration or marshward dispersal: exercising survey data to elicit an understanding of seasonal movement of delta smelt. *San Francisco Estuary and Watershed Science* 11(3). <https://escholarship.org/uc/item/4jf862qz>
- Moyle, P.B., B. Herbold, D.E. Stevens and L.W. 1992. Life history and status of delta smelt in the Sacramento-San Joaquin Estuary, California. *Transactions of the American Fisheries Society* 121(1):67-77. doi: [http://dx.doi.org/10.1577/1548-8659\(1992\)121<0067:LHASOD>2.3.CO;2](http://dx.doi.org/10.1577/1548-8659(1992)121<0067:LHASOD>2.3.CO;2)
- Moyle, P. B., Lund, J. R., Bennett, W. A., and W.E. Fleenor. 2010. Habitat variability and complexity in the upper San Francisco Estuary. *San Francisco Estuary and Watershed Science* 8(3).
- (NMFS) National Marine Fisheries Service. 2009. Biological Opinion and Conference Opinion in the Long-Term Operations of the Central Valley Project and State Water Project. National Marine Fisheries Service, Southwest Region, Sacramento, CA.
http://www.westcoast.fisheries.noaa.gov/central_valley/water_operations/ocap.html
- Nobriga, M.L. 2002. Larval delta smelt diet composition and feeding incidence: environmental and ontogenetic influences. *California Fish and Game* 88(4):149-164.
http://water.ca.gov/aes/docs/Nobriga_2002.pdf
- Nobriga, M.L., F. Feyrer, R.D. Baxter and M. Chotkowski. 2005. Fish community ecology in an altered river delta: spatial patterns in species composition, life history strategies, and biomass. *Estuaries* 28(5):776-785. doi: <http://dx.doi.org/10.1007/BF02732915>
- Nobriga, M.L., Z. Matica and Z.P. Hymanson. 2004. Evaluating entrainment vulnerability to agricultural irrigation diversions: a comparison among open-water fishes. Pp. 281-295 In: American Fisheries Society Symposium 39. American Fisheries Society.
https://water.ca.gov/LegacyFiles/aes/docs/Nobriga_et_al_2004.pdf
- Nobriga, M.L., T.R. Sommer, F. Feyrer and K. Fleming. 2008. Long-term trends in summertime habitat suitability for delta smelt. *San Francisco Estuary and Watershed Science* 6(1).
<https://escholarship.org/uc/item/5xd3q8tx>

- Orsi, J.J. 1995. Food habits of several abundant zooplankton species in the Sacramento-San Joaquin Estuary. Sacramento, California: Interagency Ecological Program for the Sacramento-San Joaquin Estuary. Technical Report 41, Interagency Ecological Program for the Sacramento-San Joaquin Estuary.
https://water.ca.gov/LegacyFiles/iep/docs/tech_rpts/TR41_Orsi_FoodHabits1.pdf
- Orsi, J.J. and W.L. Mecum. 1986. Zooplankton distribution and abundance in the Sacramento-San Joaquin Delta in relation to certain environmental factors. *Estuaries* 9(4):326-339.
doi: <http://dx.doi.org/10.2307/1351412>
- Orsi, J.J. and W.L. Mecum. 1996. Food limitation as the probable cause of a long-term decline in the abundance of Neomysis mercedis the opossum shrimp in the Sacramento-San Joaquin estuary. San Francisco Bay: the ecosystem. American Association for the Advancement of Science, San Francisco, pp.375-401.
- Parker, A.E., R.C. Dugdale and F.P. Wilkerson. 2012. Elevated ammonium concentrations from wastewater discharge depress primary productivity in the Sacramento River and the Northern San Francisco Estuary. *Marine Pollution Bulletin* 64(3):574-586.
doi: <http://dx.doi.org/10.1016/j.marpolbul.2011.12.016>
- Perry, R.W., Skalski, J.R., Brandes, P.L., Sandstrom, P.T., Klimley, A.P., Ammann, A. and MacFarlane, B., 2010. Estimating survival and migration route probabilities of juvenile Chinook salmon in the Sacramento-San Joaquin River Delta. *North American Journal of Fisheries Management* 30(1): 142-156.
- Peterson, J.T. and Barajas, M.F., 2018. An Evaluation of Three Fish Surveys in the San Francisco Estuary, 1995–2015. *San Francisco Estuary and Watershed Science* 16(4).
- Peterson, M.S. 2003. A conceptual view of environment-habitat-production linkages in tidal river estuaries. *Reviews in Fisheries science* 11(4):291-313.
doi: <https://doi.org/10.1080/10641260390255844>
- Polansky, L., Mitchell, L., and Newman, K.B. In revision. Using multistage design-based methods to construct abundance indices and uncertainty measures for delta smelt. *Transactions of the American Fisheries Society* (update when accepted).
- Polansky, L., K.B. Newman, M.L. Nobriga and L. Mitchell. 2018. Spatiotemporal models of an estuarine fish species to identify patterns and factors impacting their distribution and abundance. *Estuaries and Coasts* 41(2):572-581.
<http://dx.doi.org/10.1007/s12237-017-0277-3>
- Popper, A.N., T.J. Carlson, A.D. Hawkins, B.L. Southall and R.L. Gentry. 2006. Interim Criteria for Injury of Fish Exposed to Pile Driving Operations: A White Paper. Department of Biology, University of Maryland. College Park, Maryland. May 15, 2006.
http://www.dot.ca.gov/hq/env/bio/files/piledrivinginterimcriteria_13may06.pdf

- Quinn, T., Krueger, K., Pierce, K., Penttila, D., Perry, K., Hicks, T. and Lowry, D., 2012. Patterns of surf smelt, *Hypomesus pretiosus*, intertidal spawning habitat use in Puget Sound, Washington State. *Estuaries and Coasts* 35(5), pp.1214-1228.
- Reed, D., J.T. Hollibaugh, J. Korman, E. Peebles, K. Rose, P. Smith and P. Montagna. 2014. Workshop on Delta Outflows and related stressors: panel summary report. Report to the Delta Science Program, Sacramento, CA.
<http://deltacouncil.ca.gov/sites/default/files/documents/files/Delta-Outflows-Report-Final-2014-05-05.pdf>
- (Reclamation) U.S. Bureau of Reclamation. 2008. Biological Assessment on the Continued Long-term Operations of the Central Valley Project and the State Water Project. Appendix P, SALMOD Model. http://www.usbr.gov/mp/cvo/ocap_page.html
- (Reclamation) U.S. Bureau of Reclamation. 2016. Request for reinitiation of section 7 consultation addressing coordinated long-term operation of the Central Valley Project (CVP) and State Water Project (SWP). Letter from the Bureau of Reclamation and California Department of Water Resources (David Murillo, Mark Cowin) to the U.S. Fish and Wildlife Service (Ren Lohofener), August 2, 2016.
- Reis, G.J., Howard, J.K. and J.A. Rosenfield. 2019. Clarifying Effects of Environmental Protections on Freshwater Flows to—and Water Exports from—the San Francisco Bay Estuary. *San Francisco Estuary and Watershed Science* 17(1).
- Robinson, A., S. Safran and J. Beagle. 2014. A delta transformed: ecological functions, spatial metrics and landscape change in the Sacramento-San Joaquin Delta. A report to the Delta Landscapes Project: Management Tools for Landscape-Scale Restoration of Ecological Functions. Prepared for the California Department of Fish and Wildlife, Ecosystems Restoration Program. San Francisco Estuary Institute, Publication #729. October 2014. http://www.sfei.org/sites/default/files/biblio_files/DeltaTransformed_SFEI_110414.pdf
- (ROC BA) U.S. Bureau of Reclamation. 2019. Biological Assessment for the Reinitiation of Consultation on Coordinated Long-Term Operations of the Central Valley Project and State Water Project. Mid-Pacific Recreational Office, Sacramento, CA.
- Rose, K.A., W.J. Kimmerer, K.P. Edwards and W.A. Bennett. 2013a. Individual-based modeling of Delta Smelt population dynamics in the upper San Francisco Estuary: I. Model description and baseline results. *Transactions of the American Fisheries Society* 142(5):1238-1259. doi: <http://dx.doi.org/10.1080/00028487.2013.799518>
- Rose, K.A., W.J. Kimmerer, K.P. Edwards and W.A. Bennett. 2013b. Individual-based modeling of Delta Smelt population dynamics in the upper San Francisco Estuary: II. Alternative baselines and good versus bad years. *Transactions of the American Fisheries Society* 142(5):1260-1272. doi: <http://dx.doi.org/10.1080/00028487.2013.799519>

Ruhl, C.A. and D.H. Schoellhamer. 2004. Spatial and temporal variability of suspended-sediment concentrations in a shallow estuarine environment. San Francisco Estuary and Watershed Science 2(2). <http://escholarship.org/uc/item/1g1756dw>

Schoellhamer, D.H. 2011. Sudden clearing of estuarine waters upon crossing the threshold from transport to supply regulation of sediment transport as an erodible sediment pool is depleted: San Francisco Bay, 1999. *Estuaries and Coasts* 34(5):885-899.
doi: <http://dx.doi.org/10.1007/s12237-011-9382-x>

Schoellhamer, D.H., Wright, S.A. and Drexler, J., 2012. A conceptual model of sedimentation in the Sacramento–San Joaquin Delta. *San Francisco Estuary and Watershed Science* 10(3).

Scholz, N.L., E. Fleishman, L. Brown, I. Werner, M.L. Johnson, M.L. Brooks, C.L. Mitchelmore, and D. Schlenk. 2012. A Perspective on Modern Pesticides, Pelagic Fish Declines, and Unknown Ecological Resilience in Highly Managed Ecosystems. *BioScience* 62(4):428–434.
<http://bioscience.oxfordjournals.org/content/62/4/428.full.pdf+html>

Schreier, BM, M.R. Baerwald, J.L. Conrad, G. Schumer and B. May. 2016. Examination of predation on early life stage Delta Smelt in the San Francisco Estuary using DNA diet analysis. *Transactions of the American Fisheries Society* 145:723-733.
doi: <http://dx.doi.org/10.1080/00028487.2016.1152299>

Scofield, N.B., and Bryant, H.C. 1926. The striped bass in California. *California Fish and Game* 12(2): 55-74.

(Service) U.S. Fish and Wildlife Service. 1991. Endangered and threatened wildlife and plants; proposed threatened status for the delta smelt. *Federal Register* 56: 50075-50082.
http://ecos.fws.gov/docs/federal_register/fr1938.pdf

(Service) U.S. Fish and Wildlife Service. 1993. Endangered and threatened wildlife and plants; determination of threatened status for the delta smelt; final rule. *Federal Register* 58(42):12854-12864. https://ecos.fws.gov/docs/federal_register/fr2235.pdf

(Service) U.S. Fish and Wildlife Service. 1994. Endangered and threatened wildlife and plants; final rule critical habitat determination for the delta smelt. *Federal Register* 59: 65256-65277. http://ecos.fws.gov/docs/federal_register/fr2751.pdf

(Service) U.S. Fish and Wildlife Service. 1996. Recovery Plan for the Sacramento-San Joaquin Delta Native Fishes. http://ecos.fws.gov/docs/recovery_plan/961126.pdf

(Service) U.S. Fish and Wildlife Service. 2004. 2004. 5-year review of the delta smelt.
http://ecos.fws.gov/docs/five_year_review/doc3570.pdf

(Service) U.S. Fish and Wildlife Service. 2008. Formal Endangered Species Act Consultation on the Proposed Coordinated Operations of the Central Valley Project (CVP) and State Water Project (SWP). United States Fish and Wildlife Service, Sacramento, CA.
https://www.fws.gov/sfbaydelta/documents/SWP-CVP_OPs_BO_12-15_final_OCR.pdf

(Service) U.S. Fish and Wildlife Service. 2010a. 5-year review delta smelt (*Hypomesus transpecificus*). http://ecos.fws.gov/docs/five_year_review/doc3570.pdf

(Service) U.S. Fish and Wildlife Service. 2010b. Endangered and threatened wildlife and plants; 12-month finding on a petition to reclassify the delta smelt from threatened to endangered throughout its range. Federal Register 75:17667-17680.
<https://www.gpo.gov/fdsys/pkg/FR-2010-04-07/pdf/2010-7904.pdf>

(Service) U.S. Fish and Wildlife Service. 2010c. Notice of Findings on Delta Smelt uplisting. Federal Register 75:69222-69294.
<https://www.gpo.gov/fdsys/pkg/FR-2010-11-10/pdf/2010-27686.pdf#page=2>

(Service) U.S. Fish and Wildlife Service 2011. Fish ID protocols from Table 1. Factors affecting delta smelt entrainment and salvage.

(Service) U.S. Fish and Wildlife Service. 2012a. Biological Opinion on the Temporary Barriers Project, South Delta, San Joaquin County, California (Corps File SPK-2001-00121, 2000-00696), United States Fish and Wildlife Service, Sacramento, CA.

(Service) U.S. Fish and Wildlife Service. 2012b. Candidate Notice of Review (CNOR) for Delta Smelt. November 21, 2012. Federal Register 77:69994-70060.
<https://www.gpo.gov/fdsys/pkg/FR-2012-11-21/pdf/2012-28050.pdf>

(Service) U.S. Fish and Wildlife Service. 2016. Candidate Notice of Review (CNOR) for Delta Smelt. December 2, 2016. Federal Register 81:87246-87272.
<https://www.gpo.gov/fdsys/pkg/FR-2016-12-02/pdf/2016-28817.pdf>

(Service) . U.S. Fish and Wildlife Service 2017. Memo to Area Manager, Bureau of Reclamation, Mid-Pacific Region, Bay Delta Office, from Regional Director, US Fish and Wildlife Service, Pacific Southwest Regional Office, Subject: Proposed Change to Action 4 of the 2008 Biological Opinion for the Coordinated Long-Term Operation of the Central Valley Water Project and State Water Project.

Simonis, J.L., and Merz, J.E. 2019. Prey availability, environmental constraints, and aggregation dictate population distribution of an imperiled fish. *Ecosphere* info:doi/10.1002/ecs2.2634.

Slater, S.B. and R.D. Baxter. 2014. Diet, prey selection, and body condition of age-0 delta smelt, in the Upper San Francisco Estuary. *San Francisco Estuary Watershed Science* 12(3). doi: <http://dx.doi.org/10.15447/sfews.2014v12iss3art1>

- Solomon, S., G.K. Plattner, R. Knutti and P. Friedlingstein. 2009. Irreversible climate change due to carbon dioxide emissions. *Proceedings of the National Academy of Sciences of the United States of America* 106(6):1704-1709.
doi: <http://dx.doi.org/10.1073/pnas.0812721106>
- Sommer, T., L. Conrad and M. Koller 2019. Suisun Marsh Salinity Control Gate Study Slide Presentation to the Estuary Ecology Team. IEP. Department of Water Resources.
- Sommer, T. and F. Mejia. 2013. A place to call home: a synthesis of Delta Smelt habitat in the upper San Francisco Estuary. *San Francisco Estuary and Watershed Science* 11(2). <https://escholarship.org/uc/item/32c8t244>
- Sommer, T., F.H. Mejia, M. Nobriga, F. Feyrer, and L. Grimaldo. 2011. The spawning migration of delta smelt in the upper San Francisco Estuary. *Francisco Estuary and Watershed Science* 9(2). <https://escholarship.org/uc/item/86m0g5sz>
- Sommer, T.R., M.L. Nobriga, W.C. Harrell, W. Batham and W.J. Kimmerer. 2001. Floodplain rearing of juvenile Chinook salmon: evidence of enhanced growth and survival. *Canadian Journal of Fisheries and Aquatic Science* 58(2):325-333.
doi: <http://dx.doi.org/10.1139/f00-245>
- Stevens, D.E. 1963. Food habits of the striped bass, *Roccus saxatilis* (Walbaum) in the Sacramento-Rio Vista area of the Sacramento River. Master's Thesis. University of California.
- Stewart, A. R., S.N. Luoma, C.E. Schlekat, M.A. Doblin and K.A. Hieb. 2004. Food web pathway determines how selenium affects aquatic ecosystems: a San Francisco Bay case study. *Environmental Science and Technology* 38(17):4519-4526.
doi: <http://dx.doi.org/10.1021/es0499647>
- Stevens, D.E. 1977. Striped bass (*Morone saxatilis*) year class strength in relation to river flow in the Sacramento-San Joaquin Estuary, California. *Transactions of the American Fisheries Society* 106(1):34-42.
doi: [http://dx.doi.org/10.1577/1548-8659\(1977\)106<34:SBMSYC>2.0.CO;2](http://dx.doi.org/10.1577/1548-8659(1977)106<34:SBMSYC>2.0.CO;2)
- Stevens, D.E., L.W. Miller. 1983. Effects of river flow on abundance of young Chinook salmon, American shad, longfin smelt, and delta smelt in the Sacramento-San Joaquin River system. *North American Journal of Fisheries Management* 3(4):425-437.
doi: [http://dx.doi.org/10.1577/1548-8659\(1983\)3<425:EOFRAO>2.0.CO;2](http://dx.doi.org/10.1577/1548-8659(1983)3<425:EOFRAO>2.0.CO;2)
- Sullivan, L.J. and Kimmerer, W.J., 2013. Egg development times of *Eurytemora affinis* and *Pseudodiaptomus forbesi* (Copepoda, Calanoida) from the upper San Francisco Estuary with notes on methods. *Journal of plankton research* 35(6): 1331-1338.

- Sullivan, L. J., T.R, Ignoffo, B. Baskerville-Bridges, D.J. Ostrach and W.J. Kimmerer. 2016. Prey selection of larval and juvenile planktivorous fish: impacts of introduced prey. *Environmental Biology of Fishes* 99(8-9):633-646. doi: <http://dx.doi.org/10.1007/s10641-016-0505-x>
- Swanson, C., T. Reid, P.S. Young and J.J. Cech, Jr. 2000. Comparative environmental tolerances of threatened delta smelt (*Hypomesus transpacificus*) and introduced wakasagi (*H. nipponeensis*) in an altered California estuary. *Oecologia* 123(3):384-390. doi: <http://dx.doi.org/10.1007/s004420051025>
- Swanson, C., Young, P. S., and Cech, J. J. 1998. Swimming performance of delta smelt: maximum performance, and behavioral and kinematic limitations on swimming at submaximal velocities. *Journal of Experimental Biology* 201(3):333-345. <http://jeb.biologists.org/content/201/3/333.short>
- Swanson, C., P.S. Young and J.J. Cech. 2005. Close encounters with a fish screen: integrating physiological and behavioral results to protect endangered species in exploited ecosystems. *Transactions of the American Fisheries Society* 134(5):1111-1123. doi: <http://dx.doi.org/10.1577/T04-121.1>
- Sweetnam, D.A. 1999. Status of delta smelt in the Sacramento-San Joaquin Estuary. *California Fish and Game* 85(1):22-27. <https://www.wildlife.ca.gov/Publications/Journal>
- Swenson, R.O., K. Whitener, and M. Eaton. 2003. Restoring floods on floodplains: riparian and floodplain restoration at the Cosumnes River Preserve. Pp. 224-229 In: Faber, P.M. (ed). *California Riparian Systems: Processes and Floodplain Management, Ecology, Restoration*, 2001 Riparian Habitat and Floodplains Conference Proceedings, Riparian Habitat Joint Venture: Sacramento, CA. http://www.sjrdotmdl.org/concept_model/phys-chem_model/documents/300001823.pdf
- Thomson, J. R., W.J. Kimmerer, L.R. Brown, K.B. Newman, R. Mac Nally, W.A. Bennett, F. Feyrer and E. Fleishman. 2010. Bayesian change point analysis of abundance trends for pelagic fishes in the upper San Francisco Estuary. *Ecological Applications* 20(5):1431-1448. doi: <http://dx.doi.org/10.1890/09-0998.1>
- Thomsen, F., S. McCully, D. Wood, F. Pace, and P. White. 2009. A generic investigation into noise profiles of marine dredging in relation to the acoustic sensitivity of the marine fauna in UK waters with particular emphasis on aggregate dredging: PHASE 1 Scoping and review of key issues. February. Marine Aggregate Levy Sustainability Fund. https://www.researchgate.net/publication/272740795_A_generic_investigation_into_noise_profiles_of_marine_dredging_in_relation_to_the_acoustic_sensitivity_of_the_marine_fauna_in_UK_waters_PHASe_1_Scoping_and_review_of_key_issues
- Toft, J. D., C.A. Simenstad, J.R. Cordell and L.F. Grimaldo. 2003. The effects of introduced water hyacinth on habitat structure, invertebrate assemblages, and fish diets. *Estuaries* 26(3):746-758. doi: <http://dx.doi.org/10.1007/BF02711985>

- Turner, J.L. and H.K. Chadwick. 1972. Distribution and abundance of young-of-the-year striped bass, *Morone saxatilis*, in relation to river flow in the Sacramento-San Joaquin estuary. Transactions of the American Fisheries Society 101(3):442-452.
doi: [http://dx.doi.org/10.1577/1548-8659\(1972\)101<442:DAAOYS>2.0.CO;2](http://dx.doi.org/10.1577/1548-8659(1972)101<442:DAAOYS>2.0.CO;2)
- Vincik, R.F. and J.M. Julianne. 2012. Occurrence of delta smelt (*Hypomesus transpacificus*) in the lower Sacramento River near Knights Landing, California. California Fish and Game 98(3):171-174. <https://www.wildlife.ca.gov/Publications/Journal>
- Wagner, R.W., M. Stacey, L.R. Brown and M. Dettinger. 2011. Statistical models of temperature in the Sacramento–San Joaquin Delta under climate-change scenarios and ecological implications. Estuaries and Coasts 34(3):544-556.
doi: <http://dx.doi.org/10.1007/s12237-010-9369-z>
- Werner, I., L.A. Deanovic, M. Stillway and D. Markiewicz. 2008. The effects of wastewater treatment effluent-associated contaminants on Delta Smelt: Final Report. September 26, 2008. Aquatic Toxicology Laboratory, School of Veterinary Medicine, University of California-Davis.
- Werner, I., L.A. Deanovic, M. Stillway, and D. Markiwicz. 2010. Acute Toxicity of SRWTP Effluent to Delta Smelt and Surrogate Species. Final Report. Aquatic Toxicology Laboratory, School of Veterinary Medicine, University of California, Davis.
http://www.water.ca.gov/iep/docs/pod/Werner_et_al_Delta_Smelt_Ammonia_2010_Final_Report.pdf
- Weston, D. P. and M.J. Lydy. 2012. Stormwater input of pyrethroid insecticides to an urban river. Environmental Toxicology and Chemistry 31(7):1579-1586.
doi: <http://dx.doi.org/10.1002/etc.1847>
- Weston, D.P., Y. Ding, M. Zhang and M.J. Lydy. 2013. Identifying the cause of sediment toxicity in agricultural sediments: the role of pyrethroids and nine seldom-measured hydrophobic pesticides. Chemosphere 90(3):958-964.
doi: <http://dx.doi.org/10.1016/j.chemosphere.2012.06.039>
- Whipple, A.A., R.M. Grossinger, D. Rankin, B. Stanford and R.A. Askevold. 2012. Sacramento-San Joaquin Delta historical ecology investigation: Exploring pattern and process. Prepared for the California Department of Fish and Game and Ecosystem Restoration Program. A report of SFEIASC's Historical Ecology Program, publication# 672, San Francisco Estuary Institute-Aquatic Science Center, Richmond, CA.
http://www.sfei.org/sites/default/files/biblio_files/Delta_HistoricalEcologyStudy_SFEI_ASC_2012_lowres.pdf
- Wiens, J., L. Grenier, R. Grossinger and M. Healey. 2016. The Delta as Changing Landscapes. San Francisco Estuary and Watershed Science 14(2).
<https://escholarship.org/uc/item/7xg4j201>

Wilkerson, F.P., R.C. Dugdale, V.E. Hogue and A. Marchi. 2006. Phytoplankton blooms and nitrogen productivity in San Francisco Bay. *Estuaries and Coasts* 29(3):401-416.
doi: <http://dx.doi.org/10.1007/BF02784989>

Wilkerson, F.P., R.C. Dugdale, A.E. Parker, S.B. Blaser and A. Pimenta. 2015. Nutrient uptake and primary productivity in an urban estuary: using rate measurements to evaluate phytoplankton response to different hydrological and nutrient conditions. *Aquatic Ecology* 49(2): 211-233.

Winder, M. and A.D. Jassby. 2011. Shifts in zooplankton community structure: implications for food web processes in the upper San Francisco Estuary. *Estuaries and Coasts* 34(4):675-690. doi: <http://dx.doi.org/10.1007/s12237-010-9342-x>

Winder, M., Jassby, A.D. and Mac Nally, R., 2011. Synergies between climate anomalies and hydrological modifications facilitate estuarine biotic invasions. *Ecology letters* 14(8), pp.749-757.

Winemiller, K.O. and K.A. Rose. 1992. Patterns of life-history diversification in North American fishes: implications for population regulation. *Canadian Journal of Fisheries and Aquatic Sciences* 49(10):2196-2218. doi: <http://dx.doi.org/10.1139/f92-242>

Wright, S.A. and D.H. Schoellhamer. 2004. Trends in the sediment yield of the Sacramento River, California, 1957–2001. *San Francisco Estuary and Watershed Science* 2(2). <https://escholarship.org/uc/item/891144f4>