

```
<<
/ASCII85EncodePages false
/AllowTransparency false
/AutoPositionEPSFiles true
/AutoRotatePages /None
/Binding /Left
/CalGrayProfile (Gray Gamma 2.2)
/CalRGBProfile (sRGB IEC61966-2.1)
/CalCMYKProfile (ISO Coated v2 300% \050ECI\051)
/sRGBProfile (sRGB IEC61966-2.1)
/CannotEmbedFontPolicy /Error
/CompatibilityLevel 1.3
/CompressObjects /Off
/CompressPages true
/ConvertImagesToIndexed true
/PassThroughJPEGImages true
/CreateJDFFile false
/CreateJobTicket false
/DefaultRenderingIntent /Perceptual
/DetectBlends true
/DetectCurves 0.0000
/ColorConversionStrategy /sRGB
/DoThumbnails true
/EmbedAllFonts true
/EmbedOpenType false
/ParseCCProfilesInComments true
/EmbedJobOptions true
/DSCReportingLevel 0
/EmitDSCWarnings false
/EndPage -1
/ImageMemory 1048576
/LockDistillerParams true
/MaxSubsetPct 100
/Optimize true
/OPM 1
/ParseDSCComments true
/ParseDSCCommentsForDocInfo true
/PreserveCopyPage true
/PreserveDICMYKValues true
/PreserveEPSInfo true
/PreserveFlatness true
/PreserveHalftoneInfo false
/PreserveOPIComments false
/PreserveOverprintSettings true
/StartPage 1
/SubsetFonts false
/TransferFunctionInfo /Apply
/UCRandBGInfo /Preserve
/UsePrologue false
/ColorSettingsFile ()
/AlwaysEmbed [ true
]
/NeverEmbed [ true
]
/AntiAliasColorImages false
/CropColorImages true
```

```
/ColorImageMinResolution 150
/ColorImageMinResolutionPolicy /Warning
/DownsampleColorImages true
/ColorImageDownsampleType /Bicubic
/ColorImageResolution 150
/ColorImageDepth -1
/ColorImageMinDownsampleDepth 1
/ColorImageDownsampleThreshold 1.50000
/EncodeColorImages true
/ColorImageFilter /DCTEncode
/AutoFilterColorImages true
/ColorImageAutoFilterStrategy /JPEG
/ColorACSImageDict <<
  /QFactor 0.40
  /HSamples [1 1 1 1] /VSamples [1 1 1 1]
>>
/ColorImageDict <<
  /QFactor 1.30
  /HSamples [2 1 1 2] /VSamples [2 1 1 2]
>>
/JPEG2000ColorACSImageDict <<
  /TileWidth 256
  /TileHeight 256
  /Quality 10
>>
/JPEG2000ColorImageDict <<
  /TileWidth 256
  /TileHeight 256
  /Quality 10
>>
/AntiAliasGrayImages false
/CropGrayImages true
/GrayImageMinResolution 150
/GrayImageMinResolutionPolicy /Warning
/DownsampleGrayImages true
/GrayImageDownsampleType /Bicubic
/GrayImageResolution 150
/GrayImageDepth -1
/GrayImageMinDownsampleDepth 2
/GrayImageDownsampleThreshold 1.50000
/EncodeGrayImages true
/GrayImageFilter /DCTEncode
/AutoFilterGrayImages true
/GrayImageAutoFilterStrategy /JPEG
/GrayACSImageDict <<
  /QFactor 0.40
  /HSamples [1 1 1 1] /VSamples [1 1 1 1]
>>
/GrayImageDict <<
  /QFactor 1.30
  /HSamples [2 1 1 2] /VSamples [2 1 1 2]
>>
/JPEG2000GrayACSImageDict <<
  /TileWidth 256
  /TileHeight 256
  /Quality 10
```

```
>>
/JPEG2000GrayImageDict <<
  /TileWidth 256
  /TileHeight 256
  /Quality 10
>>
/AntiAliasMonolImages false
/CropMonolImages true
/MonolImageMinResolution 600
/MonolImageMinResolutionPolicy /Warning
/DownsampleMonolImages true
/MonolImageDownsampleType /Bicubic
/MonolImageResolution 600
/MonolImageDepth -1
/MonolImageDownsampleThreshold 1.50000
/EncodeMonolImages true
/MonolImageFilter /CCITTFaxEncode
/MonolImageDict <<
  /K -1
>>
/AllowPSXObject false
/CheckCompliance [
  /None
]
/PDFX1aCheck false
/PDFX3Check false
/PDFXCompliantPDFOnly false
/PDFXNoTrimBoxError true
/PDFXTrimBoxToMediaBoxOffset [
  0.00000
  0.00000
  0.00000
  0.00000
]
/PDFXSetBleedBoxToMediaBox true
/PDFXBleedBoxToTrimBoxOffset [
  0.00000
  0.00000
  0.00000
  0.00000
]
/PDFXOutputIntentProfile (None)
/PDFXOutputConditionIdentifier ()
/PDFXOutputCondition ()
/PDFXRegistryName ()
/PDFXTrapped /False

/Description <<
  /CHS
<FEFF4f7f75288fd94e9b8bbe5b9a521b5efa7684002000410064006f00620065002000500044004600206
5876863900275284e8e5c4f5e55663e793a3001901a8fc775355b5090ae4ef653d190014ee553ca901a8fc
756e072797f5153d15e03300260a853ef4ee54f7f75280020004100630072006f0062006100740020548c0
02000410064006f00620065002000520065006100640065007200200035002e003000204ee553ca66f49a
d87248672c676562535f00521b5efa768400200050004400460020658768633002>
  /CHT
<FEFF4f7f752890194e9b8a2d7f6e5efa7acb7684002000410064006f00620065002000500044004600206
```

5874ef69069752865bc87a25e55986f793a3001901a904e96fb5b5090f54ef650b390014ee553ca57287db2
969b7db28def4e0a767c5e03300260a853ef4ee54f7f75280020004100630072006f006200610074002054
8c002000410064006f00620065002000520065006100640065007200200035002e003000204ee553ca66f
49ad87248672c4f86958b555f5df25efa7acb76840020005000440046002065874ef63002>

/DAN

<FEFF004200720075006700200069006e0064007300740069006c006c0069006e006700650072006e00
65002000740069006c0020006100740020006f007000720065007400740065002000410064006f0062006
50020005000440046002d0064006f006b0075006d0065006e007400650072002c0020006400650072002
000620065006400730074002000650067006e006500720020007300690067002000740069006c0020007
3006b00e60072006d007600690073006e0069006e0067002c00200065002d006d00610069006c0020006f
006700200069006e007400650072006e00650074002e0020004400650020006f00700072006500740074
0065006400650020005000440046002d0064006f006b0075006d0065006e0074006500720020006b0061
006e002000e50062006e00650073002000690020004100630072006f006200610074002000520065006100640065007200200035002e00300
06500720020004100630072006f006200610074002000520065006100640065007200200035002e00300
020006f00670020006e0079006500720065002e>

/ESP

<FEFF005500740069006c0069006300650020006500730074006100200063006f006e006600690067007
5007200610063006900f3006e0020007000610072006100200063007200650061007200200064006f0063
0075006d0065006e0074006f00730020005000440046002000640065002000410064006f0062006500200
061006400650063007500610064006f007300200070006100720061002000760069007300750061006c0
069007a00610063006900f3006e00200065006e002000700061006e00740061006c006c0061002c002000
63006f007200720065006f00200065006c006500630074007200f3006e00690063006f0020006500200049
006e007400650072006e00650074002e002000530065002000700075006500640065006e002000610062
00720069007200200064006f00630075006d0065006e0074006f007300200050004400460020006300720
06500610064006f007300200063006f006e0020004100630072006f006200610074002c00200041006400
6f00620065002000520065006100640065007200200035002e0030002000790020007600650072007300
69006f006e0065007300200070006f00730074006500720069006f007200650073002e>

/FRA

<FEFF005500740069006c006900730065007a00200063006500730020006f007000740069006f006e007
30020006100660069006e00200064006500200063007200e900650072002000640065007300200064006
f00630075006d0065006e00740073002000410064006f0062006500200050004400460020006400650073
00740069006e00e90073002000e00200049006e007400650072006e00650074002c002000e0002000ea
007400720065002000610066006600690063006800e90073002000e0020006c002700e9006300720061
006e002000650074002000e002000ea00740072006500200065006e0076006f007900e9007300200070
006100720020006d006500730073006100670065007200690065002e0020004c0065007300200064006f
00630075006d0065006e00740073002000500044004600200063007200e900e900730020007000650075
00760065006e0074002000ea0074007200650020006f007500760065007200740073002000640061006e
00730020004100630072006f006200610074002c002000610069006e0073006900200071007500270041
0064006f00620065002000520065006100640065007200200035002e0030002000650074002000760065
007200730069006f006e007300200075006c007400e90072006900650075007200650073002e>

/ITA

<FEFF005500740069006c0069007a007a00610072006500200071007500650073007400650020006900
6d0070006f007300740061007a0069006f006e00690020007000650072002000630072006500610072006
500200064006f00630075006d0065006e00740069002000410064006f0062006500200050004400460020
0070006900f9002000610064006100740074006900200070006500720020006c00610020007600690073
00750061006c0069007a007a0061007a0069006f006e0065002000730075002000730063006800650072
006d006f002c0020006c006100200070006f00730074006100200065006c0065007400740072006f006e00
69006300610020006500200049006e007400650072006e00650074002e0020004900200064006f006300
75006d0065006e007400690020005000440046002000630072006500610074006900200070006f007300
73006f006e006f0020006500730073006500720065002000610070006500720074006900200063006f006
e0020004100630072006f00620061007400200065002000410064006f0062006500200052006500610064
0065007200200035002e003000200065002000760065007200730069006f006e00690020007300750063
0063006500730073006900760065002e>

/JPN

<FEFF753b97624e0a3067306e8868793a3001307e305f306f96fb5b5030e130fc30eb308430a430f330bf3
0fc30cd30c330c87d4c7531306790014fe13059308b305f3081306e002000410064006f006200650020005

0004400460020658766f8306e4f5c6210306b9069305730663044307e305930023053306e8a2d5b9a30674f5c62103055308c305f0020005000440046002030d530a130a430eb306f3001004100630072006f0062006100740020304a30883073002000410064006f00620065002000520065006100640065007200200035002e003000204ee5964d3067958b304f30533068304c3067304d307e305930023053306e8a2d5b9a3067306f30d530a930f330c8306e57cb30818fbc307f3092884c306a308f305a300130d530a130a430eb30b530a430ba306f67005c0f9650306b306a308a307e30593002>

/KOR

<FEFFc7740020c124c815c7440020c0acc6a9d558c5ec0020d654ba740020d45cc2dc002c0020c804c7900020ba54c77c002c0020c778d130b137c5d00020ac00c7a50020c801d569d55c002000410064006f0062006500200050004400460020bb38c11cb97c0020c791c131d569b2c8b2e4002e0020c774b807ac8c0020c791c131b41c00200050004400460020bb38c11cb2940020004100630072006f0062006100740020bc0f002000410064006f00620065002000520065006100640065007200200035002e00300020c774c0c1c5d0c11c0020c5f40020c2180020c788c2b5b2c8b2e4002e>

/NLD (Gebruik deze instellingen om Adobe PDF-documenten te maken die zijn geoptimaliseerd voor weergave op een beeldscherm, e-mail en internet. De gemaakte PDF-documenten kunnen worden geopend met Acrobat en Adobe Reader 5.0 en hoger.)

/NOR

<FEFF004200720075006b00200064006900730073006500200069006e006e007300740069006c006c0069006e00670065006e0065002000740069006c002000e50020006f0070007000720065007400740065002000410064006f006200650020005000440046002d0064006f006b0075006d0065006e00740065007200200073006f006d00200065007200200062006500730074002000650067006e0065007400200066006f007200200073006b006a00650072006d007600690073006e0069006e0067002c00200065002d0070006f007300740020006f006700200049006e007400650072006e006500740074002e0020005000440046002d0064006f006b0075006d0065006e00740065006e00650020006b0061006e002000e50070006e00650073002000690020004100630072006f00620061007400200065006c006c00650072002000410064006f00620065002000520065006100640065007200200035002e003000200065006c006c00650072002000730065006e006500720065002e>

/PTB

<FEFF005500740069006c0069007a006500200065007300730061007300200063006f006e00660069006700750072006100e700f50065007300200064006500200066006f0072006d00610020006100200063007200690061007200200064006f00630075006d0065006e0074006f0073002000410064006f0062006500200050004400460020006d00610069007300200061006400650071007500610064006f00730020007000610072006100200065007800690062006900e700e3006f0020006e0061002000740065006c0061002c0020007000610072006100200065002d006d00610069006c007300200065002000700061007200610020006100200049006e007400650072006e00650074002e0020004f007300200064006f00630075006d0065006e0074006f00730020005000440046002000630072006900610064006f007300200070006f00640065006d0020007300650072002000610062006500720074006f007300200063006f006d0020006f0020004100630072006f006200610074002000650020006f002000410064006f00620065002000520065006100640065007200200035002e0030002000650020007600650072007300f50065007300200070006f00730074006500720069006f007200650073002e>

/SUO

<FEFF004b00e40079007400e40020006e00e40069007400e4002000610073006500740075006b007300690061002c0020006b0075006e0020006c0075006f00740020006c00e400680069006e006e00e40020006e00e40079007400f60073007400e40020006c0075006b0065006d0069007300650065006e002c0020007300e40068006b00f60070006f0073007400690069006e0020006a006100200049006e007400650072006e0065007400690069006e0020007400610072006b006f006900740065007400740075006a0061002000410064006f0062006500200050004400460020002d0064006f006b0075006d0065006e007400740065006a0061002e0020004c0075006f0064007500740020005000440046002d0064006f006b0075006d0065006e00740069007400200076006f0069006400610061006e0020006100760061007400610020004100630072006f0062006100740069006c006c00610020006a0061002000410064006f00620065002000520065006100640065007200200035002e0030003a006c006c00610020006a006100200075007500640065006d006d0069006c006c0061002e>

/SVE

<FEFF0041006e007600e4006e00640020006400650020006800e4007200200069006e0073007400e4006c006c006e0069006e006700610072006e00610020006f006d002000640075002000760069006c006c00200073006b006100700061002000410064006f006200650020005000440046002d0064006f006b0075006d

0065006e007400200073006f006d002000e400720020006c00e4006d0070006c006900670061002000660
0f6007200200061007400740020007600690073006100730020007000e500200073006b00e40072006d0
02c0020006900200065002d0070006f007300740020006f006300680020007000e500200049006e007400
650072006e00650074002e002000200053006b006100700061006400650020005000440046002d006400
6f006b0075006d0065006e00740020006b0061006e002000f600700070006e00610073002000690020004
100630072006f0062006100740020006f00630068002000410064006f0062006500200052006500610064
0065007200200035002e00300020006f00630068002000730065006e006100720065002e>

/ENU (Use these settings to create Adobe PDF documents best suited for on-screen display, e-mail,
and the Internet. Created PDF documents can be opened with Acrobat and Adobe Reader 5.0 and later.)

/DEU

<FEFF004a006f0062006f007000740069006f006e007300200066006f00720020004100630072006f00620
0610074002000440069007300740069006c006c0065007200200037000d00500072006f00640075006300
6500730020005000440046002000660069006c0065007300200077006800690063006800200061007200
650020007500730065006400200066006f00720020006f006e006c0069006e0065002e000d00280063002
90020003200300031003000200053007000720069006e006700650072002d005600650072006c0061006
700200047006d006200480020>

>>

/Namespace [

(Adobe)

(Common)

(1.0)

]

/OtherNamespaces [

<<

/AsReaderSpreads false

/CropImagesToFrames true

/ErrorControl /WarnAndContinue

/FlattenerIgnoreSpreadOverrides false

/IncludeGuidesGrids false

/IncludeNonPrinting false

/IncludeSlug false

/Namespace [

(Adobe)

(InDesign)

(4.0)

]

/OmitPlacedBitmaps false

/OmitPlacedEPS false

/OmitPlacedPDF false

/SimulateOverprint /Legacy

>>

<<

/AddBleedMarks false

/AddColorBars false

/AddCropMarks false

/AddPageInfo false

/AddRegMarks false

/ConvertColors /ConvertToRGB

/DestinationProfileName (sRGB IEC61966-2.1)

/DestinationProfileSelector /UseName

/Downsample16BitImages true

/FlattenerPreset <<

/PresetSelector /MediumResolution

>>

/FormElements false

/GenerateStructure false

```
/IncludeBookmarks false
/IncludeHyperlinks false
/IncludeInteractive false
/IncludeLayers false
/IncludeProfiles true
/MultimediaHandling /UseObjectSettings
/Namespaces [
  (Adobe)
  (CreativeSuite)
  (2.0)
]
/PDFXOutputIntentProfileSelector /NA
/PreserveEditing false
/UntaggedCMYKHandling /UseDocumentProfile
/UntaggedRGBHandling /UseDocumentProfile
/UseDocumentBleed false
>>
]
>> setdistillerparams
<<
  /HWResolution [2400 2400]
  /PageSize [595.276 841.890]
>> setpagedevice
```