

Reminder that detailed guidance on category values (e.g. High, Medium, or Low; Lethal, Sublethal, Min
Reminder that guidance on stressors is on the google drive, in Barb's 3/8/19 e-mail, and in R:\Draft BiC

I've added "Division" and "Action Component" columns here for convenience, to make compilation ac
I removed "Work Window Intersection" from the "Life Stage Timing" as I think that was a holdover fro

Division	Action Component	Stressor	Life Stage (Location)	Life Stage Timing
-----------------	-----------------------------	-----------------	----------------------------------	--------------------------

not; etc.) are in the Analytical Approach in R:\Draft BiOp\2_ESA\2.1 Analytical Approach
p\2_ESA\2.5-2.6 Effects of the Action

cross Divisions easier.

in CWF construction wording -- in this consultation is more broadly about overlap between life stage an

Individual Response and Rationale of Effect	Severity of Stressor	Proportion of Population Exposed	Frequency of Exposure	Magnitude of Effect	Weight of Evidence
--	---------------------------------	---	----------------------------------	--------------------------------	-------------------------------

id PA effect.

**Probable
Change in
Fitness**

I've added a "Division" column here for convenience, to make compilation across Divisions easier.

Division	Action Component	Location of Effect	Physical and Biological Features Affected
-----------------	-------------------------	---------------------------	--

**Response and
Rationale of Effect**

Magnitude

Weight of Evidence

**Probable Change in PBF
Supporting the Life History
Needs of the Species**
