Primary Stressors from RP	List of PA components (from deconstructed action figure)						
1. Passage							
Impediments/Barriers							
2. Harvest/Angling Impacts							
3. Water Temperature							
4. Water Quality							
5. Flow Conditions							
6. Loss of Riparian Habitat							
and Instream Cover							
7. Loss of Natural River							
Morphology and Function							
8. Loss of Floodplain Habitat							
9. Loss of Tidal Marsh Habitat							
10. Spawning Habitat							
Availability							
11. Physical Habitat Alteration							
12. Invasive Species/Food							
Web Changes							
13. Entrainment/Impingement							
14. Predation							
15. Hatchery Effects							

Stressor Table to be developed for Each Division Mark "X" for affected by components of the PA, or N/A

This list of 15, were identified as Primary Stressors in the CV Recovery Plan for salmonids. Your analysis will determine which Stressors are affected by the PA (positive/negative), by separating the action into components (using the deconstructed action figure for your division).

Under each Stressor below are suggested specific effects to species, which you may discuss in your "Effects of the PA" sections (there are likely many more). For critical habitat analysis, focus on PBFs affected.

- 1. Passage Impediments/Barriers
 - Flow/temperature-related barriers to migration
 - Temporary barriers
- 2. Harvest/Angling Impacts (likely N/A)
- 3. Water temperature (affected by flows)
 - Egg survival
 - Spawning Adult survival
- 4. Water Quality
 - Contaminants (herbicides in CCF)
 - Flow related
- 5. Flow Conditions (flood releases, pulse flows)
 - Redd scour
 - Redd dewatering
 - Juvenile stranding (fluctuations)
 - Floodplain inundation juvenile growth

- Travel time affecting survival
- Routing affecting survival (riverine vs. tidal transition zone)
- Delta survival
- Upstream survival (Temp related spawning/egg incubation)
- Unnatural hydrograph (summer/winter)
- 6. Riparian vegetation (flows supportive)
 - Geomorphic processes
- 7. Loss of Natural River Morphology and Function
 - Timing of flows
- 8. Loss of Floodplain Habitat
 - Yolo
- 9. Loss of Tidal Marsh Habitat (NA?)
- 10. Spawning Habitat Availability
 - Funding source for gravel augmentation
 - Temp/flow-related (ops)
- 11. Physical Habitat Alteration (e.g., lack of instream gravel supply, watershed disturbance)
 - Gravel augmentation, restoration?
- 12. Invasive Species/Food Web Changes
 - Food/prey availability
- 13. Entrainment/Impingement
 - Entrainment unscreened CVP/SWP divisions; Impingement screened CVP/SWP diversions.
- 14. Predation
 - At CVP/SWP structures
 - flow-related
 - routing-related
- 15. Hatchery
 - Nimbus hatchery *O. mykiss* spawning with natural-origin steelhead in the American River and in other CV streams

Maintenance and Monitoring?

Higher flows and cooler water temperatures during the summer (leading to residualized O. mykiss) – still a thing?